

RESEARCH OUTPUTS / RÉSULTATS DE RECHERCHE

A computational construction grammar approach to semantic frame extraction

Beuls, Katrien; Van Eecke, Paul; Cangalovic, Vanja Sophie

Published in:
Linguistics Vanguard

DOI:
[10.1515/lingvan-2018-0015](https://doi.org/10.1515/lingvan-2018-0015)

Publication date:
2021

[Link to publication](#)

Citation for pulished version (HARVARD):

Beuls, K, Van Eecke, P & Cangalovic, VS 2021, 'A computational construction grammar approach to semantic frame extraction', *Linguistics Vanguard*, vol. 7, no. 1, 20180015, pp. 20180015. <https://doi.org/10.1515/lingvan-2018-0015>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Katrien Beuls*, Paul Van Eecke and Vanja Sophie Cangalovic

A computational construction grammar approach to semantic frame extraction

<https://doi.org/10.1515/lingvan-2018-0015>

Received February 23, 2020; accepted December 21, 2020; published online February 18, 2021

Abstract: This paper introduces a novel methodology for extracting semantic frames from text corpora. Building on recent advances in computational construction grammar, the method captures expert knowledge of how semantic frames can be expressed in the form of conventionalised form-meaning pairings, called constructions. By combining these constructions in a semantic parsing process, the frame-semantic structure of a sentence is retrieved through the intermediary of its morpho-syntactic structure. The main advantage of this approach is that state-of-the-art results are achieved, without the need for annotated training data. We demonstrate the method in a case study where causation frames are extracted from English newspaper articles, and compare it to a commonly used approach based on Conditional Random Fields (CRFs). The computational construction grammar approach yields a word-level F_1 score of 78.5%, outperforming the CRF approach by 4.5 percentage points.

Keywords: computational construction grammar; Fluid Construction Grammar; FrameNet; semantic frames

1 Introduction

Semantic frames, as originally introduced by Charles Fillmore (see e.g. Fillmore 1982), capture a coherent part of the meaning of a sentence in a structured way. A semantic frame is defined by its *name*, which denotes the prototypical event that it represents, and by a number of *frame elements* that describe the prototypical participants in this event. For instance, the `TEXT_CREATION` frame, as documented in the FrameNet project (Baker et al. 1998), denotes a situation in which a new text is created, involving an `AUTHOR` and a `TEXT` as prototypical participants. In a particular linguistic utterance, this frame can be evoked by a number of different *lexical units*, including ‘write’, ‘type’ and ‘draft’. Consider for example the utterance “my colleague drafted a ground-breaking paper”. In this utterance, the `TEXT_CREATION` frame is triggered by the verb “drafted”, which is therefore called the *frame-evoking element*. The `AUTHOR` slot in the frame is filled by “my colleague”, while the `TEXT` slot is filled by “a ground-breaking paper”. Figure 1 shows a graphical representation of this semantic frame instance, including the name of the frame, the frame-evoking element, and the two frame elements.

Semantic frame extraction (SFE) is a natural language understanding (NLU) task that consists in identifying all instances of selected semantic frames in a given text. SFE is of great relevance for many other NLU tasks, including relation extraction (Harabagiu et al. 2005), question answering (He et al. 2015; Shen and Lapata 2007) and paraphrasing (Ellsworth and Janin 2007). Despite the high impact that reliable SFE systems could have in the NLU community, semantic frame extraction remains an unsolved problem. This is partly due to the fact that only few reasonably large datasets with semantic frame annotations are available. The absence of such resources can be explained by the difficult nature of annotating corpora with semantic frames, therefore a time-consuming and costly endeavour, as reported by Marzinotto et al. (2018).

*Corresponding author: Katrien Beuls, Artificial Intelligence Laboratory, Vrije Universiteit Brussel, Pleinlaan 2, 1050 Brussels, Belgium, E-mail: katrien@ai.vub.ac.be. <https://orcid.org/0000-0003-4451-4778>

Paul Van Eecke, Artificial Intelligence Laboratory, Vrije Universiteit Brussel, Brussels, Belgium; and ITEC, imec research group at KU Leuven, Kortrijk, Belgium, E-mail: paul@ai.vub.ac.be. <https://orcid.org/0000-0001-9153-9092>

Vanja Sophie Cangalovic, Artificial Intelligence Laboratory, Vrije Universiteit Brussel, Brussels, Belgium, E-mail: vanja@uni-bremen.de

text_creation	
frame-evoking element	drafted
author	my colleague
text	a groundbreaking paper

Figure 1: An instance of the `TEXT_CREATION` frame evoked by the utterance “my colleague drafted a ground-breaking paper”. The frame-evoking element is “drafted”, and the `AUTHOR` and `TEXT` slots are filled by “my colleague” and “a ground-breaking paper” respectively.

In this paper, we propose a novel methodology for semantic frame extraction, which does not require any annotated training data. Our approach exploits the natural relationship between frame semantics and construction grammar (Fillmore 1988) by capturing expert knowledge of how semantic frames can be expressed in the form of form-meaning mappings, called constructions. The constructions are formalised and implemented in Fluid Construction Grammar (FCG) (Steels 2011), a computational platform that allows using these constructions for semantically parsing linguistic utterances, in this case retrieving relevant parts of their frame-semantic structure. We evaluate the method in a case study where instances of the FrameNet `CAUSATION` frame are extracted from a corpus of English newspaper articles, and compare it to a commonly used method that makes use of Conditional Random Fields (CRFs).

The remainder of this paper is structured as follows. Section 2 provides a precise definition of the problem, discusses the data collection and annotation processes, presents the computational construction grammar and CRF approaches, and defines the evaluation criteria. Section 3 presents the results yielded by both approaches. The results are then discussed in Section 4 and situated with respect to earlier work in Section 5.

2 Materials and methods

2.1 Problem definition

In the previous section, we have introduced semantic frame extraction as a task that consists in ‘identifying all instances of selected semantic frames in a given text’. This contrasts with *frame-semantic parsing*, which aims to provide a complete frame-semantic analysis of a given utterance.¹ It also differs from *semantic role labelling*, which, like semantic frame extraction, aims to extract semantic frame-like structures from utterances, but focusses on more abstract roles that describe an utterance’s argument structure, such as `AGENT`, `PATIENT` and `EXPERIENCER`.

Following Marzinotto et al. (2018), we define semantic frame extraction as a sequence labelling problem, where zero or more labels are associated with each token in a given text. Such a label indicates that the token takes part in an instance of one of the selected semantic frames and contains information on: (i) which semantic frame the token is associated to, (ii) which semantic frame instance the label is associated to, (iii) whether the token is part of a frame-evoking element or part of a frame element, and (iv) to which frame element or lexical unit it belongs. Note that a single token can be associated to multiple frame instances and can thus receive multiple labels.

Table 1 shows an example of this sequence labelling task for a single sentence. Each token in the sentence appears on a separate row. The first column contains the index of the token in the text and the second column contains the token itself. The third column contains the frame annotation labels associated to this token. If the token is not part of an instance of one of the selected semantic frames, the default label ‘O’ is assigned, as is for example the case for the word ‘journalists’ in the example. If a token is part of a semantic frame, its label consists of four segments, separated by a colon. The first segment provides the name of the semantic frame that the token belongs to (e.g. ‘causation’). The second segment indicates whether the token is part of a

¹ The same distinction is made by Marzinotto et al. (2018), but referred to as *full text parsing* versus *partial parsing*.

Table 1: Semantic frame extraction is defined as a sequence labelling task, in which the frame annotation labels need to be predicted.

Index	Token	Frame Annotation
798	Back	0
799	in	0
800	1984	0
801	,	0
802	journalists	0
803	reported	0
804	from	0
805	Ethiopia	0
806	about	0
807	a	Causation:FE:effect:812
808	famine	Causation:FE:effect:812
809	of	Causation:FE:effect:812
810	biblical	Causation:FE:effect:812
811	proportions	Causation:FE:effect:812
812	caused	Causation:LU:cause:812
813	by	0
814	widespread	Causation:FE:cause:812
815	drought	Causation:FE:cause:812
816	.	0

frame-evoking element ('LU' for lexical unit) or of a frame element ('FE'). If it is part of a frame-evoking element, as is the case for the word 'caused' in the example, the third segment of the label reveals the lexical unit that triggered the frame ('cause'). If the token is part of a frame element, as is for example the case for 'famine' and 'draught', the third part of the label indicates the specific frame element it belongs to, *EFFECT* and *CAUSE* respectively in this case. Finally, the fourth segment of the label refers to the index of the token that triggered the frame instance, in this case 'caused' on line 812. The index allows identifying to which frame instance a frame annotation label belongs, which is especially important in sentences where multiple frame instances occur next to each other.

2.2 Data collection

The semantic frame extraction method that we present in this paper was initially developed as part of an application that analyses opinions about causal relations expressed in online media, especially focussing on the climate change debate. The frame of interest here is the *CAUSATION* frame, with as frame elements *CAUSE* and *EFFECT*. The texts from which the frames need to be extracted are online newspaper articles and their comments. We use this case study in the coming sections for demonstrating and evaluating the frame extraction method.

The first step in the data collection process consisted in the compilation of a corpus of online newspaper articles, more in particular articles from the *The Guardian* that are tagged with the topic 'Climate Change'. From this corpus, a subcorpus of 'causal' sentences was selected, based on the following two criteria: (i) each sentence should contain at least one of the following lexical units, listed in FrameNet as frame evoking elements of the *CAUSATION* frame: *CAUSE.V*, *DUE TO.PREP*, *BECAUSE.C*, *BECAUSE OF.PREP*, *GIVE RISE TO.V*, *LEAD TO.V* *OR RESULT IN.V*, and (ii) each of these lexical units should appear at least 40 times across all sentences in the subcorpus. The sentences were otherwise randomly selected. The resulting subcorpus consisted of 345 sentences with a total of 11,443 words, amounting to an average of 33 words per sentence. These sentences contain in total 412 lexical units that evoke an instance of the *CAUSATION* frame.

These 345 sentences were then transformed into an automatically annotated CONLL-like format using the Spacy NLP toolbox.² In this format, each token appears on a separate line, together with its lemma, universal part-of-speech tag, dependency label, and the index of the token that serves as its head in the sentence’s syntactic dependency tree. Each token was also manually annotated with zero or more frame labels, as explained in Section 2.1 above and illustrated in Table 1. In total, 412 instances of the CAUSATION frame were annotated, using 6,317 labels, 735 of these associated to frame evoking elements, 2,183 to causes and 3,399 to effects.

The annotated corpus was then subdivided into a development set and a test set, respectively covering 60 and 40% of the frame instances. The subdivision was done randomly, with the only constraint that each lexical unit needed to appear at least 20 times in each set. As shown in Table 2, 199 sentences with 241 frame instances were assigned to the development set, while 146 sentences with 171 frame instances were assigned to the test set. Table 3 presents the distribution of the different lexical units in the corpus, showing that each lexical unit appears at least 20 times in both the development and the test set.

Table 4 shows a sample of the annotated corpus, illustrating the data format for the sentence “Loss of Arctic sea ice results in enhanced warming of the Arctic Ocean due to a strong positive feedback”. The first column indicates the index of the token in the corpus (‘Index’). Column two to six are automatic annotations of the index of the token in the sentence (‘Id’), the word form of the token (‘Token’), its lemma (‘Lemma’), its universal part-of-speech tag (‘Upos’), the index of its head in the sentence’s dependency tree (‘H’), and the token’s dependency label (‘Deprel’). The last column shows the manually annotated frame labels. The example sentence contains two instances of the CAUSATION frame, one evoked by ‘results in’ on line 5,651 and one evoked by ‘due to’ on line 5,659. The indices in the annotated frame labels are important for indicating with which frame instance each label is associated. For instance, the token “Loss” on line 5,646 is part of the cause of the frame instance evoked on line 5,651 comprising “[CAUSE Loss of arctic sea ice] results in [EFFECT enhanced warming of the Arctic Ocean]”, but at the same time part of the effect of the frame instance evoked on line 5,659 comprising “[EFFECT Loss of Arctic sea ice results in enhanced warming of the Arctic Ocean] due to [CAUSE a strong positive feedback]”.

The annotated corpus is available on request.

Table 2: Corpus statistics and composition of development and test set.

Set	# Sentences	# Words	# Frames
Dev. Set	199	6,555	241
Test Set	146	4,888	171
All	345	11,443	412

Table 3: Overview of frame instances evoked by different lexical units in the corpus.

Lexical Unit	Dev. Set	Test Set	Total
CAUSE.V	55	31	86
DUE-TO.PREP	33	23	56
BECAUSE.C	48	21	69
BECAUSE-OF.PREP	20	21	41
GIVE-RISE-TO.V	20	30	50
LEAD-TO.V	35	23	58
RESULT-IN.V	30	22	52
All	241	171	412

² Spacy v2.0.18 – <https://spacy.io>.

2.3 Conditional random field baseline

Before presenting our novel approach to semantic frame extraction, we first build a baseline system, which will later allow us to better interpret the evaluation results. We use an approach based on conditional random fields (CRFs), which have often been used in the NLP literature for solving similar sequence labelling tasks (Cohn and Blunsom 2005; Marzinotto et al. 2018; McCallum and Li 2003), and perform relatively well on small datasets. Concretely, our baseline system implements the CRF-based semantic frame extraction method presented by Marzinotto et al. (2018).

Following this approach, a separate CRF is trained for each lexical unit. In our case, this amounts to six CRFs in total (see Table 3 – `BECAUSE.C` and `BECAUSE-OF.PREP` are handled by the same CRF because of their lexical similarity). Before training, a subset of the development set is selected for each lexical unit, consisting of only those sentences in which the lexical unit appears. This is done based on the lemma of the word that is most strongly associated with the LU: ‘cause’, ‘due’, ‘because’, ‘rise’, ‘lead’, and ‘result’ respectively. Then, each CRF is trained on one of these subsets, with as features the lemma of each token, its universal part-of-speech tag, and an encoding of the shortest path in the dependency tree between the token and the first word of the first occurrence of the LU in the sentence. For instance, the features of the word ‘positive’ for training the CRF dealing with the LU `DUE-TO` in the example shown in Table 4 would be [‘positive’, ‘adj’, ‘+amod+pobj’], with the + signs indicating the upwards direction of the described links in the dependency tree. The labels for training the CRFs are the annotated frame labels that are associated with all frame instances triggered by the LU, but without their indices (e.g. `C:FE:cause`).

At test time, a preprocessor first identifies the possible LUs in a sentence based on their lemma, using the same methodology that was used for creating the training subsets for each LU. Then, the sentence is input to the CRFs that were trained for these LUs, and the predictions are collected. The indices identifying the frame instances are then added to the predicted labels in a very naive way, namely by referring to the index of the first word of the first occurrence of the LU in the sentence. Finally, the predictions of the individual CRFs are

Table 4: Sample of the corpus with annotations for the CAUSATION frame. Two frames are evoked in this sentence: one by the lexical unit `RESULT-IN.V` at index 5,651 and one by `DUE-TO.PREP` at index 5,659. In the frame labels, ‘Causation:’ has been shortened to ‘C.’ for space reasons.

Index	Id	Form	Lemma	Upos	H	Deprel	Frame labels
5,646	1	Loss	loss	noun	_	ROOT	C:FE:cause:5,651 C:FE:effect:5,659
5,647	2	of	of	adp	1	prep	C:FE:cause:5,651 C:FE:effect:5,659
5,648	3	Arctic	arctic	proprn	4	compound	C:FE:cause:5,651 C:FE:effect:5,659
5,649	4	sea	sea	noun	6	compound	C:FE:cause:5,651 C:FE:effect:5,659
5,650	5	ice	ice	noun	6	compound	C:FE:cause:5,651 C:FE:effect:5,659
5,651	6	results	result	noun	2	pobj	C:LU:result-in:5,651 C:FE:effect:5,659
5,652	7	in	in	adp	6	prep	C:LU:result-in:5,651 C:FE:effect:5,659
5,653	8	enhanced	enhanced	adj	9	amod	C:FE:effect:5,651 C:FE:effect:5,659
5,654	9	warming	warming	noun	7	pobj	C:FE:effect:5,651 C:FE:effect:5,659
5,655	10	of	of	adp	9	prep	C:FE:effect:5,651 C:FE:effect:5,659
5,656	11	the	the	det	13	det	C:FE:effect:5,651 C:FE:effect:5,659
5,657	12	Arctic	arctic	proprn	13	compound	C:FE:effect:5,651 C:FE:effect:5,659
5,658	13	Ocean	ocean	proprn	10	pobj	C:FE:effect:5,651 C:FE:effect:5,659
5,659	14	due	due	adp	1	prep	O C:LU:due-to:5,659
5,660	15	to	to	adp	14	pcomp	O C:LU:due-to:5,659
5,661	16	a	a	det	19	det	O C:FE:cause:5,659
5,662	17	strong	strong	adj	19	amod	O C:FE:cause:5,659
5,663	18	positive	positive	adj	19	amod	O C:FE:cause:5,659
5,664	19	feedback	feedback	noun	14	pobj	O C:FE:cause:5,659
5,665	20	.	.	punct	1	punct	O

merged, with the effect that each token can become associated with multiple frame labels. An overview of the architecture of the CRF baseline system is shown in Figure 2.

2.4 Computational construction grammar approach

Computational construction grammar (CCxG) is a branch of linguistics that operationalises insights and analyses from construction grammar into concrete processing models (Van Eecke and Beuls 2018). As such, CCxG aims to capture linguistic knowledge about the morphology, syntax and semantics of a language in the form of form-meaning pairings, called constructions. These constructions can range from very concrete, for example connecting a word form to its lexical meaning, to completely abstract, for example in the case of an argument structure construction that combines a subject noun phrase with an intransitive ergative verb, and specifies that the subject is the undergoer of the event evoked by the verb. In this paper, we use Fluid Construction Grammar (FCG) (Steels 2011) for formally representing and processing constructions, with the goal of extracting semantic frames from text corpora.

Concretely, our novel CCxG-based semantic frame extraction method proceeds in three steps. First, a syntactic dependency structure is built based on the corpus annotation. Then, targeted constructions that encode expert linguistic knowledge extend the dependency structure with information about the presence of semantic frames and their frame elements. Finally, this information is extracted from the resulting structure and transformed into frame labels.

We will now explain the approach in more detail using the example sentence “Journalists reported from Ethiopia about a famine caused by widespread drought”. Figure 3 shows the dependency structure of the sentence as annotated in the corpus, in a feature structure format that can easily be used by the FCG engine. Every node contains four features. The head and dependents features encode the structure of the tree, referring to the head and dependents of a node by their unique identifier. The form feature contains the word form of the token that a node represents. Finally, the dependency feature holds the part-of-speech tag of the node, as well as the edge label of the node to its head.

Next, the dependency structure is extended by three constructions: the CAUSED-MORPH-CXN, the CAUSE-VERB-LEX-CXN and the X-CAUSED-BY-Y-CXN. The CAUSED-MORPH-CXN searches in the dependency structure for a node of which the form feature contains the string “caused”. If such a node is found, the construction will add two new features to this node: a lex-class feature with the value verb and a lex-id feature with the value cause. This construction identifies thus that the token is a morphological form of the verb ‘to cause’. Now that these features are part of the structure, other constructions can build further on them. Figure 4 shows the FCG representation of the CAUSED-MORPH-CXN. The preconditions of the construction are written on the right side of the arrow, while features that are added are written on the left side.³ Symbols preceded by a question mark are logical variables, which can match any symbol in the structure.




Figure 2: Architecture of the CRF baseline system, based on Marzinotto et al. (2018). At training time, a separate CRF is trained for each lexical unit (LU) on sentences that contain that LU. At test time, a sentence is input to the CRFs trained on the LUs that it contains, the indices are added, and the predictions of the different CRFs are merged.

³ Note that the nodes appearing on the right side of the arrow (preconditions) are divided into two by a horizontal line. Only the part below the line is used. The part above the line is reserved for preconditions for producing sentences, which is not part of the task here.




Figure 3: Dependency structure for the sentence “Journalists reported from Ethiopia about a famine caused by widespread drought”. This structure serves as the input for the constructional processing step. Two nodes are expanded, showing more details of the information contained in the structure.




Figure 4: The CAUSED-MORPH-CXN adds information about the lemma and lexical class of the word form “caused” to the dependency structure.

The CAUSE-VERB-LEX-CXN is a lexical construction that looks for word forms of the verb ‘to cause’ and identifies them as frame-evoking elements of the CAUSATION frame (see Figure 5). In this case, the construction matches on the features that were added by the CAUSED-MORPH-CXN. The CAUSE-VERB-LEX-CXN then adds a meaning feature that holds three predicates. The first predicate indicates the name of the frame (CAUSATION), the lexical unit that triggered it (‘cause’), and a unique identifier for the frame instance (?frame). The second and third predicates represent the slots of the frame. Their first argument specifies the participant role that they represent (CAUSE and EFFECT respectively). Their second argument links the predicates to the frame instance they belong to (?frame). Their third argument is for now a free variable, but will eventually be linked to the respective referents of the participant roles in the dependency structure. Finally, the sem-valence feature abstracts away from the specific semantic roles of cause and effect to the more general roles of actor and theme. These more general roles allow for a higher degree of generalisation in the grammar, avoiding the need to write specific constructions for every frame.

The X-CAUSED-BY-Y-CXN matches on four nodes in the structure, referred to as ?caused-unit, ?by-unit, ?cause-unit and ?effect-unit. The ?caused-unit matches on the node that has previously been identified by the CAUSE-VERB-LEX-CXN as a frame-evoking element for the CAUSATION frame. Moreover, it needs to have the part-of-speech tag vbn and the edge label acl under its dependency feature. The ?by-unit needs to be a daughter node of the ?




Figure 5: The CAUSE-VERB-LEX-CXN identifies CAUSATION frames evoked by the lexical unit CAUSE.V.

caused-unit, that contains the string “by”. In turn, the ?cause-unit needs to be a daughter node of the ?by-unit, and have the edge label pobj. Finally, the ?effect-unit is the node that is the head of the ?caused-unit. If these preconditions are fulfilled, the construction adds a referent feature to the ?cause-unit and ?effect-unit nodes. The values of these features are the same variables as those that appear in the frame slot predicates of the ?caused-unit, indicating that these nodes serve as the referent of the CAUSE and EFFECT slots of the frame.

Figure 7 shows the structure of the sentence after it has been extended by the three constructions discussed above. The variable links indicate that the caused-1 node evokes an instance of the CAUSATION frame, and that the drought-1 and famine-1 nodes are the head of the CAUSE and EFFECT slots respectively. Now, these relations need to be translated into frame labels. For the heads of both slots (drought-1 and famine-1), the system looks up all daughter nodes that are not part of a subtree of which the top node contains a referent feature. In this case, these are the widespread-1 node for the cause and the a-1 node for the effect. In the corpus, a frame label is added to all tokens represented by both the head node and the selected daughter nodes. The first element of the label is the name of the evoked frame, as specified by the frame predicate in the frame-evoking node. The second element is ‘LU’ for the tokens represented by the frame-evoking node and its selected daughter nodes, and ‘FE’ for the tokens belonging to the participant roles. The third element is the second argument of the frame predicate for LU tokens, and the first argument of the slot predicate for the FE tokens. Finally, the index is the sum of the position of the first token of the LU in the sentence with the set-off of the start of the sentence in the corpus. Note that multiple frame instances in the same sentence, even if they are nested as in the case of the example in Table 4, are no obstacle to this approach.

The grammar used for this case study was developed based on the development part of the corpus. In total, it consists of 58 constructions. Seventeen morphological constructions identify instances of lexical units that exhibit morphological variation. Eleven lexical constructions identify frame instances. Finally, 30 grammatical constructions fill in the slots of these frame instances. Some of these are specific to the CAUSATION frame, for example the X-CAUSED-BY-Y-CXN shown in Figure 6, while others are more generally applicable, such as the ACTIVE-TRANSITIVE-CXN.




Figure 6: The X-CAUSED-BY-Y-CXN fills in the participant roles of the frame, based on their syntactic properties.

Table 5: Evaluation results of the computational construction grammar (CCxG) and conditional random field (CRF) methods on the Guardian newspaper corpus. LU: frame evoking elements, FE: frame elements.

Unit	Method	Precision	Recall	F ₁
LU	CRF	98.08	95.62	96.84
	CCxG	95.70	90.31	92.93
FE	CRFs	75.71	66.53	70.82
	CCxG	85.27	69.24	76.42
Cause	CRFs	83.27	73.21	77.92
	CCxG	85.75	75.84	80.49
Effect	CRFs	71.19	62.18	66.38
	CCxG	85.13	64.68	73.51
Overall	CRF	78.60	69.95	74.02
	CCxG	86.67	71.72	78.49

Overall, the CCxG approach yields a precision of 86.57%, a recall of 71.72% and an F₁ score of 78.49%, outperforming the CRF approach on all three metrics, with 8.07, 1.77 and 4.47 percentage points respectively. Also on the level of the frame elements, the CCxG approach yields a better precision, recall and F₁ score than the CRF baseline (85.27, 69.24, 76.42% against 75.71, 66.53, 70.82%), a result that is also true for both causes (85.75, 75.84, 80.49% against 83.27, 73.21, 77.92%), and effects (85.13, 64.68, 73.51% against 71.19, 62.18, 66.38%). On the level of the lexical units however, the CRF baseline performs better than the CCxG approach (98.08, 95.62, 96.84% against 95.70, 90.31, 92.38%).

4 Discussion

The results have shown that the CCxG approach performs considerably better than the CRF baseline on almost all metrics and units of evaluation, except when it comes to the identification of frame-evoking elements. The difference is especially pronounced for the precision scores of effect identification, where the CCxG approach clearly outperforms the baseline by almost 14 percentage points. While causes are often expressed as the subject of causal verbs, and are thus relatively easy to identify, effects have more diverse syntactic realisations in the corpus. This is handled by the CCxG approach through the implementation of different constructions for each of these realisations, while the CRF approach might be more susceptible to sparseness here. The observation that the CRF approach performs better than the CCxG approach on the relatively simple task of frame identification can be explained by the fact that our system does not return frame labels for frame instances where no slots could be filled. This is a design choice that is motivated by the current applications of the system, for which frame identification in its own is not a goal.

The main advantage of the CCxG approach is that it does not rely on annotated training data. Only a small held-out development set is needed to serve as an inspiration to the grammar engineer, who is able to include expert linguistic knowledge of how semantic frames can be expressed into the grammar. The CRF approach on the other hand, relies entirely on training data annotated with semantic frames, which is only scarcely available. It is likely that the results of the CRF approach will still improve when more data is used for training, although this remains a hypothesis that cannot be concluded from our results.

When it comes to the effort involved in the development of a semantic frame extraction tool, the CRF approach is less time-consuming and might be preferred when enough annotated training data is available. Implementing a CCxG grammar requires more time and a basic level of linguistic knowledge of the target language, but is surely much more feasible than annotating a training corpus by hand, and the effort is rewarded by a good accuracy score on the task.

5 Related work

The fields of frame-semantic parsing and semantic frame extraction are dominated by approaches that make use of (semi-)supervised machine learning techniques, including discriminative (Das et al. 2014; Gildea and Jurafsky 2002) and generative (Thompson et al. 2003) statistical models, maximum entropy models (Fleischman et al. 2003), support vector machines (SVMs) (Giuglea and Moschitti 2006; Johansson and Nugues 2007), conditional random fields (Marzinotto et al. 2018) and bi-directional LSTMs (Marzinotto et al. 2018; Ringgaard et al. 2017). Given that these models need to be trained on annotated corpora, which are only scarcely available, they are almost always applied to English and typically trained on FrameNet's example sentences. An exception to this is a recent contribution by Marzinotto et al. (2018), who created their own training data for French, but only included a limited number of frames.

When it comes to grammar-based approaches to frame-semantic parsing, prior work is much more sparse. Shi and Mihalcea (2004) present a broad-coverage, rule-based system that combines knowledge from FrameNet and WordNet with handwritten semantic mapping rules. Their system is evaluated on a subset of FrameNet's example sentences, but the results are hard to interpret as no detailed evaluation is reported. In the computational construction grammar literature, two different approaches have been proposed. Micelli et al. (2009) present an FCG grammar that incorporates the FrameNet lexicon and a few handwritten grammatical constructions. Dodge et al. (2017) use Embodied Construction Grammar (ECG) to process a grammar that consists of constructions that were automatically generated based on FrameNet valence patterns. However, both papers only describe initial proofs of concept, which are not intended for broad-coverage parsing and have therefore not been evaluated.

Finally, Dunietz et al. (2017) present two promising approaches that combine automatically induced pattern-matching rules with statistical classifiers for extracting causal relations. While these approaches are inspired by ideas from construction grammar, they rely on supervised machine learning techniques and consequently on considerable amounts of annotated training data.

6 Conclusion

In this paper, we have introduced a novel methodology for extracting semantic frames from text corpora. The method combines broad-coverage dependency parsing with lexical and grammatical constructions that capture expert knowledge of how particular semantic frames can be expressed. The main advantage of the approach is that state-of-the-art results are achieved without the need for annotated training data. We have demonstrated the methodology in a case study where causation frames were extracted from English newspaper sentences. The computational construction grammar approach outperformed a conditional random fields baseline by 4.5 percentage points in F_1 score. In sum, the proposed computational construction grammar-based methodology forms an excellent alternative to machine learning techniques, especially given the fact that frame-annotated training data is expensive to create and only scarcely available.

Acknowledgment: We would like to thank Luc Steels for his valuable feedback on this work and Remi van Trijp for his work as area editor for *Linguistics Vanguard*.

Funding: This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 732942 (funder id: <http://dx.doi.org/10.13039/100010664>), from the Flemish Government under the 'Onderzoeksprogramma Artificiële Intelligentie (AI) Vlaanderen' programme, and from a postdoctoral fellowship of the Research Foundation Flanders (FWO) awarded to PVE (grant No 75929, funder id: <http://dx.doi.org/10.13039/501100003130>).

References

- Baker, Collin, Charles Fillmore & John Lowe. 1998. The Berkeley FrameNet project. In *Proceedings of the 17th International Conference on Computational Linguistics volume 1*, 86–90. Association for Computational Linguistics.
- Cohn, Trevor & Philip Blunsom. 2005. Semantic role labelling with tree conditional random fields. In *Proceedings of the Ninth Conference on Computational Natural Language Learning*, 169–172. Association for Computational Linguistics.
- Das, Dipanjan, Desai Chen, André Martins, Nathan Schneider & Noah A Smith. 2014. Frame-semantic parsing. *Computational Linguistics* 40(1). 9–56.
- Dodge, Ellen, Sean Trott, Luca Gilardi & Elise Stickles. 2017. Grammar scaling: Leveraging FrameNet data to increase embodied construction grammar coverage. In *2017 AAAI Spring Symposia, Stanford University, Palo Alto, California, USA, March 27–29, 2017*. Palo Alto: AAAI Press.
- Dunietz, Jesse, Lori Levin & Jaime Carbonell. 2017. Automatically tagging constructions of causation and their slot-fillers. *Transactions of the Association for Computational Linguistics* 5. 117–133.
- Ellsworth, Michael & Adam Janin. 2007. Mutaphrase: Paraphrasing with FrameNet. In *Proceedings of the ACL-PASCAL Workshop on Textual Entailment and Paraphrasing*, 143–150. Association for Computational Linguistics.
- Fillmore, Charles. 1982. Frame semantics. In The Linguistic Society of Korea (ed.), *Linguistics in the morning calm*, 111–138. Seoul: Hanshin Publishing Co.
- Fillmore, Charles. 1988. The mechanisms of “construction grammar”. In *Annual Meeting of the Berkeley Linguistics Society*, vol. 14, 35–55.
- Fleischman, Michael, Namhee Kwon & Eduard Hovy. 2003. Maximum entropy models for FrameNet classification. In *Proceedings of the 2003 Conference on Empirical Methods in Natural Language Processing*, 49–56. Association for Computational Linguistics.
- Gildea, Daniel & Daniel Jurafsky. 2002. Automatic labeling of semantic roles. *Computational Linguistics* 28(3). 245–288.
- Giuglea, Ana-Maria & Alessandro Moschitti. 2006. Semantic role labeling via FrameNet, VerbNet and PropBank. In *Proceedings of the 21st International Conference on Computational Linguistics and the 44th Annual Meeting of the Association for Computational Linguistics*, 929–936. Association for Computational Linguistics.
- Harabagiu, Sanda, Cosmin Bejan & Morescu Paul. 2005. Shallow semantics for relation extraction. In *IJCAI-05, Proceedings of the Nineteenth International Joint Conference on Artificial Intelligence*, 1061–1066.
- He, Luheng, Mike Lewis & Luke Zettlemoyer. 2015. Question-answer driven semantic role labeling: Using natural language to annotate natural language. In *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing*, 643–653.
- Johansson, Richard & Pierre Nugues. 2007. Lth: semantic structure extraction using nonprojective dependency trees. In *Proceedings of the Fourth International Workshop on Semantic Evaluations (SemEval-2007)*, 227–230.
- Marzinotto, Gabriel, Jérémy Auguste, Frédéric Béchet, Géraldine Damnati & Alexis Nasr. 2018. Semantic frame parsing for information extraction : the CALOR corpus. In *Proceedings of the Eleventh International Conference on Language Resources and Evaluation*, 986–993.
- McCallum, Andrew & Wei Li. 2003. Early results for named entity recognition with conditional random fields, feature induction and web-enhanced lexicons. In *Proceedings of the Seventh Conference on Natural Language Learning at HLT-NAACL*, vol. 4, 188–191. Association for Computational Linguistics.
- Micelli, Vanessa, Remi van Trijp & Joachim De Beule. 2009. Framing Fluid Construction Grammar. In Niels Taatgen & Hedderik van Rijn (eds.), *Proceedings of the 31st Annual Conference of the Cognitive Science Society*, 3023–3027. Cognitive Science Society.
- Ringgaard, Michael, Rahul Gupta & Fernando CN Pereira. 2017. Sling: A framework for frame semantic parsing. arXiv preprint arXiv: 1710.07032.
- Shen, Dan & Mirella Lapata. 2007. Using semantic roles to improve question answering. In *Proceedings of the 2007 Joint Conference on Empirical Methods in Natural Language Processing and Computational Natural Language Learning*, 12–21. Association for Computational Linguistics.
- Shi, Lei & Rada Mihalcea. 2004. An algorithm for open text semantic parsing. In *Proceedings of the 3rd Workshop on ROburst Methods in Analysis of Natural Language Data*, 59–67. Association for Computational Linguistics.
- Steels, Luc (ed.). 2011. *Design patterns in fluid construction grammar*. Amsterdam: John Benjamins.
- Thompson, Cynthia, Roger Levy & Christopher Manning. 2003. A generative model for semantic role labeling. In *European conference on machine learning*, 397–408. Springer.
- Van Eecke, Paul & Katrien Beuls. 2018. Exploring the creative potential of computational construction grammar. *Zeitschrift für Anglistik und Amerikanistik* 66(3). 341–355.