

RESEARCH OUTPUTS / RÉSULTATS DE RECHERCHE

Brave New GES World

Villarreal-Narvaez, Santiago; Sluÿters, Arthur; Vanderdonckt, Jean; Vatavu, Radu-Daniel

Published in:
ACM Computing Surveys

DOI:
[10.1145/3636458](https://doi.org/10.1145/3636458)

Publication date:
2024

Document Version
Peer reviewed version

[Link to publication](#)

Citation for published version (HARVARD):

Villarreal-Narvaez, S, Sluÿters, A, Vanderdonckt, J & Vatavu, R-D 2024, 'Brave New GES World: A Systematic Literature Review of Gestures and Referents in Gesture Elicitation Studies', *ACM Computing Surveys*, vol. 56, no. 5, 128, pp. 1-55. <https://doi.org/10.1145/3636458>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Brave New GES World: A Systematic Literature Review of Gestures and Referents in Gesture Elicitation Studies

[SANTIAGO VILLARREAL-NARVAEZ](#), University of Namur, Belgium and Université catholique de Louvain, Belgium

[ARTHUR SLUYËTERS](#), Université catholique de Louvain, Belgium

[JEAN VANDERDONCKT](#), Université catholique de Louvain, Belgium

[RADU-DANIEL VATAVU](#), Ștefan cel Mare University of Suceava, Romania

How to determine highly effective and intuitive gesture sets for interactive systems tailored to end users' preferences? A substantial body of knowledge is available on this topic, among which gesture elicitation studies stand out distinctively. In these studies, end users are invited to propose gestures for specific referents, which are the functions to control for an interactive system. The vast majority of gesture elicitation studies conclude with a consensus gesture set identified following a process of consensus or agreement analysis. However, the information about specific gesture sets determined for specific applications is scattered across a wide landscape of disconnected scientific publications, which poses challenges to researchers and practitioners to effectively harness this body of knowledge. To address this challenge, we conducted a systematic literature review and examined a corpus of $N=267$ studies encompassing a total of 187,265 gestures elicited from 6,659 participants for 4,106 referents. To understand similarities in users' gesture preferences within this extensive dataset, we analyzed a sample of 2,304 gestures extracted from the studies identified in our literature review. Our approach consisted of (i) identifying the context of use represented by end users, devices, platforms, and gesture-sensing technology, (ii) categorizing the referents, (iii) classifying the gestures elicited for those referents, and (iv) cataloging the gestures based on their representation and implementation modalities. Drawing from the findings of this review, we propose guidelines for conducting future end-user gesture elicitation studies.

CCS Concepts: • **Human-centered computing** → **Gestural input**; *User interface design*; *Participatory design*.

Additional Key Words and Phrases: Gesture elicitation studies; Systematic Literature Review; Gesture interaction; Gesture input; Gesture vocabulary; Gesture set; Referents; Gesture identification studies.

ACM Reference Format:

Santiago Villarreal-Narvaez, Arthur Sluyters, Jean Vanderdonckt, and Radu-Daniel Vatavu. 2023. Brave New GES World: A Systematic Literature Review of Gestures and Referents in Gesture Elicitation Studies. *ACM Comput. Surv.* 1, 1 (December 2023), 66 pages. <https://doi.org/10.1145/3636458>

Authors' addresses: [Santiago Villarreal-Narvaez](#), University of Namur, Namur Digital Institute (NADI), Namur, Belgium and Université catholique de Louvain, Louvain Research Institute in Management and Organizations (LouRIM), Louvain-la-Neuve, Belgium, santiago.villarreal@unamur.be; [Arthur Sluyters](#), Université catholique de Louvain, Louvain Research Institute in Management and Organizations (LouRIM), Louvain-la-Neuve, Belgium, arthur.sluyters@uclouvain.be; [Jean Vanderdonckt](#), Université catholique de Louvain, Louvain Research Institute in Management and Organizations (LouRIM), Louvain-la-Neuve, Belgium, jean.vanderdonckt@uclouvain.be; [Radu-Daniel Vatavu](#), Ștefan cel Mare University of Suceava, MintViz Lab, MANSiD Research Center, Suceava, Romania, radu.vatavu@usm.ro.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2023 Copyright held by the owner/author(s). Publication rights licensed to ACM.

0360-0300/2023/12-ART \$15.00

<https://doi.org/10.1145/3636458>

1 INTRODUCTION

When faced with the task of developing an interactive application featuring a gestural interface, whether for a mobile device, gaming console, augmented/virtual reality system, or smart environment, one key aspect is to establish a *gesture vocabulary* [80, 138]. This vocabulary, also referred to as a set of gestures mapped to the application functions, should fulfill various quality criteria [142], including, but not limited to, naturalness [135] and memorability [75]. To address this design challenge, one can draw upon multiple sources, including general design principles, style guides provided by software vendors (for visual comparison, see [GestureCons](#)), or empirical studies.

Gesture Elicitation Studies (GESs) were introduced in 2005 by Wobbrock *et al.* [137] in the form of a “guessability” method aimed at collecting end users’ preferences for symbolic input, and originally applied to inform the design of the stroke gestures constituting the [EdgeWrite vocabulary](#) [139]. The first application of the method to hand gesture input was conducted a few years later by Wobbrock *et al.* [138] within the area of surface computing. Subsequently, GESs have gained popularity as an effective and valuable tool for informing the design of gestures that align with end users’ behavior and preferences. Since then, these studies have been applied to a wide array of devices [9, 37, 38, 93, 125], applications [41, 82, 87, 113], environments [29, 55, 60, 68, 96], and contexts of use [26, 32, 67, 112, 119]. To date, we have identified a total of N=267 such studies published in peer-reviewed journals and conferences, reporting users’ preferences for finger, hand, wrist, arm, head, foot, and whole-body gestures for interactive computer systems and environments.

Consequently, a substantial body of knowledge has emerged through the application of the GES research and design method, encompassing several critical aspects: (1) the extent of user consensus regarding gesture commands for interactive applications, (2) establishment of consensus gesture sets, (3) compilation of design guidelines and recommendations [6, 61], (4) creation of software tools [4, 5, 63, 79, 110], and (5) exploration of methodological variations and enhancements to the original method [63, 73, 115, 116, 121–124]. However, while the community has been busy accumulating design knowledge on new gesture types [22, 27, 36, 119] and compiling high-consensus gesture commands for new interactive systems, devices [112, 125, 136], and environments [18, 25, 28, 29, 55, 98], the outcome was an ever-growing body of gesture elicitation studies scattered throughout the various dissemination venues of the Human-Computer Interaction (HCI) field. In this context, this scattered knowledge needs consolidation in a rigorous way for the community to identify best practices and effectively use the available resources towards new discoveries in user-defined gestures as well as to transfer those results into actual gesture user interfaces for highly intuitive and usable interactions with computer systems of many kinds, tailored to and reflective of end users’ needs and preferences. The contributions of this paper encompass the following:

- (1) **Macroscopic-level analysis.** We conducted a new Systematic Literature Review (SLR) in the area of GESs with an expanded query covering an extended timeframe for an analysis of the macroscopic-level data acquired in a prior SLR [129]; see Section 4.
- (2) **Microscopic-level examination of terms and topics.** We delved into a microscopic-level analysis of terms, topics, and associations commonly employed within the GES scientific literature. By utilizing various tools, we generated word clouds to highlight terms employed during different time periods, *e.g.*, from 2019 to 2020. We constructed a stream graph to explore topical trends and employed PhraseNet to underscore word associations for the N=267 studies examined in our SLR; see Section 4.4.
- (3) **Analysis and categorization of referents.** This paper comprehensively covers a diversity of tasks, actions, and referents featured in GESs. Furthermore, it provides a list of the most frequently used referents in GESs, categorized for quantification and classification purposes. To this end, we aim to answer key questions for the GES literature, such as: *Which referents*

are most commonly utilized in the scientific literature? and To what extent do various functions and sub-functions of these referents appear in GESs?; please refer to Section 5.

- (4) **Analysis, representation classification, gesture classification, and gesture-referent mappings.** We compile a dataset of gestures documented by previous GESs, and subsequently scrutinize those gestures in terms of representation (*e.g.*, text, images, and drawings), existing taxonomies, and associations with referents. To this end, we aim to answer questions such as: *What are the gestures most frequently proposed by end users?; How are these gestures typically represented in scientific papers?; What outcomes arise from gesture classification? What are the most notable associations between gestures and references?; please refer to Section 6.*

2 AN OVERVIEW OF GESTURE ELICITATION STUDIES

GES typically explore the three conventional dimensions of the context of use [17]: the involvement of end users to learn about their preferred interactions, the specific platforms and devices employed to perform the interactions, and the physical settings in which the interactions take place.

2.1 Glossary of Concepts and Terminology

We provide an alphabetically ordered list of definitions for the concepts and terminology used in GESs and in this paper. These definitions are also available in our previous SLR [129]:

- (1) **Agreement.** The situation in which the gestures elicited from two or more participants are evaluated as being identical or substantially similar according to a set of rules, criteria, or similarity functions and, thus, equivalent from the perspective of the target application. For example, the designer of a gesture interface for a smart ring device [38] may consider that gesture direction and speed are more important than the amplitude of the finger movement.
- (2) **Command.** A signal that actuates the execution of a function in the user interface, also referred to as a “gesture command,” where the signal is represented by gesture input. For example, in response to the “dim lights” referent, a participant may propose a downward movement of the finger wearing the smart ring.
- (3) **Consensus gesture set.** The set of gestures that reached the largest agreement for the referents examined in the GES. For example, say that 11 of the 20 participants involved in the study believe that a downwards movement of the index finger represents the best gesture to effect “dim lights,” 9 participants consider that an upwards movement of the finger should effect “make lights brighter,” and 15 participants propose clockwise circular movements to “turn the lights on and off.” In that case, the consensus gesture set is composed of the downwards, upwards, and clockwise circular gestures of the finger wearing the ring.
- (4) **Consensus rate.** A measure of agreement that employs dissimilarity functions and tolerance thresholds for the automatic computation of agreement between the elicited gestures [121].
- (5) **Elicitation.** The process of involving participants in the GES to respond to referents and propose suitable gestures, reflective of their preferences, to effect those referents.
- (6) **End user.** A potential user of the interactive device, application, or system for which gestures are designed. A sample of end users forms the “participants” of the GES.
- (7) **Function.** A feature of the interactive system that can be controlled independently using a gesture command, *e.g.*, “make lights brighter”. Same as “referent.”
- (8) **Gesture.** A movement of a part of or the whole body performed in response to a referent.
- (9) **Measure of agreement.** A numerical measure quantifying the magnitude of agreement among the gestures elicited from the study participants. For example, from the 20 participants of a GES, three subgroups of sizes 9, 7, and 4 emerge for the “dim lights” referent, so that all participants from each subgroup are in agreement about their gestures. The agreement score,

defined according to [137], computes $(9/20)^2 + (7/20)^2 + (4/20)^2 = .365$, while the agreement rate used by [122] returns $(9 \cdot 8 + 7 \cdot 6 + 4 \cdot 3) / (20 \cdot 19) = .332$.

- (10) **Participant.** A human subject, representative of the population of end users for the particular system or application involved in the study, that volunteered to participate in the GES and propose gesture commands in response to referents.
- (11) **Referent.** A feature of the interactive system that can be controlled independently using a gesture command, *e.g.*, make lights brighter. Same as “function.”
- (12) **Symbol.** Any artifact that evokes a referent in the form of a system function, *e.g.*, a stroke gesture, surface gesture, mid-air gesture, command keyword, voice command, icon, button label, menu item, and so forth. Also known as a “sign.”

2.2 GES Method

In our previous SLR [129], we presented various adaptations of the original GES method, originally introduced by Wobbrock *et al.* [137, 138], while a recent work by Vatavu and Wobbrock [124] clarified aspects of agreement analysis. With each GES methodological iteration, researchers and practitioners have endeavored to uphold a consistent methodology while adhering to principles of scientific rigor; see Figure 1 for an overview of the overall GES process. A few specific examples are noteworthy for the historical development of GESs:

- (1) Wobbrock *et al.* [137, 138] were the first to formalize the gesture elicitation method, including a definition of the agreement score measure for consensus analysis, introduced for maximizing the guessability of symbolic input [137]. Their work spawned further theoretical developments, including new agreement measures and statistical techniques for conducting agreement analysis [32, 122–124].
- (2) Morris *et al.* [73] highlighted the existence of a “legacy bias” phenomenon for GESs, where the users involved in such studies are often biased by their prior experience with other interactive computer technology, in particular user interfaces based on windows, icons, menus, and pointing. This observation has led to new methodological variations of GESs.
- (3) Vatavu [121] showed how the notion of agreement is relative to the criteria employed by the practitioner who is analyzing the elicited gestures, and different criteria lead to different magnitudes for the measures of agreement employed in GESs. The dissimilarity-consensus method, proposed in [121], represents an effective way to handle this problem via dissimilarity functions and tolerance thresholds.
- (4) Ali *et al.* [4] and Tsandilas and Dragicevic [116] introduced formalized approaches for compiling gesture vocabularies in GESs, *i.e.*, optimization algorithms for clustering elicitation data represented as a weighted graph [4] and framing GESs as a computational optimization problem [116]. Such approaches automate the process of compiling consensus gesture sets.
- (5) Vatavu and Wobbrock [124] provided a formal model of general end-user elicitation studies for HCI and clarified foundational aspects of the GES theory and practice with a comprehensive discussion and new key theoretical insights. In this process, they conducted verification and validation of the method [137, 138] and the gesture analysis process of agreement calculation [32, 122, 123, 137, 138], significantly extending prior developments. Their exposition categorized agreement analysis methods into three types: *expert*, *codebook*, and *computer*.
- (6) Gheran *et al.* [39] examined and formalized aspects of the replicability and reproducibility of the results of GESs, such as the consensus gesture set, with the RepliGES conceptual space.




Fig. 1. Block diagram of the overall process involved by conducting gesture elicitation studies. Optional transitions between the various steps of the process are represented graphically with dashed arrows.

2.3 Surveys and Reviews of Gesture Elicitation Studies

Previous work has surveyed the area of gesture interaction from various perspectives. For instance, one survey [90] examined the effectiveness and efficiency of computer vision techniques for hand gesture recognition by comparing various recognition techniques, software platforms, and frameworks. This survey analyzed research conducted prior to the release of key gesture sensing devices, such as *Microsoft Kinect* and *Leap Motion Controller* and, thus, missing out critical evolutionary aspects of gesture technology.

A SLR systematically summarizes the existing scientific literature available on a topic in a reproducible way to explain the state of the art, while a review summarizes the evolution of a theory, concept, or technique. For example, [40] classified the mid-air hand gestures extracted from 65 papers according to the nature of their action: selection, navigation (e.g., zoom, scroll, move cursor, pan, and view control), and manipulation. Such a classification is bottom-up compared to the top-down approach from our SLR, i.e., starting from a taxonomy of actions [56]. Another SLR by Al-Shamayleh *et al.* [2] addressed vision-based gesture recognition. Vuletic *et al.* [134] reported the results of a SLR identifying characteristics of touchless, in-air hand gestures from 148

articles, which were classified in terms of the number of participants, gestures, applications (*i.e.*, 3D modeling, assistive technology, data input/authentication, manipulation/navigation, and touchless control), and devices. Xia *et al.* [142] conducted a SLR focused on gesture vocabulary design. Their review involved literature queries such as “gesture design,” “design of gestures,” “gesture tools,” and others, culminating in the identification and analysis of 13 factors, such as gesture *intuitiveness*, *learnability*, *transferability*, *recognition*, and more, with the aim of informing gesture set design. Xia *et al.*’s work provides user-centered and factor-oriented guidelines for future studies in this area. Additionally, two SLRs have been conducted in the area of mid-air hand gesture interaction: one SRL aimed at reviewing empirical research related to the use of mid-air gestures across various contexts of use [50], and another focusing on GESs within the same domain [131]. It is important to note that this previous work represents only an inaugural attempt to conduct an SLR specifically dedicated to GESs, but for mid-air gestures alone. Several other papers have explored the literature surrounding GESs, but their focus has been relatively narrow. For instance, Tijana *et al.* [114] conducted a SLR on hand gestures for user interfaces, briefly mentioning the GES method, which was not the central theme of their research. Other studies have centered on surveying software tools utilized in GESs [63], concentrating on the features and qualities of such tools for the development of interactive computing systems.

The work most closely related to ours is a study conducted by Vogiatzidakis and Koutsabasis [131], in which they analyzed a corpus of N=47 papers specifically addressing GESs within the application domain of mid-air interaction. However, this work had a narrow focus, limited to gestures performed in mid-air. In contrast, our investigation encompasses the entirety of GES scientific literature, rendering our scope significantly broader with a dataset of N=267 gesture elicitation studies identified to date. Most recently, Hosseini *et al.* [44] reviewed gestures found in 172 GES papers with the goal of identifying common characteristics in different application domains. Finally, our previous SLR [129] reported general characteristics and trends in the research and practice of GESs. This paper represents a significant expansion, for which Table 1 shows a comparative overview.

3 RESEARCH METHOD

Our study aims to offer a comprehensive overview of research about gesture elicitation studies, a goal for which a SLR is a recommendable tool. The scientific literature contains various SLR methodologies, including [48], a prominent method in the field of software engineering known for its comprehensive coverage of extensive domains, similar to the approach used in medical experiments [58]. We adopted a standard SLR procedure [13], for which the resulting process is illustrated in Figure 2, adhering to the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) four-phase flow diagram [58].

3.1 Phase 1: Identification

We searched for papers potentially relevant to our topic of investigation using the following query:

Q = ("Gesture" AND (guess* OR elicit*) AND (study OR experience))

which we ran on both single-publisher libraries (*e.g.*, [IEEE Xplore](#)) and multi-publisher engines (*e.g.*, [Google Scholar](#)). We selected the following five main digital libraries for Computer Science: (1) [ACM Digital Library](#), (2) [IEEE Xplore](#), (3) [Elsevier ScienceDirect](#), (4) [Elsevier Ei Compindex](#) (also referred to as Engineering Village), and (5) [SpringerLink](#). We utilized the restricted search feature within the ACM Digital Library, which specifically filters for references published by [ACM Press](#) and excludes those from affiliated organizations, such as [IEEE](#), unless jointly published. This choice was made to ensure the desired segregation. We did not consider repositories such as [arXiv](#), since they contain heterogeneous references, not all peer-reviewed. We also used three sources of multiple

Table 1. Differences between [129] and this paper (SD=standard deviation, Mdn=median).

Criteria	Villarreal-Narvaez <i>et al.</i> [129]	This paper
Approach	Macroscopic analysis of the GES metadata	Microscopic analysis gestures and referents from GESs
Methodology	PRISMA [58]	PRISMA [58]
Corpus	N=216 papers	N=267 papers
Query	"Gesture" AND "Elicitation" AND "Study"	"Gesture" AND (guess* OR elicit*) AND (study OR experience)
Period	1994 - August 2019	1994 - January 2021
Authors	Average number of authors per GES=3 (60 studies, representing 27.8%); Minimum=1; Maximum=10; Figures: Number of authors per paper and over time	Average number of authors per GES=3 (72 studies, representing 26.97%); Minimum=1; Maximum=10; Figures updated for N=267: number of authors per reference over time (Fig. 3), number of authors per reference over time (Fig. 4); see Section 4
Participants	Total=5,458; Minimum=1; Maximum=340; Average=25; Average Male/Female=2.10 (S.D.=2.18; Mdn=1.13); Figures: Number of participants by age groups over time	Total=6,659; Minimum=1; Maximum=340; Average=25; Average Male/Female=1.82 (S.D.=1.98; Mdn=1.27); see Section 4
Body parts involved in gesture articulation	IFBP-Total=380; CFBP-Total=241; Figures: Heatmap representations of the number of GESs that elicited gestures performed with specific body parts	IFBP-Total=477; CFBP-Total=290; Figures updated for N=267: Heatmap representations of the number of GES that elicited gestures performed with specific body parts (Fig. 5); see Section 4
Referents	Total=3,625; Minimum=1; Maximum=70; Average=20.10; SD=5.23	Total=4,411; Minimum=1; Maximum=120; Average=16.52; SD=133.49
Referent classification	No	Yes; RC=4,106; Lenorovitz <i>et al.</i> [56].
Gestures	Total=148,340; Minimum=4; Maximum=12,240; Average=716; SD=1,438	Total=187,265; Minimum=4; Maximum=12,240; Average=723; SD=1,354
Agreed gestures	Average=91; SD=231; Mdn=24	Average=88; SD=221; Mdn=24
Gesture classification	No	Yes; GC=3,902; Aigner <i>et al.</i> [1]; inspired by Piumsomboon <i>et al.</i> [88] and Obaid <i>et al.</i> [81]
Gesture representation	No	Yes; classification by McAweeney <i>et al.</i> [69] and Bensen [10]
Gesture inventory	No	Yes; associations between gestures and referents As=2,747
Implications	Global	Specific
Contributions	(1) The first systematic literature review on gesture elicitation of N= 216 studies; (2) Method to (i) <i>understand</i> how current and new GESs position in the literature, (ii) <i>compare</i> GESs published by different authors, and (iii) <i>identify</i> opportunities for unexplored areas in gesture elicitation.	(1) Enhanced macroscopic analysis (Section 4), (2) Examination of terms, topics, and associations (Section 4.4), (3) Analysis and categorization of referents (Section 5), (4) Analysis, representation classification, classification of gestures, and gesture-referent association (Section 6).

publishers to ensure *completeness* and *coherence* of the GES references, validate independent query results, and cover other publishers as well: (6) [DBLP CompleteSearch](#), (7) [Google Scholar](#), and (8) [Multidisciplinary Digital Publishing Institute](#). These last three engines were employed more as a verification and validation mechanism than for reference identification purposes.

To maintain the *consistency* and *reliability* of our queries, we gathered all the necessary resources over a span of two weeks. Initially, we compiled the list of references on a single day (December 1, 2020), which we designated as the final day for including GESs in our SLR. Subsequently, we retrieved individual papers from digital libraries over the following days, extending up to January 9, 2021. This phased approach was implemented to prevent an excessive volume of requests that could potentially jeopardize our authorized access to those libraries. The results of each query Q were retained according to the following rules:

- (1) *The "Advanced Search" rule.* Queries were run using the most advanced search feature of each digital library, and results were sorted in decreasing order of relevance.




Fig. 2. The four-phase PRISMA flow diagram of our SLR examination (MD=meta-data, FT=full-text).

- (2) *The “Minimum Number of References” rule.* If the query returned a small number of references (less than 400), all of those references were automatically retained.
- (3) *The “No Missing References” rule.* If the query returned more than 400 references, the first 400 were automatically selected for further screening, and a manual check of the next 200 references was performed to make sure no relevant papers were discarded.

Table 2 shows the results of executing query Q for each source of references. For example, the [ACM Digital Library](#) returned a number of 7,318 references in full-text search mode, of which 400 were retained; of these, 156 duplicates were identified when compared with the results of other queries, and 200 references were excluded based on additional screening criteria in the next phase, leaving 74 papers; see the second row of Table 2. In total, our query identified 1,816 references.

3.2 Phase 2: Screening

Each paper was evaluated with respect to its relevance to GES using criteria of *form* and *content*:

- *Form.* We included papers that met the following criteria: they were written in English, subjected to peer review, and accessible in full text. This encompassed research papers published in peer-reviewed journals, conferences, symposiums, and workshops. Conversely, we

Table 2. Number of references returned by running queries in digital libraries and search engines. Citations in this table are associated with references from our corpus from Appendix A.

	Source	Query	Rules	Duplicates	Excluded	Included	References
1.	ACM DL (metadata)	112	112	2	23	87	[2–5, 8, 10–12, 14–16, 18, 19, 21, 23–25, 27–30, 32, 34, 35, 37, 40, 41, 44, 47, 48, 50, 51, 53, 56, 58–61, 63, 65–69, 71, 72, 74–76, 78, 80–82, 85, 87, 88, 91–93, 96–98, 103–106, 108–111, 114–116, 119–122, 125–128, 130, 136, 137, 140–143, 147, 149, 154–157, 159, 160, 163–166, 169, 170, 173, 175, 176, 178, 179, 181, 182, 184, 186–188, 190–194, 196–207, 209–213, 215–220, 222, 224, 227, 231–234, 239, 240, 242, 243, 246–248, 260, 262–264, 266, 267]
2.	ACM DL (full-text)	7,318	430	156	200	74	
3.	IEEEExplore	52	52	0	39	13	[39, 52, 64, 95, 135, 161, 162, 167, 195, 223, 225, 241, 245]
4.	ScienceDirect	>6,000	400	0	388	12	[20, 22, 86, 100, 112, 134, 138, 208, 221, 230, 249, 261]
5.	SpringerLink	2,575	400	0	366	34	[7, 31, 33, 36, 49, 57, 62, 77, 79, 89, 90, 107, 124, 129, 131, 132, 146, 150, 153, 158, 168, 171, 174, 180, 183, 226, 229, 250–253, 258, 259, 265]
6.	DBLP	1	1	0	0	1	[235]
7.	Google Scholar	>6,000	420	143	232	45	[1, 6, 9, 13, 17, 26, 38, 42, 43, 45, 46, 54, 55, 70, 73, 83, 84, 94, 99, 101, 102, 113, 117, 118, 123, 133, 139, 144, 145, 148, 151, 152, 172, 177, 185, 189, 214, 228, 237, 238, 244, 254–257]
8.	MDPI	1	1	0	0	1	[236]
Total		>22,059	1,816	301	1,248	267	

excluded materials such as PhD and Master’s theses, patent descriptions, standards, extended abstracts, slideshows, summaries and reviews of books or theses, technical reports, white papers, invited talks, demonstration papers, doctoral consortium papers, tutorial papers, poster publications, editorials, prefaces, articles or columns in magazines, newsletters, encyclopedia entries, blog posts, and social network entries. References lacking completely published or accessible full-text, such as abstracts, were also omitted. Additionally, any references that required payment for access were excluded from our study.

- *Content.* We retained only those papers that (1) explicitly presented a GES for UI design; or (2) discussed GESs, emphasizing at least one discriminating feature (*e.g.*, scale [86], memorability [75], etc.); or (3) explicitly used a method to examine GESs. A number of 1,240 irrelevant references were excluded by our screening, leaving $1,515 - 1,240 = 275$ papers.

3.3 Phase 3: Eligibility

We considered ineligible and further excluded those papers that matched any of the following situations: (1) *independent research question*: the paper explicitly mentioned a GES, but did not report its results, or the goal of the GES was not gesture UI design, *e.g.*, Yin and Davis [144] conducted a GES to collect training data for a gesture recognizer; (2) *methodology-oriented*: the paper addressed methodological aspects of GES, but did not report an actual study, *e.g.*, Morris *et al.* [73] discussed legacy bias for gesture elicitation; (3) *field mismatch*: the paper reported an actual elicitation study, but for another discipline, *e.g.*, a GES conducted to elicit user-defined gestures to train a robot. By using these rules, we further removed 8 papers, leaving a final corpus of $N=267$ studies for our examination. Legacy bias could be interpreted as a drawback [72], to be obviated with various

techniques, such as priming [73] and soft constraints [94], but also as a benefit [43]. GESs carried out in requirements engineering, linguistics (e.g., for cross-linguistic studies), multimodal discourse (e.g., when the gesture is combined with speech for another purpose), communication (e.g., for analyzing the presenter's behavior), psychology (e.g., for emotion or expression elicitation) were among the eight excluded papers.

3.4 Phase 4: Inclusion

This phase consisted of verifying *quantitative* and *qualitative* aspects of our corpus of papers. For the quantitative analysis, we employed the following tools to create a collection of papers and generate summary statistics:

- (1) **Zotero**, a multi-platform bibliography management software tool for collecting, organizing, and sharing research sources. The collection of GES references examined in this SLR is available at the web address https://www.zotero.org/groups/2132650/gesture_elicitation_studies. Each reference has been completely imported into its corresponding sub-collection (e.g., ACM, IEEE) with all the corresponding metadata. Automated tags were created for all keywords, both internal and external, and a colored tag corresponding to each sub-collection has also been added (e.g., green for ACM, orange for IEEE, etc.).
- (2) **PaperMachines**, a Zotero extension for metadata visualizations.
- (3) **PDF2Text**, software for automatic extraction of text from PDF files. The extracted text was submitted to automatic language processing and analysis.

For the qualitative analysis, we replicated the method of the previous SLR [129]. Additionally, we collected the referents and gestures of each GES for the purpose of classification and analysis.

4 CHARACTERISTICS OF PUBLISHED STUDIES

In this section, we provide an overview of published GESs and analyze them based on various factors, including the number of participants, body parts involved in gesture articulation, and others. Our goal is to gain insight into the GES audience by examining where such studies were published and which ones have had the greatest impact in the field. We also assess the level of effort involved by these studies to determine whether the peak of interest in GESs has been already reached or not in the scientific community.

4.1 Authors and Venues

Fig. 3-a shows the number of authors involved in conducting and reporting GESs. On average, GESs conducted so far have involved three authors (60 studies, representing 27.8% of our paper set). However, some studies were conducted by single authors [45, 66, 120], while others required up to ten authors [108] due to multiple classification criteria or domains of expertise [21, 77]. Fig. 3-b shows the number of GESs conducted between 2009 and 2020, a period that begins with the publication of the first hand gesture elicitation paper by Wobbrock *et al.* [138]. The increasing number of studies, as indicated by the positive linear regression ($R^2 = .61$), suggests that the GES area of investigation has not yet reached its peak yet and still presents opportunities for growing further. The graph displayed in Fig. 4 depicts the number of GESs published annually according to the number of authors. The highest point was reached in 2017, with 11 papers co-authored by 3 authors. This trend persisted in 2018, with 9 papers involving 4 authors, and in 2019, respectively, with 8 papers featuring 2 or 3 authors each, indicating a standard configuration for GES publications.

Table 3 provides a list of venues where GESs have been published. Conferences are the most common dissemination venue, accounting for 79% of all published GESs. Among these, **CHI** (38 papers), **ITS** (10), **MobileHCI** (9), and **DIS** (8 papers) have the highest number of GES publications.




Fig. 3. Number of authors of GESs (a) over time (b).




Fig. 4. Number of authors per GES over time.

Journal articles make up for the remaining 21% of all published GESs, but we did not identify any clear preferences for specific journals. This variety of dissemination venues creates a challenge for practitioners to locate relevant and specific information for their own projects, as there is a scattered body of gesture design knowledge throughout the literature of HCI and other disciplines.

Table 4 ranks the twelve most influential GESs based on the number of their Google Scholar citations. The list is arranged in descending order with the highest number of citations appearing first. The values in the table were updated on May 16, 2021 with the initial count taken on November 19, 2020. As of August 15, 2019, the most cited article was Wobbrock *et al.*'s [138] seminal paper. Over the past 20 months, this paper has gained an additional 203 citations, averaging around 10 new citations per month or 120 per year. The second most cited article is Ruiz *et al.*'s [93]. We also noted a few changes in the rankings of other articles, such as Wobbrock *et al.* [137] moving from the 5th to the 3rd position, and Cauchard *et al.* [18] advancing from 11th to the 8th place.

Table 3. Distribution of GESs in the scientific literature.

Conference proceedings	203	76%
CHI	49	18.4
MobileHCI	10	3.7
ITS	8	3
DIS	8	3
5 studies per venue: AVI, AutomotiveUI, NordiCHI, OzCHI, INTERACT, MuC	$6 \times 5 = 30$	11.4
UIST	4	1.5
3 studies per venue: AISC, EICS, HCII, ICMI, IDC, PerDis, SUI, UbiComp, AHA, TEL, HCIK	$11 \times 3 = 33$	12.4
2 studies per venue: DAP, HFES, HMI, HRI, ISS, IUI, TVX, 3DUI, MUM, IADIS, GI	$11 \times 2 = 22$	8.2
One study per venue: EuroITV, APCHI, ASSETS, CASA, CCHI, CHIUXID, CNS, DAA, DAD, DC, DIGI, EuroVis, FDG, HCC, ICTD, Interaccion, ISCC, ITIE, MC, Mindtrek, MM, MMUI, MobiSys, MoMM, MS, Perspective, Reco, ROMAN, SAICSIT, SCIS, UIC, HCIS, JAUTI, IEEEVR, ICSR, INCISCO, IHDI, CAAD, MIG	$39 \times 1 = 39$	14.6
Journals	61	23%
IJHCS	7	2.6
MTA	6	2.2
3 studies per venue: JAIS, IEEE Access, IJHCI, TOCHI	$4 \times 3 = 12$	4.5
2 studies per venue: UAHCI, MTI, IMWUT	$3 \times 2 = 6$	2.2
One study per venue: AS, BIT, CHB, CTW, HF, IJMHCI, IMW, Informatics, Information, JCH, JCST, JIFS, JMUI, JUS, Machines, Pervasive, PLOS, Presence, PUC, TiiS, Visual, IJMERR, CaGISJ, VRIH, CAOD, JVCI, Automation in Construction, IxD&A, IJMEDINF, CSCW	$30 \times 1 = 30$	11.2
Technical papers	3	1%
Microsoft Research	1	0.4
Book Section	2	0.7

Table 4. The twelve most influential GESs, authors, and application domains, according to the number of Google Scholar citations.

	Authors	Study	Application	Year	Citations
1.	Wobbrock <i>et al.</i> [138]	User-defined Gestures for Surface Computing	interactive table-tops	2009	1273
2.	Ruiz <i>et al.</i> [93]	User-defined Motion Gestures for Mobile Interaction	smartphones	2011	448
3.	Wobbrock <i>et al.</i> [137]	Maximizing the Guessability of Symbolic Input	stroke gestures	2005	330
4.	Kane <i>et al.</i> [46]	Usable Gestures for Blind People: Understanding Preference and Performance	tablets, smartphones	2011	322
5.	Morris <i>et al.</i> [74]	Understanding Users' Preferences for Surface Gestures	interactive table-tops	2010	289
6.	Piumsomboon <i>et al.</i> [87]	User-defined Gestures for Augmented Reality	Augmented Reality	2013	265
7.	Vatavu [120]	User-defined Gestures for Free-hand TV Control	smart TVs	2012	209
8.	Cauchard <i>et al.</i> [18]	Drone & Me: An Exploration into Natural Human-Drone Interaction	human-drone interaction	2015	202
9.	Kühnel <i>et al.</i> [51]	I'm home: Defining and evaluating a gesture set for smart-home control	smart homes	2011	198
10.	Nacenta <i>et al.</i> [75]	Memorability of Pre-designed and User-defined Gesture Sets	interactive table-tops	2013	196
11.	Lee <i>et al.</i> [54]	How Users Manipulate Deformable Displays As Input Devices	unconventional displays	2010	166
12.	Frisch <i>et al.</i> [35]	Investigating Multi-touch and Pen Gestures for Diagram Editing on Interactive Surfaces	surface computing	2009	143

4.2 Participants

All GES papers from our set clearly presented the number of participants involved in the studies. On average, there were 25 participants ($M=25$, $SD=28$), and the most common number of participants was 20, used in 49% of the studies. This value is likely to persist since Wobbrock *et al.* [138] originally

used 20 participants in their GES. However, some studies required larger sample sizes, particularly those focused on cultural aspects [77], e.g., Mauney *et al.* [67] used 340 participants to evaluate aspects of culturally-aware touch gestures, and Cafaro *et al.* [16] involved 227 participants in framed guessability for multiple devices. Different authors recommend various ratios for determining sample size, such as 5:1, 10:1, or ranging between 30 and 500 [117].

We conducted an analysis of the Male/Female ratio for the participants involved in GESs, and determined that the average ratio was 1.82 ($SD=1.98$, $Mdn=1.27$). For instance, Buddika *et al.* [15] recruited 12 participants, of which 7 males and 5 females, resulting in a Male/Female ratio of $7/5=1.4$. Most studies (54%) had more male than female participants; only 13% of the studies had an equal distribution of male and female participants, while 17% of the studies involved more females than males. These figures indicate a gender bias that could be attributed to the availability of participants or volunteering factors. The 267 GESs are distributed as follows: exclusively male ($9/267=3\%$), exclusively female ($3/267=1\%$), more males than females ($145/267=54\%$), more females than males ($46/267=17\%$), and gender parity ($34/283=13\%$), respectively.

Participants' age has often been reported as a range or average and standard deviation. For example, Kollee *et al.* [49] indicated the age range of their participants as 22-55, while Vatavu *et al.* [125] reported an average age of 25 years with a standard deviation of 3.1. Zuckerman *et al.* [147] identified their participants as cognitively-intact older adults. Of all the studies, 3% focused on children, 2% on teenagers, and 95% on adults, of which 1% addressing older adults.

4.3 Body Parts Involved in Gesture Articulation

We observed that certain GESs had a particular focus on distinct bodily regions, such as legs [104], or the simultaneous use of multiple body parts [82]. Conversely, other research examined gestures encompassing the whole body [22]. This perspective allows us to delineate a spectrum of investigations ranging from a single body part to the entirety of the human body, which we term the “**human gesture continuum**.” In essence, this continuum refers to the spectrum of GES efforts that range from exploring gestures performed by the smallest or most isolated body parts, such as the hands, head, and shoulders [119] to investigating gestures involving multiple body parts or the entire body. We view this continuum as a framework through which to categorize gestures performed with the human body. For example, gestures performed with the upper-body limbs can be deconstructed into the various body parts involved in their execution, including the face [92, 97, 104], head [27, 104, 133], head and shoulders [119], eyes [64], nose [84, 91], mouth [20, 27, 127], shoulders [91], torso [104] and even gestures involving the belly [130]. The arms fall within a distinct part of the gesture continuum, ranging from fingers [19] to the wrist [94], wrist and hand [47], hand [7, 34, 88, 125], forearm [52, 94], arm [59], and skin-based gestures [42], generally transitioning from the hands to other parts of the body [21]. Concerning gestures originating from the lower-body, we identified foot gestures [3, 30, 31], leg gestures [103, 104], and gestures involving the whole body [22, 24], respectively. Although the vast majority of prior research has primarily concentrated on gestures performed with the limbs or external body parts, our explorations have extended to the examination of gestures emerging from internal body parts, such as the tongue [20]. This exploration has led to the emergence of interactions involving the tongue, referred to as *lingual* (pertaining to the tongue), and those involving the palate, termed *palatal* (on the palate) [127].

To assess the prevalence of different body parts in the GES literature, we used two metrics:

- (1) *Individual Frequency of Body Parts (IFBP)*, indicating how often specific body parts, such as the hand [87] or head [27], have been utilized in a GES.
- (2) *Combination Frequency of Body Parts (CFBP)*, revealing the frequency with which specific body parts have been combined, such as gestures involving both the head and hands [21].




Fig. 5. Heatmap representations of the number of GEs that elicited gestures performed with specific body parts. *Left*: gestures involving one body part only, e.g., face or feet gestures. *Right*: gestures produced as the combination of at least two body parts, e.g., hand and head gestures or wrist and forearm gestures.

The first measure reports on the importance of individual body parts, while the second reveals their combination, including whole-body gestures. We found a number of 477 occurrences of individual body parts, of which 290 were combined. The most frequent gestures were distributed as follows (see Figure 5): finger ($185/477=39\%$; $45/290=16\%$), hand ($174/477=36\%$; $28/290=10\%$), arm ($41/477=9\%$; $1/290<1\%$), body ($36/477=8\%$; $30/290=10\%$), wrist ($9/477=2\%$; $9/290=3\%$), voice ($8/477=2\%$; $8/290=3\%$), feet ($5/477=1\%$; $5/290=2\%$), and head ($7/477=1\%$; $5/290=2\%$). The face, shoulders, torso, and skin represent each 1% or less. However, the hand and fingers have been covered by $105/290 = 36\%$ of all combinations, followed by arm + hand + fingers ($34/290=12\%$) and arm + hand ($6/290=2\%$), respectively. Consequently, the most mobile limbs, *i.e.*, the fingers, hands, and arms, are the most frequently covered both in isolation and combination. Gestures performed with other body parts, such as For example, belly gestures, were the subject of only one GES [130].

4.4 Terms and Topics

Before delving into analysis, we were curious about the insights we could gain from studying the most commonly used terms in GEs, for which we used a Word Cloud generated from Term Frequency-Inverse Document Frequency (TF-IDF) [141] (Fig. 6). We primarily seek insights into the approach used in GEs, the referents and gestures involved, and the relationship between gestures and their corresponding referents. The Word Cloud prominently displays recurring terms, including “gesture(s),” “participant(s),” “hand(s),” “user(s),” “interaction,” and “design.” These terms indicate that prior research has often focused on interactions with various devices (such as mobile devices, displays, smartphones, tablets, and TVs), gesture recognition, and gestures proposed by participants, whether individually or as part of a group. Participants have been typically prompted based on specific referents, which include tasks, commands, and actions about home, menu, target, select, and volume. The analysis also highlights specific body parts, such as the hands, fingers, arms, heads, and wrists, frequently associated with gestures. These gestures can also be categorized




Fig. 7. Terms appearing frequently in our corpus of GES papers, organized chronologically.

environments, wearable devices, and radar sensors [62]. GESs for radar-based sensing are still in their infancy and conducting more GESs in this area was recently suggested [126] since radars can capture gestures in conditions unsupported by other devices, like in the dark or behind a surface or a volume, which are contexts of use particularly applicable to Ambient Intelligence (AmI) scenarios [102]. Furthermore, GESs have addressed specific challenges, such as the disagreement problem and advanced gesture recognition techniques.

We utilized PhraseNet [57] and applied various operators and placeholders X and Y from Fig. 37 to Fig. 40 (see Appendix B.3). We discovered that "gesture" is primarily associated with "touch" and "hold", "wrist" and "motion", but also with performance and speech, with no connection to other modalities, but a link with user preference. We also discovered ways to make gestures such as "draw" and "circle", "form" and "rectangle", "form" and "circle", "make" and "fist", and "pressing" and "button". Although we were interested in finding an association between gesture and referent or device, we did not find any such relationship. However, we did find that certain devices such




Fig. 8. Distribution of the number of referents per GES (min=minimum, med=median, max=maximum, avg=average).

as "UAVs" and "Drones" are associated with "navigate", "control", and "command", while the term "device" is associated with "moved".

5 REFERENTS

Overall, a total number of $N_{Ref}=4,106$ referents was found in the 267 GESs considered in our analysis ($M=16.57$, $Mdn=14$, $SD=13.48$, $Min=1$ [89] to $Max=120$ [99]), indicating that the number of referents can vary from a few to many (Fig. 8). Referents are typically presented to participants in a visual format (called visual priming [74]), predominantly through the use of images, animations, videos, or user interface prototypes, whether they are in mock-up or functional form. This observation aligns with a previous study that identified the most commonly used and effective representations for referents [69]. Referents are often categorized based on established sets of categories [125, 145], including:

- *Basic functions*, which encompass actions like turning the TV on/off, changing channels, adjusting the volume, displaying/hiding menus, and opening/closing items.
- *Generic functions*, also known as context-independent functions, covering tasks like making simple or multiple choices, selecting a date, or specifying a value.
- *Specific functions*, also known as context-dependent functions, which pertain to particular activities, such as accessing the TV guide or controlling playback.

These functions can be further described as either *analog* (when they mimic a physical effect in the real world, such as moving, selecting, rotating, resizing, panning, zooming in/out, navigating to the previous or next item, maximizing, or minimizing) or *abstract* (when they do not replicate any physical real-world effect, examples of which include inserting, deleting, modifying, cutting, duplicating, pasting, undoing, accessing menus, or opening files).

To assess the recurring usage of referents in GESs, we classified referents extracted from our papers dataset according to their abstract task types based on the taxonomy introduced by Lenorovitz *et al.* [56]. Within the scope of our research, we transcribed the referents from each article and

sought their corresponding equivalents in Lenorovitz *et al.*'s taxonomy. In certain case, we encountered challenges in identifying referents within a GES, such as for Connell *et al.* [22], who indicated that the children involved in their study carried out 22 tasks (referents) structured by categories: *object manipulation* (moving, resizing, rotating, panning, zooming), *spatial interaction* (spatial zooming, spatial planning, and manipulation of objects within space), and *utility or navigation-based tasks* (including start, pause, and menu navigation). Another example is referents directly related to the highest consensus: "Move object from left to right", "Make object disappear from left and reappear on right", "Move object along a path", "Relocate stack of objects from left to right", "Resize the object", "Pan within a 3D room", "Menu selection", "Menu panning". To properly establish the relationship between a referent and the task in the taxonomy, we analyzed its functionality and context of use. For example, Medrano *et al.* [78] used the referent "If you would like to open a business here, where would you place it?," which was assigned to "Select item" in the category of *Generic Referents*, with "Indicate" for *function type* and "Select" for *function subtype*.

We found that "Perform action" was the most frequent category (Table 5), which can be used for classifying referents such as "Jump," "Run," "Pick item," "Push box," "Catch ball," [103, 104], "Land," "Take off," "Follow," "Get attention," "Fly to precise location," [18, 28]. Some referents share similar percentages in its distribution, such as "Increase value" (e.g., Volume up, Increase speed, Brightness up, Increase temperature) and "Decrease value" (e.g., Volume down, Decrease speed, Brightness down, Decrease temperature), "Activate and Deactivate", "Ok" (e.g., Accept) and "Ko" (e.g., Cancel), "Move up and down," and "Move to next or previous item."

We also categorized the referents into high, medium, and low classes (Table 7). We did not find any experiment designed to quantify the number of referents for which participants should be elicited in a single trial or study. The determinants of this number are strongly contingent upon the specific context of use, including factors such as the type of device and environment. As participants endeavor to invent new gestures beyond a certain threshold, they encounter escalating challenges. Over time, the process can become more challenging, leading to a tendency to propose gestures somewhat arbitrarily, without establishing a meaningful connection to the referent, primarily because of limited creativity. Participants may also experience difficulties recalling which gestures they have previously proposed or employed for referents, therefore presenting the risk of repeating a previously proposed gesture, unless permitted by the study. The constraints imposed by the device itself can also exert an influence, where the participants may encounter difficulties envisioning the range of novel gestures that the device is capable of detecting and recognizing.

6 GESTURES

The average number of gestures proposed across all GESs examined in our SLR was $M=723$ ($SD=1354$, $Mdn=378$, $Min=4$ [146], $Max=12,240$ [100, 101]; see Fig. 9). After grouping the gestures into clusters of identical or similar types, the average number of proposed gestures reduced to $M=88$ ($SD=221$, $Mdn=24$; see Fig. 10). Of these, an average of $C=21$ was selected to form consensus gesture sets. Often, C is smaller than the number of referents, since one gesture may be assigned to more than one referent, thus posing some ambiguity. For example, a GES for multiple devices [132] collected 1,047 gestures for 14 referents using several devices, but the gestures were captured by different devices. In the original method [137], if the same gesture is proposed for multiple referents, then a conflict resolution process assigns the gesture with the highest agreement to the first referent, and the next referent receives the second most agreed gesture. Many studies did not use this step, although it was part of the original GES procedure.

In our examination of the gestures extracted from the GESs analyzed in our SLR, we observed varying formats, methodologies, and approaches employed to present the outcomes of a GES. Some of them primarily aim to compare, investigate, or establish taxonomies for gestures. Consequently,

Table 5. Number and percentage of referents found in the GESs analyzed in our SLR.

Number of Referents	Percentage
Perform action (581)	14%
Scale (291)	7%
Move to next (225)	
Select (223)	5%
Move to previous (217)	
Draw object, letter, number, or symbol (185)	
Rotate (185)	
Move all direction (178)	
Increase value (149)	
Decrease value (148)	4%
Deactivate (144)	
Activate (155)	
Open (132)	3%
Delete (104)	
Create (89)	
Move up (80)	
Move down (74)	
Close (77)	
Play (72)	2%
Move left (70)	
Ok (accept) (71)	
Ko (cancel) (68)	
Stop (65)	
Move to item (64)	
Move right (58)	
Copy (53)	
Move to home (45)	
Pause (42)	1%
Help (32)	
Answer call (31)	
Search (29)	
End call (22)	
Save (19)	
Edit (18)	
Menu (activate menu) (18)	
Decline call (17)	
Send (15)	
Notification (14)	<1%
Move to end (8)	
Group (7)	
Place call (7)	
Ungroup (4)	
Ignore call (4)	
Emergency call (3)	

Table 6. Classification example of the referents extracted from the GESs analyzed in our SLR.

Referent	Generic Referent	Function Type	Function Subtype
Music Player	Move to item	Manipulate	Menus
Navigation System	Move to item	Manipulate	Menus
Generic Help	Move to item	Manipulate	Menus
Home/Menu access	Move to home	Manipulate	Menus
List Up	Move up	Manipulate	Menus
List down	Move down	Manipulate	Menus
Play	Play	Activate	Execute
Stop	Stop	Activate	Execute
Next Song	Move to next	Manipulate	Menus
Previous Song	Move to previous	Manipulate	Menus
Volume Increase	Increase value	Manipulate	Menus
Volume Decrease	Decrease value	Manipulate	Menus
Zoom In	Scale	Manipulate	Navigation
Zoom Out	Scale	Manipulate	Navigation
Pan Map	Move left, Move right, Move up, Move down	Manipulate	Navigation
Rotate Map	Rotate	Manipulate	Navigation
New Destination	Search	Perceive	Search
On/Off	Activate/Deactivate	Activate	Execute
Increase Brightness	Increase value	Manipulate	Menus
Decrease Brightness	Decrease value	Manipulate	Menus
Increase Fan Speed	Increase value	Manipulate	Menus
Decrease Fan Speed	Decrease value	Manipulate	Menus
Auto Mode On	Activate	Activate	Execute




Fig. 9. Distribution of the number of proposed gestures per GES (min=minimum, med=median, max=maximum, avg=average).

these studies may not provide a comprehensive list of all the gestures resulting from their investigations. To illustrate this observation with an example, Ousmer *et al.* [83] put forth an ontology for structuring body-based gestures. While this study conducted a GES as a proof of concept, the paper enumerated various gesture categories (e.g., “Swipe”, “Rotate a control knob”, “Tap”, “Raise”, “Remote control”, “Point with fingers”, “Shape a phone”, and “Press”) without depicting the

Table 7. Results of the referent classification.

Function Type		
Category	Function (number/Total number of Referents)	Percentage
High	Manipulate ($\frac{2,086}{4,106}$)	50%
	Activate ($\frac{1,365}{4,106}$)	33%
Medium	Indicate ($\frac{223}{4,106}$)	5%
	Create ($\frac{215}{4,106}$)	5%
Low	Communicate ($\frac{123}{4,106}$)	3%
	Eliminate ($\frac{107}{4,106}$)	3%
	Perceive ($\frac{31}{4,106}$)	1%

Function Subtype		
Category	Function (number/Total number of Referents)	Percentage
High	Navigation ($\frac{1,668}{4,106}$)	40%
	Execute 1364 ($\frac{1,364}{4,106}$)	33%
Medium	Menus ($\frac{420}{4,106}$)	10%
	Select ($\frac{223}{4,106}$)	5%
Low	Associate ($\frac{102}{4,106}$)	3%
	Remove ($\frac{103}{4,106}$)	3%
	Phone ($\frac{91}{4,106}$)	2%
	Replicate ($\frac{59}{4,106}$)	1%
	Introduce ($\frac{42}{4,106} = 1\%$)	1%
	Notification ($\frac{31}{4,106}$)	1%
	Search ($\frac{31}{4,106}$)	1%
	Assemble ($\frac{16}{4,106}$)	< 1%
	Disassemble ($\frac{4}{4,106}$)	< 1%
	Identify ($\frac{0}{4,106}$)	0%




Fig. 10. Distribution of the number of agreed gestures per GES (min=minimum, med=median, max=maximum, avg=average).




Fig. 11. Elicited gestures presented in descending order of users' preferences.

resulting gestures or specifying which gesture corresponds to which referent. Instead, the paper offered video where examples of the elicited gestures could be viewed. Additionally, two studies by Modanwal *et al.* [70, 71] explored static gestures involving the extension of individual fingers. These gestures were not tied to specific tasks or objects, but rather associated to letters, numbers, symbols, and special characters. Schipor *et al.* [96] investigated gestures related to pointing to specific locations in a room to access digital content. The study examined various ways in which the participants performed pointing actions in the room, including the index finger, hand, pinching, or tapping. Similarly, Medrano *et al.* [78] concentrated on the diverse methods that the participants in their study used to point to specific places. In contrast, Sharma *et al.* [99] identified various micro-gestures that users employed when interacting with objects and how they grasped those objects, *e.g.*, grabbing, pinching, or clawing.

We counted the times that a gesture was repeatedly found in the 267 GESs considered in our analysis. To know which gestures were repeated more frequently in our corpus, we were confronted with the problem of how the gestures were described, associated to referents, or named in different ways and, thus, we used all of the available information, such as the accompanying illustrations from the corresponding papers. For example, the gesture of moving the hand in different directions was referred by Zaiti *et al.* [145] and Dong *et al.* [27] using “Move hand up”, “Move hand down”, “Move the hand from right to left” or “Move hand left”, while moving the hand horizontally appeared in Dim *et al.* [26] as “Palm up”, “Palm down”, “Swipe hand to left” and “Swipe hand to the right.” Our analysis resulted in a total number of 2,304 gestures, ranked as follows (Fig. 11): Swipe (11%), Move (10%), Draw (9%), Tap (8%), Use Thumbs (5%), Point (5%), Pinch (3%), Drag (3%), Rotate (3%), Turn (3%), Fist use, Push, Touch, Grab, Press, Slide, Pull, Flick, Ok sign (2%); Wave, Click, Clap, Cross, Spread, Bend, Thumb(s) up, Shake, Pinch in, Pinch out, Step, Put, Open hand, Stop sign (1%), Splay, Splash, Spin, Raise, Jump, X sign, Thumb down, and Close hand (<1%).

6.1 Gesture Representation

To analyze the representation of the gestures extracted from the GESs analyzed in our SLR, we employed two taxonomies:

- (1) McAweeney *et al.* [69] focused on different quality factors of the gesture representation., while Peshkova *et al.* [85] represented the gestures and commands proposed by the participants in two mapping tables: by *Perspective* (*e.g.*, third person, mirror, and bird's eye), *Frame* (*e.g.*, one or many frames, especially when the gesture was complex), *Body context* (*e.g.*, upper-body vs. full-body), *Environmental context* (*e.g.*, according to the physical objects found in the surrounding), *Color*, and *Gesture element* (*e.g.*, 1-Sided Arrow, 2-Sided Arrow, Dotted lines, Finger Trail, Other motion lines, Ghost). The result of our analysis of the representation of the gestures found in the 267 GESs is presented in Table 8.
- (2) Bernsen [10] proposed a classification of interaction modalities structured into 20 generic levels further grouped into 4 super levels. According to this classification, Peshkova *et al.* [85] employs a *Super level* in Linguistic modalities, a *Generic level* (Standard analog graphic




Fig. 12. Users' preferences for the direction of the elicited gestures.

element and Standard non-analog graphic), an *Atomic level* equal to “5b. Written lab”, and so forth. Table 9 shows the results of this classification.

6.2 Gesture Classification

We also used the gesture classification proposed by Aigner *et al.* [1]. While this classification primarily focuses on hand gestures, we extended it to encompass gestures performed by other body parts as well. For instance, Lee *et al.* [53] d gestures performed with the feet, and Yan *et al.* [143] with the head, as illustrated in Fig. 13. Additionally, we utilized the taxonomy presented in Table 10 for a secondary classification. This taxonomy draws inspiration from the classifications used by Piumsomboon *et al.* [88] for Augmented Reality gestures and Obaid *et al.* [81] for whole-body gestures designed to control humanoid robots. Both of these taxonomies were adapted from Wobbrock *et al.* [138]. The findings, summarized in Table 10, are as follows:

- (1) *Form*. Most of the gestures proposed by the participants of GESs involve some form of movement, which suggests that participants tend to prefer gestures with a dynamic component.
- (2) *Body part*. In our microscopic analysis of the elicited gestures, we found that the area of the body most used to perform gestures was the middle body, such as the hands, arms, belly, wrist, and most of the gestures were proposed with the fingers, hands, wrists, and the arms.
- (3) *Nature*. Most of the elicited gestures are the representation of a simulation that the user is performing an action. A minority of the gestures represent icons or symbols.
- (4) *Symmetry*. Most of the gestures were carried out unilaterally. Studies such as [11] and [83] revealed that gestures are performed mostly on the dominant side of the body. There is a

Table 8. Gesture representations according to McAweeney *et al.*'s taxonomy [69].

Criteria	Classification	Number of GES	Percentage
Perspective	1st Person	82	31%
	3st Person	61	23%
	Mirror	59	22%
	Bird's eye	23	9%
	Side angle	33	12%
Frame	Single	170	64%
	Multi	90	34%
Body context	Full-Body	32	12%
	Lower-Body	3	1%
	Upper-body	56	21%
	Other part body	128	48%
Environment	Physical Objects	144	54%
	Virtual Objects	65	24%
Color	Yes	138	52%
	No	76	28%
Gesture Elements	1-Sided Arrow	151	57%
	2-Sided Arrow	82	31%
	Dotted lines	47	18%
	Ghost	78	29%
	Finger Trail	130	49%
	Other motion lines	97	36%
	Touchpoints	94	35%
	Text	130	49%
	Numbers	56	21%
	Bending joints	7	3%
Axis	16	6%	

Table 9. Gesture representations according to Bensen's taxonomy [10].

Super level	Generic level	Atomic level	Sub-Atomic level
Linguistic modalities 204 (76%)	1. Sta. an. graphic ele. 129 (48%)	5a. Written text 70 (26%)	5a1. Typed text 65 (24%) 5a2. Hand-writ text 2 (1%)
	5. Sta. non-an. graphic 150 (56%)	5b. Written lab. 96 (36%)	5b1. Typed lab. 91 (34%) 5b2. Hand-writ la 5 (2%)
		9a. Images 92 (34%) 9b. Maps 3 (1%) 9d. Graphs 3 (1%)	
Analogue modalities 91 (34%)	9. Static graphic 98 (37%)		
Arbitrary modalities 1 (<1%)	13. Sta. Graphic 1 (<1%)		

small difference between bilateral symmetry and bilateral asymmetry. However, users tend to prefer performing gestures in the same way with both body sides.

- (5) *Locale*. The gestures selected in our sample were performed in the air. Few studies combine gestures performed with one hand in the air and another hand on a surface [8], a condition often referred to as "Air+Touch" gestures.




Fig. 13. Gesture classification according to the taxonomy of Aigner *et al.* [1]. Pointing gestures are used to show a particular location or object. Pantomimic acting gestures are used to depict an action or object. Manipulation gestures are used to control objects physically. Semaphoric gestures are used to convey meaning through symbolic representation. Iconic gestures are used to imitate an object or concept.

Table 10. Gesture taxonomies used for analyzing the gestures in our SLR.

Form	Static Gesture	The body parts are kept in the same position during gesture articulation	10%
	Dynamic Gesture	There is displacement by any body part to perform the gesture	90%
Body part	Upper body	Body parts located from the shoulders to the head (e.g., head, nose, ears)	3%
	Middle body	Hand, wrist, finger, arm, chest, belly, and elbow	88%
	Lower body	Body parts located from the hip to the feet (e.g., legs, knee, feet, toes)	3%
	Full body	Use two body zones or the whole body	6%
Nature	Deictic	The gesture is indicating a position or direction	19%
	Iconic	The gesture represents an icon or symbol	15%
	Miming	The gesture is equal to the referent or acts a pantomime of an action	39%
	Physical	The gesture acts physically on objects	28%
Symmetry	Unilateral	The gesture is executed only with one side of the body	72%
	Bilateral symmetric	The gesture is performed in the same way with both sides of the body	15%
	Bilateral asymmetric	The movements involving the two body sides are not the same	13%
Locale	On the object	The gesture involves a contact with a real physical object	35%
	In the air	The gesture occurs in the air with no physical contact	64%
	Mixed locales	The gesture involves both locales	1%


6.3 Gesture Inventory


The primary focus of our research is identifying the most prevalent mappings between referents and gestures. We aim to determine if there exists a significant occurrence where users associate a specific gesture with a particular referent. To achieve this, we consider three key aspects: the study’s referent, the general referent description, and the associated gesture. It is worth noting that when a study proposed one, two, or three gestures with a substantial consensus for a referent, we recorded all of these associations. The number of gestures linked to each referent varies across


studies. In cases where studies concentrate on taxonomies, ontologies, or gesture classifications, they often list the gestures acquired without assigning them to specific referents. For instance, Ousmer *et al.* [83] and Cui *et al.* [23] provided video links as supplementary materials, possibly due to page limitations. Taralle *et al.* [113], on the other hand, assigned a unique gesture to each referent, distinct from all other gestures, with the goal of reducing ambiguity. Vanderdonckt *et al.* [119], Uva *et al.* [118], and Nanjappan *et al.* [76] proposed a primary gesture for each referent, but also listed additional gestures that received high consensus. Table 11 presents the associations that we identified in our analysis.

7 RECOMMENDATIONS AND FUTURE WORK

Based on the findings reported in the previous sections, we propose a number of avenues for conducting future end-user gesture elicitation studies. These recommendations are intended for researchers and practitioners who wish to examine users' preferences for intuitive gesture input and design gesture sets reflective of these preferences. We suggest the following:

 **Conduct GESs for all body parts.** Human body parts having little or no coverage in our analysis, such as the knees, eyes, tongue, or chest, deserve dedicated GESs to understand users' preferences for gestures articulated with or involving these body parts. Furthermore, very few GESs have explored gestures for the belly, nose, ear, and feet. In principle, every moving limb of the human body can serve as input to an interactive computer system.

 **Use the term “referent” in a systematic manner.** We recommend that the term “referent” be used instead of associated concepts, such as tasks, commands, actions, or executions in GESs, to avoid any confusion and foster a common vocabulary across GES practitioners. Furthermore, we recommend that GESs specify how the referent was rendered, according to which representation. Instead of predefining the referents, future GESs could let participants decide the referents by themselves, representing the functions of an interactive computer system that are relevant to them or even be conducted in a referentless manner. Additionally, GESs could be conducted with or without an experimenter, namely to give more freedom to participants and avoid the Hawthorne or other carry-over effects.

 **Conduct GESs with cutting-edge devices.** We recommend conducting GESs with cutting-edge devices issued with the latest gesture technology available, [126], depth cameras, etc. For instance, Augmental has developed *MouthPad*², a tongue-driven interface that can be used to control a computer, smartphone, or tablet via Bluetooth, for which we recommend a dedicated GES involving both users with and without motor impairments. Also, Şiean *et al.* [102] examined possibilities for placing radar sensors in a smart living room, but no GESs were conducted to understand users' preferences for those placements and the kind of gestures that are comfortable to articulate with respect to those placements. Another example is Villarreal *et al.* [128], who conducted a GES with an interactive cushion to explore user-defined squeeze gestures. We recommend that other objects, with different form factors, be investigated to extend the design knowledge in this area.


 **Describe the context of use.** The three classical facets of a context of use are end users and potential referents, the object/device/platform, and the physical and psychological environment in which the GES is conducted [17]. These three facets should be systematically and thoroughly specified when describing a GES, preferably using common terminology to foster incremental research. A potential approach would be deriving a dedicated taxonomy for GES, inspired by the body parts involved in gesture articulation and the [International Classification of Functioning](#),

Table 11. Associations between gestures and referents.

Gesture (number of associations)	Referent	Percentage
Move/Swipe left (99)	Move to previous	24%
	Move left	21%
	Move to next	9%
	Decrease value	8%
	Move right	7%
	Perform action	6%
	Increase value	5%
	Move down	
	Deactivate	<5%
	Cancel	
Move/Swipe right (83)	Move to next	29%
	Move right	20%
	Move to previous	10%
	Perform action	
	Move up	
	Move left	<5%
	Increase value	
	Decrease value	
Move to home		
Move/Swipe up (95)	Increase value	34%
	Move up	25%
	Decrease value	11%
	Perform action	9%
	Move to next	6%
	Move down	
	Deactivate	<5%
	Move to previous	
Move/Swipe down (84)	Move down	25%
	Decrease value	23%
	Move up	10%
	Increase value	6%
	Move to previous	
	Perform action	<5%
	Move left	
Tap (275)	Select	22%
	Perform action	15%
	Play	
	Call	5%
	Open	
	Close	
	Stop	
	Ok	
	Cancel	<5%
	Pause	
	Deactivate	
	Activate	
	Delete	
Pinch (110)	Scale (zoom)	63%
	Perform action	11%
	Select	3%
Point (150)	Select	25%
	Perform action	14%
	Decrease value	
	Increase value	
	Deactivate	<5%
	Play	
Stop		
Rotate/turn/spin (198)	Rotate	33%
	Move	23%
	Perform action	14%
	Deactivate	7%
Draw (271)	Open	11%
	Perform action	8%
	Move to item	6%
	Rotate	5%
	Cancel	
	Play	
	Select	
	Ok	
	Move up, down, right, left	<5%
	Increase value	
	Decrease value	
Close		
Deactivate		

Disability and Health (ICF).

☞ **Replicate GESs with different formats and types.** The REPLIGES [39] conceptual space for GESs distinguishes among eight types of GES replications, such as using the same or new data, same or new participants, same or new population, and same or new goal, in order to consolidate the GES body of knowledge. This aspect is crucial since designing a gesture vocabulary by relying on a single GES may overlook other potential gesture alternatives. For example, Gheran *et al.* [36] showed that a simple replication of a previous GES conducted with smart rings [38] can lead to a significant portion of gestures not discovered in the original study. Unfortunately, only a few types of GES replications have been achieved insofar.

☞ **Properly calibrate the referents and parameters of GESs.** Table 12 summarizes the values of all metrics computed in this SLR, thus helping any future GES to calibrate its parameters. For example, the average number of referents is $N_{Ref}=16$ (ompared to the previous finding [129] of $N=20$). This result constitutes an argument to calibrate any future GES against this value, but also a risk of overfitting to this value. Furthermore, conducting studies with fewer referents makes sense, given that users can memorizes only a limited number of gestures [75].

☞ **Assign each referent to a single action.** Referents are understood in a more unambiguous way when they are associated with a single action at a time, rather than abstract actions covering multiple interpretations. For instance, single-action referents, such as “Turn TV on”, “Increase volume”, “Go right”, are more easily understood than multi-action referents, such as “Find a place in Google Maps”, “Fly to the place marked with an X”, “Navigate in a website”. Another example is related to directions (Fig. 12): referents related to movement or navigation should be set for each direction, such as “Up”, “Down”, “Left”, “Right”, “Forward”, “Backward”, “Clockwise”, and “Counterclockwise.” Referents related to commands executed in a smart environment or with a smart device are preferably defined according to a simple sentence scheme, consisting of an action verb followed by a noun referring to the concept affected by the action and followed by parameters. For instance, “Turn TV on”, “Move Drone left”, “Raise hand vertically”, foster defining referents by hierarchical and congruent representations. Furthermore, using the verbs “Increase” or “Decrease” should refer to a variable, such as volume, temperature, light level, or object size.

☞ **Generalize the referent.** If the referent is specific to a particular environment or context of use, a generic referent could be preferable over a specific one. Even if the referent is manipulated in a specific context, its generic formulation would help it be transposed, related, and possibly generalized to new contexts of use. For instance, the navigation within a list, a pull-down menu, or a 3D menu, could be termed as “Next item”, “Previous item”, “First item”, or “Last item” in a more generic way. When a particular object, such as involved by a tangible UI, is used for capturing gestures, the referent should not mention the specific device, but rather abstract its actions.

☞ **Determine the most appropriate representation for the referents.** While McAweeney *et al.* [69] identified the most frequent and common referent representations used in GESs, it remains to formulate recommendations for the representation of referents according to the context of use, *e.g.*, following Fothergill *et al.* [33]. Video, with or without text, is best for ensuring the correctness of coding the collected gestures, while image and text are best for coverage.

☞ **Consider new referents in new environments.** The gestures proposed by participants in a 2D setup do not easily transpose to other setups, such as in 3D. As a consequence, more GESs

are required to explore user-defined gestures for the same referents when used in another environment. For instance, we recommend that environments such as Augmented Reality (AR), eXtended Reality (XR), and the metaverse, be investigated, keeping in mind that their novelty can also prevent participants from proposing new gestures that fully take advantage of the characteristics of those environments. Sometimes, participants' curiosity when they discover a new device or environment takes precedence over their creativity.

☞ **Collect one gesture per referent and participant.** While some GES procedures allow collecting several different gestures for the same referent [16] or even to repeat a gesture for different referents, we believe it is best to focus on a single gesture per referent and participant to avoid potential conflicts in mapping gestures to system functions. As a result, participants may run out of ideas and come up with nonsensical gestures that may not be related to the referents, a hypothesis that remains to be verified.

☞ **Prefer hierarchical, congruent referents and gestures.** When the vocabulary includes gestures associated with opposite, symmetrical referents, it is preferable for the referents to be defined hierarchically and congruently so that the associated gestures are also hierarchical and congruent. For example, the referent "Turn TV On" could be associated with a sequence of three gestures, one for each term, rather than a single gesture for the whole referent, reducing thus the number of gestures to be remembered by combining them. Similarly, the distribution between the opposite directions of gestures, such as "Left" vs. "Right", "Up" vs. "Down", "Clockwise" vs. "Anti-clockwise", "Forward" and "Backward," could be compared to the distribution of opposite referents.

☞ **Conduct GESs with multiple perspectives.** Collecting gestures from participants remains a time-consuming task, whether it is for elicitation, identification, or training a gesture recognizer [33]. Therefore, it might be appropriate to consider multiple perspectives at once when the gestures are collected, such as with multiple instances of the same device (e.g., a Microsoft Kinect positioned to capture movement in the transversal and sagittal planes of the body) or using different devices in combination. For example, zenithal gestures captured from a ceiling-anchored 3D camera [65] can offer a new perspective for mid-air gestures that fosters user privacy. A quantitative measure, coined as the *Variant Rate*, could estimate, on a scale from 0 to 1, the variation with which gestures are similar or different for the same referent when issued in different perspectives. A score of 0 would indicate no variation, while a score of 1 would indicate that all gestures classified under the same name were performed differently. For instance, Sluÿters *et al.* [105] collected gestures using two radars and a Leap Motion Controller that were subsequently subject to validation for efficient recognition [106].

☞ **Determine the optimization approach and the computational complexity of the GES.** To ensure transparency and reproducibility of the research results, GESs should include a detailed description of the research methodology used during the study. This recommendation helps other researchers and practitioners understand the steps taken to study the gestures proposed by the end users through various optimization approaches, including taxonomic [6, 81, 83, 88, 138], pragmatic [12, 78, 111, 113], semantic [1, 109], syntactic [70, 89], functional [89], cultural [14, 28, 67], developmental [22, 95, 109], neurocognitive [109, 112, 118], or naturalistic systems [18, 140].

☞ **Clarify and follow up the GES results against those obtained with other types of**

Table 12. Summary of the metrics employed in our SLR.

Metric	Minimum	Maximum	Average	Std. Dev.
Number of authors	1	10	3	1.8
Number of Google Scholar citations	0	1,273	34	99.17
Number of Participants	1	340	25	28.62
Male/Female Ratio	-1	14	1.82	1.98
Number of Referents	1	120	16	13.49
Number of Gestures proposed	4	12,240	723	1,354
Number of Agreed gestures	1	1,707	88	221
Agreement Score	0.01	1	0.31	0.23
Agreement Rate	0.004	1	0.25	0.2

user studies. Identification studies [5] implement the inverse process of a GES, in which a predefined list of gestures is presented to participants to elicit referents. The results of an identification study may corroborate, invalidate, or clarify those obtained with a GES. For instance, Sluÿters *et al.* [107] conducted a multi-context GES for eliciting mid-air hand gestures to interact with multimedia content presented on a large vertical display. The resulted gesture vocabulary has been subjected to gesture recognition to determine to what extent user-defined gestures can be recognized by a system, but it could equally be followed up by an identification study where new participants are asked to identify suitable referents from a list of gestures performed in relation to a large display.

8 OPEN DATA

We established a repository at <https://tinyurl.com/brave-new-ges-world-data>, where we provide access to the files containing the unprocessed data utilized in our analysis. Additionally, our Zotero collection, which includes the GES references evaluated in this SLR, can be found at https://www.zotero.org/groups/2132650/gesture_elicitation_studies.

9 CONCLUSION

We conducted a systematic literature review of gesture elicitation studies, their referents, and corresponding gesture vocabularies by examining a corpus of N=267 studies conducted with 6,659 participants and 4,106 referents, which elicited a grand total of 187,265 individual gestures (see Table 12). To foster future exploration of these data, we give access to our online collection along with its dedicated visualization tool. We also refer readers to our web site to access the corresponding sources and various outcomes of our SLR, such as the set of papers, our spreadsheet file comprising the detailed comparison of the 267 GESs, and the visualizations of the specific measures employed in this work. We hope that the findings we unveiled about the characteristics and outcomes of end-user gesture elicitation studies will be useful to researchers and practitioners interested in leveraging the gesture elicitation method towards innovations in gesture-based interaction for computer systems.

ACKNOWLEDGMENTS

The authors are grateful to the anonymous ACM CSUR reviewers, whose suggestions helped improve this manuscript. The authors acknowledge funding received by [Wallonie-Bruxelles-International](#) (WBI), Belgium, under grant SUB/2021/519018 and [UEFISCDI](#), Romania, under grant

PN-III-CEI-BIM-PBE-2020-0001/1BM/2021 (Project “RadarSense”). Santiago Villarreal-Narvaez and Jean Vanderdonckt are supported by the EU EIC Pathfinder-Awareness Inside challenge “Symbiotik” project (1 Oct. 2022-31 Dec. 2026) under Grant no. 101071147. While the initial version of this paper was written when Santiago Villarreal-Narvaez was at Université catholique de Louvain, the final revision took place when the author was at the University of Namur, for which we acknowledge funding of the OPTIMIS project by Pôle MecaTech (Convention nr. 8564). We are very grateful to Prof. Bruno Dumas, the leader of this project, for this opportunity. Arthur Sluÿters is funded by the Fonds de la Recherche Scientifique - FNRS under Grants n°40001931 and n°40011629.

REFERENCES

- [1] Roland Aigner, Daniel Wigdor, Hrvoje Benko, Michael Haller, David Lindbauer, Alexandra Ion, Shengdong Zhao, and Jeffrey Tzu Kwan Valino Koh. 2012. *Understanding Mid-Air Hand Gestures: A Study of Human Preferences in Usage of Gesture Types for HCI*. Technical Report MSR-TR-2012-111. Microsoft. <https://www.microsoft.com/en-us/research/publication/understanding-mid-air-hand-gestures-a-study-of-human-preferences-in-usage-of-gesture-types-for-hci/>
- [2] Ahmad Sami Al-Shamayleh, Rodina Ahmad, Mohammad A. Abushariah, Khubaib Amjad Alam, and Nazeen Jomhari. 2018. A Systematic Literature Review on Vision Based Gesture Recognition Techniques. *Multimedia Tools Appl.* 77, 21 (nov 2018), 28121–28184. DOI : <http://dx.doi.org/10.1007/s11042-018-5971-z>
- [3] Jason Alexander, Teng Han, William Judd, Pourang Irani, and Sriram Subramanian. 2012. Putting Your Best Foot Forward: Investigating Real-world Mappings for Foot-based Gestures. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 1229–1238. DOI : <http://dx.doi.org/10.1145/2207676.2208575>
- [4] Abdullah X. Ali, Meredith Ringel Morris, and Jacob O. Wobbrock. 2018. Crowdsourcing Similarity Judgments for Agreement Analysis in End-User Elicitation Studies. In *Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology (UIST '18)*. ACM, New York, NY, USA, 177–188. DOI : <http://dx.doi.org/10.1145/3242587.3242621>
- [5] Abdullah X. Ali, Meredith Ringel Morris, and Jacob O. Wobbrock. 2019. Crowdlicit: A System for Conducting Distributed End-User Elicitation and Identification Studies. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA, 1–12. DOI : <http://dx.doi.org/10.1145/3290605.3300485>
- [6] Leonardo Angelini, Francesco Carrino, Stefano Carrino, Maurizio Caon, Omar Abou Khaled, Jürgen Baumgartner, Andreas Sonderegger, Denis Lalanne, and Elena Mugellini. 2014. Gesturing on the Steering Wheel: A User-elicited Taxonomy. In *Proceedings of the 6th International Conference on Automotive User Interfaces and Interactive Vehicular Applications (AutomotiveUI '14)*. ACM, New York, NY, USA, 1–8. DOI : <http://dx.doi.org/10.1145/2667317.2667414>
- [7] Leonardo Angelini, Denis Lalanne, Elise van den Hoven, Omar Abou Khaled, and Elena Mugellini. 2015. Move, Hold and Touch: A Framework for Tangible Gesture Interactive Systems. *Machines* 3, 3 (2015), 173–207. DOI : <http://dx.doi.org/10.3390/machines3030173>
- [8] Ilhan Aslan, Tabea Schmidt, Jens Woehrle, Lukas Vogel, and Elisabeth André. 2018. Pen+Mid-Air Gestures: Eliciting Contextual Gestures. In *Proceedings of the 20th ACM International Conference on Multimodal Interaction (ICMI '18)*. ACM, New York, NY, USA, 135–144. DOI : <http://dx.doi.org/10.1145/3242969.3242979>
- [9] Gilles Bailly, Thomas Pietrzak, Jonathan Deber, and Daniel J. Wigdor. 2013. MéTamorphe: Augmenting Hotkey Usage with Actuated Keys. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '13)*. ACM, New York, NY, USA, 563–572. DOI : <http://dx.doi.org/10.1145/2470654.2470734>
- [10] Niels Ole Bernsen. 1994. Foundations of multimodal representations: a taxonomy of representational modalities. *Interacting with Computers* 6, 4 (1994), 347–371. DOI : [http://dx.doi.org/https://doi.org/10.1016/0953-5438\(94\)90008-6](http://dx.doi.org/https://doi.org/10.1016/0953-5438(94)90008-6)
- [11] Sabrina S. Billinghurst and Kim-Phuong L. Vu. 2015. Touch screen gestures for web browsing tasks. *Computers in Human Behavior* 53 (2015), 71–81. DOI : <http://dx.doi.org/10.1016/j.chb.2015.06.012>
- [12] Roger Boldu, Alexandru Dancu, Denys J.C. Matthies, Pablo Gallego Cascón, Shanaka Ransir, and Suranga Nanayakkara. 2018. Thumb-In-Motion: Evaluating Thumb-to-Ring Microgestures for Athletic Activity. In *Proceedings of the Symposium on Spatial User Interaction (SUI '18)*. ACM, New York, NY, USA, 150–157. DOI : <http://dx.doi.org/10.1145/3267782.3267796>
- [13] Pearl Brereton, Barbara A. Kitchenham, David Budgen, Mark Turner, and Mohamed Khalil. 2007. Lessons from applying the systematic literature review process within the software engineering domain. *Journal of Systems and Software* 80, 4 (2007), 571 – 583. DOI : <http://dx.doi.org/https://doi.org/10.1016/j.jss.2006.07.009> Software Performance.
- [14] Icaro Brito, Eduardo Freire, and Elyson Carvalho. 2019. Analysis of Cross-Cultural Effect on Gesture-Based Human-Robot Interaction. *International Journal of Mechanical Engineering and Robotics Research* 8, 6 (2019), 852–859. DOI : <http://dx.doi.org/10.18178/ijmerr.8.6.852-859>
- [15] Thisum Buddhika, Haimo Zhang, Samantha W. T. Chan, Vipula Dissanayake, Suranga Nanayakkara, and Roger Zimmermann. 2019. fSense: Unlocking the Dimension of Force for Gestural Interactions Using Smartwatch PPG Sensor. In *Proceedings of the 10th International Conference on Augmented Human (AH2019)*. ACM, New York, NY, USA, 1–5.

DOI: <http://dx.doi.org/10.1145/3311823.3311839>

- [16] Francesco Cafaro, Leilah Lyons, and Alissa N. Antle. 2018. Framed Guessability: Improving the Discoverability of Gestures and Body Movements for Full-Body Interaction. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3173574.3174167>
- [17] Gaëlle Calvary, Joëlle Coutaz, David Thevenin, Quentin Limbourg, Laurent Bouillon, and Jean Vanderdonckt. 2003. A Unifying Reference Framework for multi-target user interfaces. *Interacting with Computers* 15, 3 (2003), 289–308. DOI: [http://dx.doi.org/10.1016/S0953-5438\(03\)00010-9](http://dx.doi.org/10.1016/S0953-5438(03)00010-9)
- [18] Jessica R. Cauchard, Jane L. E, Kevin Y. Zhai, and James A. Landay. 2015. Drone & Me: An Exploration into Natural Human-drone Interaction. In *Proceedings of the ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '15)*. ACM, New York, NY, USA, 361–365. DOI: <http://dx.doi.org/10.1145/2750858.2805823>
- [19] Edwin Chan, Teddy Seyed, Wolfgang Stuerzlinger, Xing-Dong Yang, and Frank Maurer. 2016. User Elicitation on Single-hand Microgestures. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '16)*. ACM, New York, NY, USA, 3403–3414. DOI: <http://dx.doi.org/10.1145/2858036.2858589>
- [20] Victor Chen, Xuhai Xu, Richard Li, Yuanchun Shi, Shwetak Patel, and Yuntao Wang. 2021. Understanding the Design Space of Mouth Microgestures. In *Proceedings of the 2021 ACM Designing Interactive Systems Conference (DIS '21)*. Association for Computing Machinery, New York, NY, USA, 1068–1081. DOI: <http://dx.doi.org/10.1145/3461778.3462004>
- [21] Zhen Chen, Xiaochi Ma, Zeya Peng, Ying Zhou, Mengge Yao, Zheng Ma, Ci Wang, Zaifeng Gao, and Mowei Shen. 2018. User-Defined Gestures for Gestural Interaction: Extending from Hands to Other Body Parts. *International Journal of Human-Computer Interaction* 34, 3 (2018), 238–250. DOI: <http://dx.doi.org/10.1080/10447318.2017.1342943>
- [22] Sabrina Connell, Pei-Yi Kuo, Liu Liu, and Anne Marie Piper. 2013. A Wizard-of-Oz Elicitation Study Examining Child-defined Gestures with a Whole-body Interface. In *Proceedings of the ACM International Conference on Interaction Design and Children (IDC '13)*. ACM, New York, NY, USA, 277–280. DOI: <http://dx.doi.org/10.1145/2485760.2485823>
- [23] Jian Cui, Arjan Kuijper, Dieter W. Fellner, and Alexei Sourin. 2016. Understanding People's Mental Models of Mid-Air Interaction for Virtual Assembly and Shape Modeling. In *Proceedings of the 29th International Conference on Computer Animation and Social Agents (CASA '16)*. ACM, New York, NY, USA, 139–146. DOI: <http://dx.doi.org/10.1145/2915926.2919330>
- [24] Suranjith De Silva, Michael Barlow, and Adam Easton. 2013. Harnessing Multi-user Design and Computation to Devise Archetypal Whole-of-body Gestures: A Novel Framework. In *Proceedings of the 25th Australian Computer-Human Interaction Conference (OzCHI '13)*. ACM, New York, NY, USA, 85–94. DOI: <http://dx.doi.org/10.1145/2541016.2541020>
- [25] Linda Di Geronimo, Marica Bertarini, Julia Badertscher, Maria Husmann, and Moira C. Norrie. 2017. Exploiting Mid-air Gestures to Share Data Among Devices. In *Proceedings of the 19th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '17)*. ACM, New York, NY, USA, 1–11. DOI: <http://dx.doi.org/10.1145/3098279.3098530>
- [26] Nem Khan Dim, Chaklam Silpasuwanchai, Sayan Sarcar, and Xiangshi Ren. 2016. Designing Mid-Air TV Gestures for Blind People Using User- and Choice-Based Elicitation Approaches. In *Proceedings of the 2016 ACM Conference on Designing Interactive Systems (DIS '16)*. ACM, New York, NY, USA, 204–214. DOI: <http://dx.doi.org/10.1145/2901790.2901834>
- [27] Haiwei Dong, Nadia Figueroa, and Abdulmotaleb El Saddik. 2015. An Elicitation Study on Gesture Attitudes and Preferences Towards an Interactive Hand-Gesture Vocabulary. In *Proceedings of the 23rd ACM International Conference on Multimedia (MM '15)*. Association for Computing Machinery, New York, NY, USA, 999–1002. DOI: <http://dx.doi.org/10.1145/2733373.2806385>
- [28] Jane L. E, Ilene L. E, James A. Landay, and Jessica R. Cauchard. 2017. Drone & Wo: Cultural Influences on Human-Drone Interaction Techniques. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. Association for Computing Machinery, New York, NY, USA, 6794–6799. DOI: <http://dx.doi.org/10.1145/3025453.3025755>
- [29] Hessam Jahani Fariman, Hasan J. Alyamani, Manolya Kavakli, and Len Hamey. 2016. Designing a User-defined Gesture Vocabulary for an In-vehicle Climate Control System. In *Proceedings of the 28th Australian Conference on Computer-Human Interaction (OzCHI '16)*. ACM, New York, NY, USA, 391–395. DOI: <http://dx.doi.org/10.1145/3010915.3010955>
- [30] Yasmin Felberbaum and Joel Lanir. 2016. Step by Step: Investigating Foot Gesture Interaction. In *Proceedings of the ACM International Working Conference on Advanced Visual Interfaces (AVI '16)*. ACM, New York, NY, USA, 306–307. DOI: <http://dx.doi.org/10.1145/2909132.2926057>
- [31] Yasmin Felberbaum and Joel Lanir. 2018. Better Understanding of Foot Gestures: An Elicitation Study. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (2018) (CHI '18)*. ACM, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3173574.3173908>
- [32] Leah Findlater, Ben Lee, and Jacob Wobbrock. 2012. Beyond QWERTY: Augmenting Touch Screen Keyboards with Multi-touch Gestures for Non-alphanumeric Input. In *Proceedings of ACM Conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 2679–2682. DOI: <http://dx.doi.org/10.1145/2207676.2208660>
- [33] Simon Fothergill, Helena Mentis, Pushmeet Kohli, and Sebastian Nowozin. 2012. Instructing People for Training

- Gestural Interactive Systems. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '12)*. Association for Computing Machinery, New York, NY, USA, 1737–1746. DOI : <http://dx.doi.org/10.1145/2207676.2208303>
- [34] Euan Freeman, Gareth Griffiths, and Stephen A. Brewster. 2017. Rhythmic Micro-gestures: Discreet Interaction On-the-go. In *Proceedings of the ACM Conference on Multimodal Interaction (2017) (ICMI '17)*. ACM, New York, NY, USA, 115–119. DOI : <http://dx.doi.org/10.1145/3136755.3136815>
- [35] Mathias Frisch, Jens Heydekorn, and Raimund Dachselt. 2009. Investigating Multi-touch and Pen Gestures for Diagram Editing on Interactive Surfaces. In *Proceedings of the ACM International Conference on Interactive Tabletops and Surfaces (ITS '09)*. ACM, New York, NY, USA, 149–156. DOI : <http://dx.doi.org/10.1145/1731903.1731933>
- [36] Bogdan-Florin Gheran, Radu-Daniel Vatavu, and Jean Vanderdonckt. 2023. New Insights into User-Defined Smart Ring Gestures with Implications for Gesture Elicitation Studies. In *Proceedings of the ACM International Conference on Human Factors in Computing Systems, Extended Abstracts (CHI EA '20'23)*, Albrecht Schmidt, Kaisa Väänänen, Tesh Goyal, Per Ola Kristensson, and Anicia Peters (Eds.). ACM, 216:1–216:8. DOI : <http://dx.doi.org/10.1145/3544549.3585590>
- [37] Bogdan-Florin Gheran, Jean Vanderdonckt, and Radu-Daniel Vatavu. 2018a. Gestures for Smart Rings: Empirical Results, Insights, and Design Implications. In *Proceedings of the 2018 Designing Interactive Systems Conference (2018) (DIS '18)*. ACM, New York, NY, USA, 623–635. DOI : <http://dx.doi.org/10.1145/3196709.3196741>
- [38] Bogdan-Florin Gheran, Radu-Daniel Vatavu, and Jean Vanderdonckt. 2018b. Ring x2: Designing Gestures for Smart Rings Using Temporal Calculus. In *Proceedings of the 2018 ACM Conference Companion Publication on Designing Interactive Systems (DIS '18 Companion)*. ACM, New York, NY, USA, 117–122. DOI : <http://dx.doi.org/10.1145/3197391.3205422>
- [39] Bogdan-Florin Gheran, Santiago Villarreal-Narvaez, Radu-Daniel Vatavu, and Jean Vanderdonckt. 2022. RepliGES and GESTory: Visual Tools for Systematizing and Consolidating Knowledge on User-Defined Gestures. In *Proceedings of the 2022 International Conference on Advanced Visual Interfaces (AVI 2022), June 6–10, 2022, Frascati, Rome, Italy (AVI '22)*. ACM, New York, NY, USA, 9. DOI : <http://dx.doi.org/10.1145/3531073.3531112>
- [40] Celeste Groenewald, Craig Anslow, Junayed Islam, Chris Rooney, Peter Passmore, and William Wong. 2016. Understanding 3D Mid-Air Hand Gestures with Interactive Surfaces and Displays: A Systematic Literature Review. In *Proceedings of the 30th International BCS Human Computer Interaction Conference: Fusion! (HCI '16)*. BCS Learning & Development Ltd., Swindon, GBR, Article 43, 13 pages. DOI : <http://dx.doi.org/10.14236/ewic/HCI2016.43>
- [41] Robin Guérit, Alessandro Cierro, Jean Vanderdonckt, and Jorge Luis Pérez-Medina. 2019. Gesture Elicitation and Usability Testing for an Armband Interacting with Netflix and Spotify. In *Proceedings of the International Conference on Information Technology & Systems, Advances in Intelligent Systems and Computing (ICITS '19)*, Álvaro Rocha, Carlos Ferrás, and Manolo Paredes (Eds.). Springer International Publishing, Berlin, 625–637. DOI : http://dx.doi.org/https://doi.org/10.1007/978-3-030-11890-7_60
- [42] Hayati Havlucu, Mehmet Yarkin Ergin, İdil Bostan, Oğuz Turan Buruk, Tilbe Göksun, and Oğuzhan Özcan. 2017. It Made More Sense: Comparison of User-Elicited On-skin Touch and Freehand Gesture Sets. In *Distributed, Ambient and Pervasive Interactions*, Norbert Streitz and Panos Markopoulos (Eds.). Springer International Publishing, Cham, 159–171.
- [43] Lynn Hoff, Eva Hornecker, and Sven Bertel. 2016. Modifying Gesture Elicitation: Do Kinaesthetic Priming and Increased Production Reduce Legacy Bias?. In *Proceedings of the TEI '16: Tenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '16)*. Association for Computing Machinery, New York, NY, USA, 86–91. DOI : <http://dx.doi.org/10.1145/2839462.2839472>
- [44] Masoumehsadat Hosseini, Tjado Ihmels, Ziqian Chen, Marion Koelle, Heiko Müller, and Susanne Boll. 2023. Towards a Consensus Gesture Set: A Survey of Mid-Air Gestures in HCI for Maximized Agreement Across Domains. In *Proceedings of the ACM International Conference on Human Factors in Computing Systems (CHI '23)*. Association for Computing Machinery, New York, NY, USA, Article 311, 24 pages. DOI : <http://dx.doi.org/10.1145/3544548.3581420>
- [45] Hessam Jahani-Fariman. 2017. Developing a User-Defined Interface for In-Vehicle Mid-Air Gestural Interactions. In *Proceedings of the 22nd International Conference on Intelligent User Interfaces Companion (IUI '17 Companion)*. Association for Computing Machinery, New York, NY, USA, 165–168. DOI : <http://dx.doi.org/10.1145/3030024.3038277>
- [46] Shaun K. Kane, Jacob O. Wobbrock, and Richard E. Ladner. 2011. Usable Gestures for Blind People: Understanding Preference and Performance. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '11)*. Association for Computing Machinery, New York, NY, USA, 413–422. DOI : <http://dx.doi.org/10.1145/1978942.1979001>
- [47] Frederic Kerber, Markus Löchtefeld, Antonio Krüger, Jess McIntosh, Charlie McNeill, and Mike Fraser. 2016. Understanding Same-Side Interactions with Wrist-Worn Devices. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction (October 23–27, 2016) (NordicCHI '16)*. ACM, New York, NY, USA, 28:1–28:10. DOI : <http://dx.doi.org/10.1145/2971485.2971519>
- [48] Barbara Kitchenham, Rialette Pretorius, David Budgen, O. Pearl Brereton, Mark Turner, Mahmood Niazi, and Stephen Linkman. 2010. Systematic literature reviews in software engineering – A tertiary study. *Information and Software Technology* 52, 8 (2010), 792–805. DOI : <http://dx.doi.org/https://doi.org/10.1016/j.infsof.2010.03.006>
- [49] Barry Kollee, Sven Kratz, and Anthony Dunnigan. 2014. Exploring Gestural Interaction in Smart Spaces Using Head

- Mounted Devices with Ego-Centric Sensing. In *Proceedings of the 2nd ACM Symposium on Spatial User Interaction (SUI '14)*. Association for Computing Machinery, New York, NY, USA, 40–49. DOI : <http://dx.doi.org/10.1145/2659766.2659781>
- [50] Panayiotis Koutsabasis and Panagiotis Vogiatzidakis. 2019. Empirical Research in Mid-Air Interaction: A Systematic Review. *International Journal of Human–Computer Interaction* 35, 18 (2019), 1747–1768. DOI : <http://dx.doi.org/10.1080/10447318.2019.1572352>
- [51] Christine Kühnel, Tilo Westermann, Fabian Hemmert, Sven Kratz, Alexander Müller, and Sebastian Möller. 2011. I'm home: Defining and evaluating a gesture set for smart-home control. *International Journal of Human-Computer Studies* 69, 11 (2011), 693–704. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2011.04.005>
- [52] DoYoung Lee, Youryang Lee, Yonghwan Shin, and Ian Oakley. 2018. Designing Socially Acceptable Hand-to-Face Input. In *Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology* (October 14-17, 2018) (*UIST '18*). ACM, New York, NY, USA, 711–723. DOI : <http://dx.doi.org/10.1145/3242587.3242642>
- [53] DoYoung Lee, Ian Roland Oakley, and YuRyang Lee. 2016. Bodily input for wearables: an elicitation study. *HCI* 1, 1 (2016), 283–285.
- [54] Sang-Su Lee, Sohyun Kim, Bopil Jin, Eunji Choi, Boa Kim, Xu Jia, Daeop Kim, and Kun-pyo Lee. 2010. How Users Manipulate Deformable Displays As Input Devices. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (2010) (*CHI '10*). ACM, New York, NY, USA, 1647–1656. DOI : <http://dx.doi.org/10.1145/1753326.1753572>
- [55] Hoo Yong Leng, Noris Mohd Norowi, and Azrul Hazri Jantan. 2017. A User-Defined Gesture Set for Music Interaction in Immersive Virtual Environment. In *Proceedings of the 3rd International Conference on Human-Computer Interaction and User Experience in Indonesia (CHuXiD '17)*. Association for Computing Machinery, New York, NY, USA, 44–51. DOI : <http://dx.doi.org/10.1145/3077343.3077348>
- [56] David R. Lenorovitz, Mark D. Phillips, R.S. Ardrey, and Gregory V. Kloster. 1984. A taxonomic approach to characterizing human-computer interaction. In G. Salvendy (Ed.), *Human-Computer Interaction*. (1984). Elsevier Science Publishers, Amsterdam, Netherlands, 111–116.
- [57] Xin Li, Dan Roth, and Yuancheng Tu. 2003. PhraseNet: Towards Context Sensitive Lexical Semantics. In *Proceedings of the Seventh Conference on Natural Language Learning at HLT-NAACL 2003 - Volume 4 (CONLL '03)*. Association for Computational Linguistics, Stroudsburg, PA, USA, 87–94. DOI : <http://dx.doi.org/10.3115/1119176.1119188>
- [58] Alessandro Liberati, Douglas G. Altman, Jennifer Tetzlaff, Cynthia Mulrow, Peter C. Götzsche, John P.A. Ioannidis, Mike Clarke, P. J. Devereaux, Jos Kleijnen, and David Moher. July 2009. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate health care interventions: explanation and elaboration. *PLoS Medicine* 6, 7 (July 2009), 1–22. DOI : <http://dx.doi.org/10.1371/journal.pmed.1000100>
- [59] Mingyu Liu, Mathieu Nancel, and Daniel Vogel. 2015. Gunslinger: Subtle Arms-down Mid-air Interaction. In *Proceedings of the 28th Annual ACM Symposium on User Interface Software & Technology (UIST '15)*. ACM, New York, NY, USA, 63–71. DOI : <http://dx.doi.org/10.1145/2807442.2807489>
- [60] Yihua Lou, Wenjun Wu, Radu-Daniel Vatavu, and Wei-Tek Tsai. 2017. Personalized gesture interactions for cyber-physical smart-home environments. *Sci. China Inf. Sci.* 60, 7 (2017), 072104. DOI : <http://dx.doi.org/10.1007/s11432-015-1014-7>
- [61] Naveen Madapana, Glebys Gonzalez, Richard Rodgers, Lingsong Zhang, and Juan P. Wachs. 2018. Gestures for Picture Archiving and Communication Systems (PACS) operation in the operating room: Is there any standard? *PLOS ONE* 13, 6 (2018), e0198092. DOI : <http://dx.doi.org/10.1371/journal.pone.0198092>
- [62] Nathan Magrofuoco, Jorge-Luis Pérez-Medina, Paolo Roselli, Jean Vanderdonckt, and Santiago Villarreal. 2019. Eliciting Contact-Based and Contactless Gestures With Radar-Based Sensors. *IEEE Access* 7 (2019), 176982–176997. DOI : <http://dx.doi.org/10.1109/ACCESS.2019.2951349>
- [63] Nathan Magrofuoco and Jean Vanderdonckt. 2019. Gelicit: A Cloud Platform for Distributed Gesture Elicitation Studies. *Proc. ACM Hum.-Comput. Interact.* 3 (2019), 1–41. Issue EICS. DOI : <http://dx.doi.org/10.1145/3331148>
- [64] Diako Mardanbegi, Dan Witzner Hansen, and Thomas Pederson. 2012. Eye-based Head Gestures. In *Proceedings of the ACM International Symposium on Eye Tracking Research and Applications (ETRA '12)*. ACM, New York, NY, USA, 139–146. DOI : <http://dx.doi.org/10.1145/2168556.2168578>
- [65] Francisco Javier Martínez-Ruiz and Santiago Villarreal-Narvaez. 2021. Eliciting User-defined Zenithal Gestures for Privacy Preferences. In *Proceedings of the 16th International Joint Conference on Computer Vision, Imaging and Computer Graphics Theory and Applications, VISIGRAPP 2021, Volume 2: HUCAPP, Online Streaming, February 8-10, 2021*, Alexis Paljic, Tabitha C. Peck, José Braz, and Kadi Bouatouch (Eds.). SCITEPRESS, 205–213. DOI : <http://dx.doi.org/10.5220/0010259802050213>
- [66] Kohei Matsumura. 2015. Studying User-Defined Gestures Toward Off the Screen Interactions. In *Proceedings of the ACM International Conference on Interactive Tabletops & Surfaces* (November 15-18, 2015) (*ITS '15*). ACM, New York, NY, USA, 295–300. DOI : <http://dx.doi.org/10.1145/2817721.2823496>
- [67] Dan Mauney, Jonathan Howarth, Andrew Wirtanen, and Miranda Capra. 2010. Cultural Similarities and Differences in

- User-Defined Gestures for Touchscreen User Interfaces. In *CHI '10 Extended Abstracts on Human Factors in Computing Systems (CHI EA '10)*. Association for Computing Machinery, New York, NY, USA, 4015–4020. DOI : <http://dx.doi.org/10.1145/1753846.1754095>
- [68] Keenan R. May, Thomas M. Gable, and Bruce N. Walker. 2017. Designing an In-Vehicle Air Gesture Set Using Elicitation Methods. In *Proceedings of the 9th International Conference on Automotive User Interfaces and Interactive Vehicular Applications (AutomotiveUI '17)*. Association for Computing Machinery, New York, NY, USA, 74–83. DOI : <http://dx.doi.org/10.1145/3122986.3123015>
- [69] Erin McAweeney, Haihua Zhang, and Michael Nebeling. 2018. User-Driven Design Principles for Gesture Representations. In *Proceedings of the ACM International Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, Article 547, 13 pages. DOI : <http://dx.doi.org/10.1145/3173574.3174121>
- [70] G. Modanwal and K. Sarawadekar. 2017. A New Dactylology and Interactive System Development for Blind-Computer Interaction. *IEEE Transactions on Human-Machine Systems* PP, 99 (2017), 1–6. DOI : <http://dx.doi.org/10.1109/THMS.2017.2734065>
- [71] Gourav Modanwal and Kishor Sarawadekar. 2018. A Gesture Elicitation Study with Visually Impaired Users. In *HCI International 2018 – Posters' Extended Abstracts (July 15, 2018) (Communications in Computer and Information Science)*. Springer, Cham, Cham, 54–61. DOI : http://dx.doi.org/10.1007/978-3-319-92279-9_7
- [72] Meredith Ringel Morris. 2012. Web on the Wall: Insights from a Multimodal Interaction Elicitation Study. In *Proceedings of the 2012 ACM International Conference on Interactive Tabletops and Surfaces (ITS '12)*. ACM, New York, NY, USA, 95–104. DOI : <http://dx.doi.org/10.1145/2396636.2396651>
- [73] Meredith Ringel Morris, Andreea Danielescu, Steven Drucker, Danyel Fisher, Bongshin Lee, m. c. schraefel, and Jacob O. Wobbrock. 2014. Reducing Legacy Bias in Gesture Elicitation Studies. *interactions* 21, 3 (may 2014), 40–45. DOI : <http://dx.doi.org/10.1145/2591689>
- [74] Meredith Ringel Morris, Jacob O. Wobbrock, and Andrew D. Wilson. 2010. Understanding Users' Preferences for Surface Gestures. In *Proceedings of Graphics Interface 2010 (GI '10)*. Canadian Information Processing Society, CAN, 261–268.
- [75] Miguel A. Nacenta, Yemliha Kamber, Yizhou Qiang, and Per Ola Kristensson. 2013. Memorability of Pre-Designed and User-Defined Gesture Sets. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '13)*. Association for Computing Machinery, New York, NY, USA, 1099–1108. DOI : <http://dx.doi.org/10.1145/2470654.2466142>
- [76] Vijayakumar Nanjappan, Rongkai Shi, Hai-Ning Liang, Haoru Xiao, Kim King-Tong Lau, and Khalad Hasan. 2019. Design of Interactions for Handheld Augmented Reality Devices Using Wearable Smart Textiles: Findings from a User Elicitation Study. *Applied Sciences* 9, 15 (2019), 3177. DOI : <http://dx.doi.org/10.3390/app9153177>
- [77] Andrés Adolfo Navarro-Newball, Isidro Moreno, Edmond Prakash, Ali Arya, Victoria E. Contreras, Victor A. Quiceno, Santiago Lozano, Juan David Mejia, and Diego Fernando Loaiza. 2016. Gesture based human motion and game principles to aid understanding of science and cultural practices. *Multimed Tools Appl* 75, 19 (2016), 11699–11722. DOI : <http://dx.doi.org/10.1007/s11042-015-2667-5>
- [78] Samuel Navas Medrano, Max Pfeiffer, and Christian Kray. 2017. Enabling Remote Deictic Communication with Mobile Devices: An Elicitation Study. In *Proceedings of the 19th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '17)*. Association for Computing Machinery, New York, NY, USA, Article 19, 13 pages. DOI : <http://dx.doi.org/10.1145/3098279.3098544>
- [79] Michael Nebeling, David Ott, and Moira C. Norrie. 2015. Kinect Analysis: A System for Recording, Analysing and Sharing Multimodal Interaction Elicitation Studies. In *Proceedings of the 7th ACM SIGCHI Symposium on Engineering Interactive Computing Systems (EICS '15)*. ACM, New York, NY, USA, 142–151. DOI : <http://dx.doi.org/10.1145/2774225.2774846>
- [80] Michael Nielsen, Moritz Störring, Thomas B. Moeslund, and Erik Granum. 2004. A Procedure for Developing Intuitive and Ergonomic Gesture Interfaces for HCI. In *Gesture-Based Communication in Human-Computer Interaction*, Antonio Camurri and Gualtiero Volpe (Eds.). Springer, Berlin, 409–420.
- [81] Mohammad Obaid, Markus Häring, Felix Kistler, René Bühling, and Elisabeth André. 2012. User-Defined Body Gestures for Navigational Control of a Humanoid Robot. In *Social Robotics*, Shuzhi Sam Ge, Oussama Khatib, John-John Cabibihan, Reid Simmons, and Mary-Anne Williams (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 367–377.
- [82] Francisco R. Ortega, Alain Galvan, Katherine Tarre, Armando Barreto, Naphtali Rische, Jonathan Bernal, Ruben Balcazar, and Jason-Lee Thomas. 2017. Gesture elicitation for 3D travel via multi-touch and mid-Air systems for procedurally generated pseudo-universe. In *2017 IEEE Symposium on 3D User Interfaces (3DUI)*. IEEE, USA, 144–153. DOI : <http://dx.doi.org/10.1109/3DUI.2017.7893331>
- [83] Mehdi Ousmer, Jean Vanderdonck, and Sabin Buraga. 2019. An Ontology for Reasoning on Body-based Gestures. In *Proceedings of the ACM SIGCHI Symposium on Engineering Interactive Computing Systems (June 18-21, 2019) (EICS '19)*. ACM, New York, NY, USA, 1–6. DOI : <http://dx.doi.org/10.1145/3319499.3328238>
- [84] Jorge Luis Pérez-Medina, Santiago Villarreal, and Jean Vanderdonck. 2020. A Gesture Elicitation Study of Nose-Based Gestures. *Sensors* 20, 24 (2020), 7118. DOI : <http://dx.doi.org/10.3390/s20247118>

- [85] Ekaterina Peshkova, Martin Hitz, and David Ahlström. 2017. Exploring User-Defined Gestures and Voice Commands to Control an Unmanned Aerial Vehicle. In *Intelligent Technologies for Interactive Entertainment*, Ronald Poppe, John-Jules Meyer, Remco Veltkamp, and Mehdi Dastani (Eds.). Springer International Publishing, Cham, 47–62.
- [86] Tran Pham, Jo Vermeulen, Anthony Tang, and Lindsay MacDonald Vermeulen. 2018. Scale Impacts Elicited Gestures for Manipulating Holograms: Implications for AR Gesture Design. In *Proceedings of the 2018 Designing Interactive Systems Conference (DIS '18)*. ACM, New York, NY, USA, 227–240. DOI: <http://dx.doi.org/10.1145/3196709.3196719>
- [87] Thammathip Piumsomboon, Adrian Clark, Mark Billingham, and Andy Cockburn. 2013a. User-Defined Gestures for Augmented Reality. In *Human-Computer Interaction – INTERACT 2013 (September 2, 2013) (Lecture Notes in Computer Science)*. Springer, Berlin, Heidelberg, Berlin, Heidelberg, 282–299. DOI: http://dx.doi.org/10.1007/978-3-642-40480-1_18
- [88] Thammathip Piumsomboon, Adrian Clark, Mark Billingham, and Andy Cockburn. 2013b. User-defined Gestures for Augmented Reality. In *CHI '13 Extended Abstracts on Human Factors in Computing Systems (2013) (CHI EA '13)*. ACM, New York, NY, USA, 955–960. DOI: <http://dx.doi.org/10.1145/2468356.2468527>
- [89] Francis Quek, David McNeill, Robert Bryll, Susan Duncan, Xin-Feng Ma, Cemil Kirbas, Karl E. McCullough, and Rashid Ansari. 2002. Multimodal Human Discourse: Gesture and Speech. *ACM Trans. Comput.-Hum. Interact.* 9, 3 (2002), 171–193. DOI: <http://dx.doi.org/10.1145/568513.568514>
- [90] Siddharth S. Rautaray and Anupam Agrawal. 2015. Vision Based Hand Gesture Recognition for Human Computer Interaction: A Survey. *Artif. Intell. Rev.* 43, 1 (Jan. 2015), 1–54. DOI: <http://dx.doi.org/10.1007/s10462-012-9356-9>
- [91] Julie Rico and Stephen Brewster. 2010. Usable Gestures for Mobile Interfaces: Evaluating Social Acceptability. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '10)*. ACM, New York, NY, USA, 887–896. DOI: <http://dx.doi.org/10.1145/1753326.1753458>
- [92] Isabel Benavente Rodriguez and Nicolai Marquardt. 2017. Gesture Elicitation Study on How to Opt-in & Opt-out from Interactions with Public Displays. In *Proceedings of the 2017 ACM International Conference on Interactive Surfaces and Spaces (2017) (ISS '17)*. ACM, New York, NY, USA, 32–41. DOI: <http://dx.doi.org/10.1145/3132272.3134118>
- [93] Jaime Ruiz, Yang Li, and Edward Lank. 2011. User-defined Motion Gestures for Mobile Interaction. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (2011) (CHI '11)*. ACM, New York, NY, USA, 197–206. DOI: <http://dx.doi.org/10.1145/1978942.1978971>
- [94] Jaime Ruiz and Daniel Vogel. 2015. Soft-Constraints to Reduce Legacy and Performance Bias to Elicit Whole-body Gestures with Low Arm Fatigue. In *Proceedings of the IFIP TC5 WG5.7 International Workshop on Modelling Techniques for Business Process Re-Engineering and Benchmarking (April, 2015) (CHI '15)*. ACM, New York, NY, USA, 3347–3350. DOI: <http://dx.doi.org/10.1145/2702123.2702583>
- [95] Karen Rust, Meethu Malu, Lisa Anthony, and Leah Findlater. 2014. Understanding Childdefined Gestures and Children’s Mental Models for Touchscreen Tabletop Interaction. In *Proceedings of the ACM Conference on Interaction Design and Children (2014) (IDC '14)*. ACM, New York, NY, USA, 201–204. DOI: <http://dx.doi.org/10.1145/2593968.2610452>
- [96] O. Schipor and R. Vatavu. 2018. Invisible, Inaudible, and Impalpable: Users’ Preferences and Memory Performance for Digital Content in Thin Air. *IEEE Pervasive Computing* 17, 4 (2018), 76–85. DOI: <http://dx.doi.org/10.1109/MPRV.2018.2873856>
- [97] Marcos Serrano, Barrett M. Ens, and Pourang P. Irani. 2014. Exploring the Use of Hand-to-face Input for Interacting with Head-worn Displays. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, USA, 3181–3190. DOI: <http://dx.doi.org/10.1145/2556288.2556984>
- [98] Teddy Seyed, Chris Burns, Mario Costa Sousa, Frank Maurer, and Anthony Tang. 2012. Eliciting Usable Gestures for Multi-display Environments. In *Proceedings of the 2012 ACM International Conference on Interactive Tabletops and Surfaces (2012) (ITS '12)*. ACM, New York, NY, USA, 41–50. DOI: <http://dx.doi.org/10.1145/2396636.2396643>
- [99] Adwait Sharma, Joan Sol Roo, and Jürgen Steimle. 2019. Grasping Microgestures: Eliciting Single-hand Microgestures for Handheld Objects. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (May 4-6, 2019) (CHI '19)*. ACM, New York, NY, USA, 402:1–402:13. DOI: <http://dx.doi.org/10.1145/3290605.3300632>
- [100] Alex Shaw and Lisa Anthony. 2016a. Analyzing the Articulation Features of Children’s Touchscreen Gestures. In *Proceedings of the 18th ACM International Conference on Multimodal Interaction (2016) (ICMI 2016)*. ACM, New York, NY, USA, 333–340. DOI: <http://dx.doi.org/10.1145/2993148.2993179>
- [101] Alex Shaw and Lisa Anthony. 2016b. Toward a Systematic Understanding of Children’s Touchscreen Gestures. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems (May 7, 2016)*. ACM, New York, NY, USA, 1752–1759. DOI: <http://dx.doi.org/10.1145/2851581.2892425>
- [102] Alexandru-Ionut Sian, Cristian Pamparau, Arthur Sluÿters, Radu-Daniel Vatavu, and Jean Vanderdonckt. 2023. Flexible gesture input with radars: systematic literature review and taxonomy of radar sensing integration in ambient intelligence environments. *J. Ambient Intell. Humaniz. Comput.* 14, 6 (2023), 7967–7981. DOI: <http://dx.doi.org/10.1007/s12652-023-04606-9>
- [103] Chaklam Silpasuwanchai and Xiangshi Ren. 2014. Jump and Shoot!: Prioritizing Primary and Alternative Body Gestures for Intense Gameplay. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (April*

- 26 - May 1) (*CHI '14*). ACM, New York, NY, USA, 951–954. DOI : <http://dx.doi.org/10.1145/2556288.2557107>
- [104] Chaklam Silpasuwanchai and Xiangshi Ren. 2015. Designing concurrent full-body gestures for intense gameplay. *International Journal of Human-Computer Studies* 80 (2015), 1–13. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2015.02.010>
- [105] Arthur Sluÿters, Sébastien Lambot, and Jean Vanderdonckt. 2022. Hand Gesture Recognition for an Off-the-Shelf Radar by Electromagnetic Modeling and Inversion. In *Proceedings of the 27th ACM International Conference on Intelligent User Interfaces (IUI '22)*. Association for Computing Machinery, New York, NY, USA, 506–522. DOI : <http://dx.doi.org/10.1145/3490099.3511107>
- [106] Arthur Sluÿters, Sébastien Lambot, Jean Vanderdonckt, and Radu-Daniel Vatavu. 2023. RadarSense: Accurate Recognition of Mid-Air Hand Gestures with Radar Sensing and Few Training Examples. *ACM Trans. Interact. Intell. Syst.* 13, 3, Article 16 (sep 2023), 45 pages. DOI : <http://dx.doi.org/10.1145/3589645>
- [107] Arthur Sluÿters, Quentin Sellier, Jean Vanderdonckt, Vik Parthiban, and Pattie Maes. 2023. Consistent, Continuous, and Customizable Mid-Air Gesture Interaction for Browsing Multimedia Objects on Large Displays. *International Journal of Human-Computer Interaction* 39, 12 (2023), 2492–2523. DOI : <http://dx.doi.org/10.1080/10447318.2022.2078464>
- [108] Nikita Soni, Schuyler Gleaves, Hannah Neff, Sarah Morrison-Smith, Shaghayegh Esmaeili, Ian Mayne, Sayli Bapat, Carrie Schuman, Kathryn A. Stofer, and Lisa Anthony. 2019. Do User-defined Gestures for Flatscreens Generalize to Interactive Spherical Displays for Adults and Children?. In *Proceedings of the 8th ACM International Symposium on Pervasive Displays (PerDis '19)*. ACM, New York, NY, USA, 24:1–24:7. DOI : <http://dx.doi.org/10.1145/3321335.3324941>
- [109] Nikita Soni, Schuyler Gleaves, Hannah Neff, Sarah Morrison-Smith, Shaghayegh Esmaeili, Ian Mayne, Sayli Bapat, Carrie Schuman, Kathryn A. Stofer, and Lisa Anthony. 2020. Adults' and Children's Mental Models for Gestural Interactions with Interactive Spherical Displays. In *CHI '20*. ACM, New York, NY, USA, 1–12.
- [110] Maximilian Speicher and Michael Nebeling. 2018. GestureWiz: A Human-Powered Gesture Design Environment for User Interface Prototypes. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, Article 107, 11 pages. DOI : <http://dx.doi.org/10.1145/3173574.3173681>
- [111] Kashmiri Stec and Lars Bo Larsen. 2018. Gestures for Controlling a Moveable TV. In *Proceedings of the 2018 ACM International Conference on Interactive Experiences for TV and Online Video (2018) (TVX '18)*. ACM, New York, NY, USA, 5–14. DOI : <http://dx.doi.org/10.1145/3210825.3210831>
- [112] Yanke Tan, Sang Ho Yoon, and Karthik Ramani. 2017. BikeGesture: User Elicitation and Performance of Micro Hand Gesture As Input for Cycling. In *Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems (2017) (CHI EA '17)*. ACM, New York, NY, USA, 2147–2154. DOI : <http://dx.doi.org/10.1145/3027063.3053075>
- [113] Florent Taralle, Alexis Paljic, Sotiris Manitsaris, Jordane Grenier, and Christophe Guettier. 2015. A Consensual and Non-ambiguous Set of Gestures to Interact with UAV in Infantrymen. In *Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems (2015) (CHI EA '15)*. ACM, New York, NY, USA, 797–803. DOI : <http://dx.doi.org/10.1145/2702613.2702971>
- [114] Vuletic Tijana, Alex Duffy, Laura Hay, Chris McTeague, Gerard Campbell, and Madeleine Grealy. 2019. Systematic literature review of hand gestures used in human computer interaction interfaces. *International Journal of Human-Computer Studies* 129 (2019), 74–94. DOI : <http://dx.doi.org/https://doi.org/10.1016/j.ijhcs.2019.03.011>
- [115] Theophanis Tsandilas. 2018. Fallacies of Agreement: A Critical Review of Consensus Assessment Methods for Gesture Elicitation. *ACM Trans. Comput.-Hum. Interact.* 25, 3, Article 18 (jun 2018), 49 pages. DOI : <http://dx.doi.org/10.1145/3182168>
- [116] Theophanis Tsandilas and Pierre Dragicevic. 2022. Gesture Elicitation as a Computational Optimization Problem. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems (CHI '22)*. Association for Computing Machinery, New York, NY, USA, Article 498, 13 pages. DOI : <http://dx.doi.org/10.1145/3491102.3501942>
- [117] Sekaran U. and Bougie R. 2010. *Research methods for business: A skill-building approach*. John Wiley and Sons, Haddington.
- [118] Antonio Emmanuele Uva, Michele Fiorentino, Vito Modesto Manghisi, Antonio Boccaccio, Saverio Debernardis, Michele Gattullo, and Giuseppe Monno. 2019. A User-Centered Framework for Designing Midair Gesture Interfaces. *IEEE Transactions on Human-Machine Systems* 49, 5 (2019), 421–429. DOI : <http://dx.doi.org/10.1109/THMS.2019.2919719>
- [119] Jean Vanderdonckt, Nathan Magrofuoco, Suzanne Kieffer, Jorge Pérez, Ysabelle Rase, Paolo Roselli, and Santiago Villarreal. 2019. Head and Shoulders Gestures: Exploring User-Defined Gestures with Upper Body. In *Design, User Experience, and Usability. User Experience in Advanced Technological Environments (2019) (Lecture Notes in Computer Science)*, Aaron Marcus and Wentao Wang (Eds.). Springer International Publishing, Cyprus, 192–213.
- [120] Radu-Daniel Vatavu. 2012. User-Defined Gestures for Free-Hand TV Control. In *Proceedings of the 10th European Conference on Interactive TV and Video (EuroITV '12)*. Association for Computing Machinery, New York, NY, USA, 45–48. DOI : <http://dx.doi.org/10.1145/2325616.2325626>
- [121] Radu-Daniel Vatavu. 2019. The Dissimilarity-Consensus Approach to Agreement Analysis in Gesture Elicitation Studies. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (May 4-9, 2019) (CHI '19)*.

- ACM, New York, NY, USA, 1–13. DOI : <http://dx.doi.org/10.1145/3290605.3300454>
- [122] Radu-Daniel Vatavu and Jacob O. Wobbrock. 2015. Formalizing Agreement Analysis for Elicitation Studies: New Measures, Significance Test, and Toolkit. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems (CHI '15)*. ACM, New York, NY, USA, 1325–1334. DOI : <http://dx.doi.org/10.1145/2702123.2702223>
- [123] Radu-Daniel Vatavu and Jacob O. Wobbrock. 2016. Between-Subjects Elicitation Studies: Formalization and Tool Support. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 3390–3402. DOI : <http://dx.doi.org/10.1145/2858036.2858228>
- [124] Radu-Daniel Vatavu and Jacob O. Wobbrock. 2022. Clarifying Agreement Calculations and Analysis for End-User Elicitation Studies. *ACM Trans. Comput.-Hum. Interact.* 29, 1, Article 5 (jan 2022), 70 pages. DOI : <http://dx.doi.org/10.1145/3476101>
- [125] Radu-Daniel Vatavu and Ionut-Alexandru Zaiti. 2014. Leap Gestures for TV: Insights from an Elicitation Study. In *Proceedings of the ACM International Conference on Interactive Experiences for TV and Online Video (TVX '14)*. Association for Computing Machinery, New York, NY, USA, 131–138. DOI : <http://dx.doi.org/10.1145/2602299.2602316>
- [126] Santiago Villarreal-Narvaez, Alexandru-Ionuț Șean, Arthur Sluÿters, Radu-Daniel Vatavu, and Jean Vanderdonck. 2022. Informing Future Gesture Elicitation Studies for Interactive Applications That Use Radar Sensing. In *Proceedings of the 2022 International Conference on Advanced Visual Interfaces (AVI 2022)*. Association for Computing Machinery, New York, NY, USA, Article 50, 3 pages. DOI : <http://dx.doi.org/10.1145/3531073.3534475>
- [127] Santiago Villarreal-Narvaez, Jorge Luis Perez-Medina, and Jean Vanderdonck. 2023. Exploring user-defined gestures for lingual and palatal interaction. *Journal of Multimodal User Interfaces* 17, 3 (2023), 19. DOI : <http://dx.doi.org/10.1007/s12193-023-00408-7>
- [128] Santiago Villarreal-Narvaez, Arthur Sluÿters, Jean Vanderdonck, and Efrem Mbaki Luzayisu. 2022. Theoretically-Defined vs. User-Defined Squeeze Gestures. *Proc. ACM Hum.-Comput. Interact.* 6, ISS, Article 559 (nov 2022), 30 pages. DOI : <http://dx.doi.org/10.1145/3567805>
- [129] Santiago Villarreal-Narvaez, Jean Vanderdonck, Radu-Daniel Vatavu, and Jacob O. Wobbrock. 2020. A Systematic Review of Gesture Elicitation Studies: What Can We Learn from 216 Studies?. In *Proceedings of the 2020 ACM Designing Interactive Systems Conference (DIS '20)*. Association for Computing Machinery, New York, NY, USA, 855–872. DOI : <http://dx.doi.org/10.1145/3357236.3395511>
- [130] Dong-Bach Vo, Eric Lecolinet, and Yves Guiard. 2014. Belly Gestures: Body Centric Gestures on the Abdomen. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction: Fun, Fast, Foundational (NordiCHI '14)*. ACM, New York, NY, USA, 687–696. DOI : <http://dx.doi.org/10.1145/2639189.2639210>
- [131] Panagiotis Vogiatzidakis and Panayiotis Koutsabasis. 2018. Gesture Elicitation Studies for Mid-Air Interaction: A Review. *Multimodal Technologies and Interaction* 2, 4 (2018), 65–. DOI : <http://dx.doi.org/https://doi.org/10.3390/mti2040065>
- [132] Panagiotis Vogiatzidakis and Panayiotis Koutsabasis. 2019. Frame-Based Elicitation of Mid-Air Gestures for a Smart Home Ecosystem. *Informatics* 6, 2 (2019), 23. DOI : <http://dx.doi.org/10.3390/informatics6020023>
- [133] Oleg Špakov and Päivi Majaranta. 2012. Enhanced Gaze Interaction Using Simple Head Gestures. In *Proceedings of the 2012 ACM Conference on Ubiquitous Computing (UbiComp '12)*. ACM, New York, NY, USA, 705–710. DOI : <http://dx.doi.org/10.1145/2370216.2370369>
- [134] Tijana Vuletic, Alex Duffy, Laura Hay, Chris McTeague, Gerard Campbell, and Madeleine Grealy. 2019. Systematic literature review of hand gestures used in human computer interaction interfaces. *International Journal of Human-Computer Studies* 129 (2019), 74–94. DOI : <http://dx.doi.org/https://doi.org/10.1016/j.ijhcs.2019.03.011>
- [135] Daniel Wigdor and Dennis Wixon. 2011. *Brave NUI World: Designing Natural User Interfaces for Touch and Gesture* (1st ed.). Morgan Kaufmann Publishers Inc., San Francisco, CA, USA.
- [136] Markus L. Wittorf and Mikkel R. Jakobsen. 2016. Eliciting Mid-Air Gestures for Wall-Display Interaction. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction (NordiCHI '16)*. Association for Computing Machinery, New York, NY, USA, Article 3, 4 pages. DOI : <http://dx.doi.org/10.1145/2971485.2971503>
- [137] Jacob O. Wobbrock, Htet Htet Aung, Brandon Rothrock, and Brad A. Myers. 2005. Maximizing the Guessability of Symbolic Input. In *CHI '05 Extended Abstracts on Human Factors in Computing Systems (CHI EA '05)*. Association for Computing Machinery, New York, NY, USA, 1869–1872. DOI : <http://dx.doi.org/10.1145/1056808.1057043>
- [138] Jacob O. Wobbrock, Meredith Ringel Morris, and Andrew D. Wilson. 2009. User-Defined Gestures for Surface Computing. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '09)*. Association for Computing Machinery, New York, NY, USA, 1083–1092. DOI : <http://dx.doi.org/10.1145/1518701.1518866>
- [139] Jacob O. Wobbrock, Brad A. Myers, and John A. Kembel. 2003. EdgeWrite: A Stylus-based Text Entry Method Designed for High Accuracy and Stability of Motion. In *Proceedings of the 16th Annual ACM Symposium on User Interface Software and Technology (UIST '03)*. ACM, New York, NY, USA, 61–70. DOI : <http://dx.doi.org/10.1145/964696.964703>
- [140] Huiyue Wu, Liuqingqing Yang, Shengqian Fu, and Xiaolong (Luke) Zhang. 2019. Beyond remote control: Exploring natural gesture inputs for smart TV systems. *Journal of Ambient Intelligence and Smart Environments* 11, 4 (2019),

- 335–354. DOI: <http://dx.doi.org/10.3233/AIS-190528>
- [141] Ho Chung Wu, Robert Wing Pong Luk, Kam Fai Wong, and Kui Lam Kwok. 2008. Interpreting TF-IDF Term Weights As Making Relevance Decisions. *ACM Trans. Inf. Syst.* 26, 3, Article 13 (June 2008), 37 pages. DOI: <http://dx.doi.org/10.1145/1361684.1361686>
- [142] Haijun Xia, Michael Glueck, Michelle Annett, Michael Wang, and Daniel Wigdor. 2022. Iteratively Designing Gesture Vocabularies: A Survey and Analysis of Best Practices in the HCI Literature. *ACM Trans. Comput.-Hum. Interact.* 29, 4, Article 37 (may 2022), 54 pages. DOI: <http://dx.doi.org/10.1145/3503537>
- [143] Yukang Yan, Xin Yi, Chun Yu, and Yuanchun Shi. 2019. Gesture-based target acquisition in virtual and augmented reality. *Virtual Reality & Intelligent Hardware* 1, 3 (2019), 276–289. DOI: <http://dx.doi.org/10.3724/SP.J.2096-5796.2019.0007>
- [144] Ying Yin and Randall Davis. 2013. Gesture Spotting and Recognition Using Salience Detection and Concatenated Hidden Markov Models. In *Proceedings of the 15th ACM on International Conference on Multimodal Interaction (ICMI '13)*. ACM, New York, NY, USA, 489–494. DOI: <http://dx.doi.org/10.1145/2522848.2532588>
- [145] Ionuț-Alexandru Zaiți, Ștefan-Gheorghe Pentiuc, and Radu-Daniel Vatavu. 2015. On free-hand TV control: experimental results on user-elicited gestures with Leap Motion. *Pers Ubiquit Comput* 19, 5 (2015), 821–838. DOI: <http://dx.doi.org/10.1007/s00779-015-0863-y>
- [146] Xiaojie Zha and Marie-Luce Bourguet. 2016. Experimental Study to Elicit Effective Multimodal Behaviour in Pedagogical Agents. In *Proceedings of the International Workshop on Social Learning and Multimodal Interaction for Designing Artificial Agents (DAA '16)*. Association for Computing Machinery, New York, NY, USA, Article 1, 6 pages. DOI: <http://dx.doi.org/10.1145/3005338.3005339>
- [147] Oren Zuckerman, Dina Walker, Andrey Grishko, Tal Moran, Chen Levy, Barak Lisak, Iddo Yehoshua Wald, and Hadas Erel. 2020. Companionship Is Not a Function: The Effect of a Novel Robotic Object on Healthy Older Adults' Feelings of "Being-Seen". In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (April 21, 2020) (*CHI '20*). Association for Computing Machinery, New York, NY, USA, 1–14. DOI: <http://dx.doi.org/10.1145/3313831.3376411>

A CORPUS OF GESTURE ELICITATION STUDIES

This section gathers the bibliographic references of our corpus of $N=267$ gesture elicitation studies analyzed. They are also accessible via a [Zotero group](#).

- [1] Roland Aigner, Daniel Wigdor, Hrvoje Benko, Michael Haller, David Lindbauer, Alexandra Ion, Shengdong Zhao, and Jeffrey Tzu Kwan Valino Koh. 2012. *Understanding Mid-Air Hand Gestures: A Study of Human Preferences in Usage of Gesture Types for HCI*. Technical Report MSR-TR-2012-111. Microsoft Research, Redmond, WA, USA. <https://www.microsoft.com/en-us/research/publication/understanding-mid-air-hand-gestures-a-study-of-human-preferences-in-usage-of-gesture-types-for-hci/>
- [2] Jason Alexander, Teng Han, William Judd, Pourang Irani, and Sriram Subramanian. 2012. Putting Your Best Foot Forward: Investigating Real-world Mappings for Foot-based Gestures. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 1229–1238. DOI: <http://dx.doi.org/10.1145/2207676.2208575>
- [3] Abdullah X. Ali, Meredith Ringel Morris, and Jacob O. Wobbrock. 2018. Crowdsourcing Similarity Judgments for Agreement Analysis in End-User Elicitation Studies. In *Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology (UIST '18)*. ACM, New York, NY, USA, 177–188. DOI: <http://dx.doi.org/10.1145/3242587.3242621>
- [4] Abdullah X. Ali, Meredith Ringel Morris, and Jacob O. Wobbrock. 2019. Crowdlicit: A System for Conducting Distributed End-User Elicitation and Identification Studies. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3290605.3300485>
- [5] Bashar Altakroui, Daniel Burmeister, Dennis Boldt, and Andreas Schrader. 2016. Insights on the Impact of Physical Impairments in Full-Body Motion Gesture Elicitation Studies. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction (NordiCHI '16)*. ACM, New York, NY, USA, 1–10. DOI: <http://dx.doi.org/10.1145/2971485.2971502>
- [6] Marius Altmann. 2017. Designing gestures for window management on large high-resolution displays. *OPUS - Online Publikationen der Universität Stuttgart* 72, 3 (2017), 1–60. DOI: <http://dx.doi.org/10.18419/opus-9460>
- [7] Robin Andersson, Jonas Berglund, Aykut Coşkun, Morten Fjeld, and Mohammad Obaid. 2017. Defining Gestural Interactions for Large Vertical Touch Displays. In *Proceedings of IFIP TC13 Conference on Human-Computer Interaction, Lecture Notes in Computer Science (INTERACT '17)*, Regina Bernhaupt, Girish Dalvi, Anirudha Joshi, Devanuj K. Balkrishan, Jacki O'Neill, and Marco Winckler (Eds.), Vol. 10513. Springer, Cham, Cham, 36–55. DOI: http://dx.doi.org/10.1007/978-3-319-67744-6_3
- [8] Leonardo Angelini, Francesco Carrino, Stefano Carrino, Maurizio Caon, Omar Abou Khaled, Jürgen Baumgartner, Andreas Sonderegger, Denis Lalanne, and Elena Mugellini. 2014. Gesturing on the Steering Wheel: A User-elicited Taxonomy. In *Proceedings of the 6th International Conference on Automotive User Interfaces and Interactive Vehicular Applications (AutomotiveUI '14)*. ACM, New York, NY, USA, 1–8. DOI: <http://dx.doi.org/10.1145/2667317.2667414>
- [9] Leonardo Angelini, Denis Lalanne, Elise van den Hoven, Omar Abou Khaled, and Elena Mugellini. 2015. Move, Hold and Touch: A Framework for Tangible Gesture Interactive Systems. *Machines* 3, 3 (2015), 173–207. DOI: <http://dx.doi.org/10.3390/machines3030173>
- [10] Shaikh Shawon Arefin Shimon, Courtney Lutton, Zichun Xu, Sarah Morrison-Smith, Christina Boucher, and Jaime Ruiz. 2016. Exploring Non-touchscreen Gestures for Smartwatches. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. ACM, New York, NY, USA, 3822–3833. DOI: <http://dx.doi.org/10.1145/2858036.2858385>
- [11] Rahul Arora, Rubaiat Habib Kazi, Danny M. Kaufman, Wilmot Li, and Karan Singh. 2019. MagicalHands: Mid-Air Hand Gestures for Animating in VR. In *Proceedings of the 32nd Annual ACM Symposium on User Interface Software and Technology (UIST '19)*. ACM, New York, NY, USA, 463–477. DOI: <http://dx.doi.org/10.1145/3332165.3347942>
- [12] İlhan Aslan, Tabea Schmidt, Jens Woehrle, Lukas Vogel, and Elisabeth André. 2018. Pen+Mid-Air Gestures: Eliciting Contextual Gestures. In *Proceedings of the 20th ACM International Conference on Multimodal Interaction (ICMI '18)*. ACM, New York, NY, USA, 135–144. DOI: <http://dx.doi.org/10.1145/3242969.3242979>
- [13] Christopher R. Austin, Barrett Ens, Kadek Ananta Satriadi, and Bernhard Jenny. 2020. Elicitation study investigating hand and foot gesture interaction for immersive maps in augmented reality. *Cartography and Geographic Information Science* 47, 3 (2020), 214–228. DOI: <http://dx.doi.org/10.1080/15230406.2019.1696232>
- [14] Patrick Bader, Huy Viet Le, Julian Strotzer, and Niels Henze. 2017. Exploring Interactions with Smart Windows for Sunlight Control. In *Proceedings of the ACM Conference on Human Factors in Computing Systems, Extended Abstracts (CHI EA '17)*. ACM, New York, NY, USA, 2373–2380. DOI: <http://dx.doi.org/10.1145/3027063.3053242>
- [15] Patrick Bader, Alexandra Voit, Huy Viet Le, Paweł Woźniak, Niels Henze, and Albrecht Schmidt. 2019. WindowWall: Towards Adaptive Buildings with Interactive Windows As Ubiquitous Displays. *ACM Trans. Comput.-Hum. Interact.*

- 26, 2 (2019), 1–42. DOI : <http://dx.doi.org/10.1145/3310275>
- [16] Gilles Bailly, Thomas Pietrzak, Jonathan Deber, and Daniel J. Wigdor. 2013. MéTamorphe: Augmenting Hotkey Usage with Actuated Keys. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '13)*. ACM, New York, NY, USA, 563–572. DOI : <http://dx.doi.org/10.1145/2470654.2470734>
- [17] Jaclyn B. Baron and Hope Turner. 2014. Assessing Sailor and Civilian Gestural Optimal Relationships for Multi-touch Gestures and Functions in Computer Applications. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting* 58, 1 (2014), 1144–1148. DOI : <http://dx.doi.org/10.1177/1541931214581239>
- [18] Frank Beruscha, Katharina Mueller, and Thorsten Sohnke. 2020. Eliciting tangible and gestural user interactions with and on a cooking pan. In *Proceedings of the Conference on Mensch und Computer (MuC '20)*. ACM, New York, NY, USA, 399–408. DOI : <http://dx.doi.org/10.1145/3404983.3405516>
- [19] Ceylan Beşevli, Oğuz Turan Buruk, Merve Erkaya, and Oğuzhan Özcan. 2018. Investigating the Effects of Legacy Bias: User Elicited Gestures from the End Users Perspective. In *Proceedings of the ACM Conference on Designing Interactive Systems (DIS '18 Companion)*. ACM, New York, NY, USA, 277–281. DOI : <http://dx.doi.org/10.1145/3197391.3205449>
- [20] Sabrina S. Billinghamurst and Kim-Phuong L. Vu. 2015. Touch screen gestures for web browsing tasks. *Computers in Human Behavior* 53 (2015), 71–81. DOI : <http://dx.doi.org/10.1016/j.chb.2015.06.012>
- [21] Patrik Björnfort and Victor Kaptelinin. 2017. Probing the Design Space of a Telepresence Robot Gesture Arm with Low Fidelity Prototypes. In *Proceedings of the ACM/IEEE International Conference on Human-Robot Interaction (HRI '17)*. ACM, New York, NY, USA, 352–360. DOI : <http://dx.doi.org/10.1145/2909824.3020223>
- [22] Frøy Birte Bjørneseth, Mark D. Dunlop, and Eva Hornecker. 2012. Assessing the effectiveness of direct gesture interaction for a safety critical maritime application. *International Journal of Human-Computer Studies* 70, 10 (2012), 729–745. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2012.06.001>
- [23] Roger Boldu, Alexandru Dancu, Denys J.C. Matthies, Pablo Gallego Cascón, Shanaka Ransir, and Suranga Nanayakkara. 2018. Thumb-In-Motion: Evaluating Thumb-to-Ring Microgestures for Athletic Activity. In *Proceedings of the Symposium on Spatial User Interaction (SUI '18)*. ACM, New York, NY, USA, 150–157. DOI : <http://dx.doi.org/10.1145/3267782.3267796>
- [24] Pranjal Protim Borah and Keyur Sorathia. 2019. Natural and Intuitive Deformation Gestures for One-handed Landscape Mode Interaction. In *Proceedings of the 13th International Conference on Tangible, Embedded, and Embodied Interaction (TEI '19)*. ACM, New York, NY, USA, 229–236. DOI : <http://dx.doi.org/10.1145/3294109.3300996>
- [25] Idil Bostan, Oğuz Turan Buruk, Mert Canat, Mustafa Ozan Tezcan, Celalettin Yurdakul, Tilbe Gökşun, and Oğuzhan Özcan. 2017. Hands As a Controller: User Preferences for Hand Specific On-Skin Gestures. In *Proceedings of the ACM Conference on Designing Interactive Systems (DIS '17)*. ACM, New York, NY, USA, 1123–1134. DOI : <http://dx.doi.org/10.1145/3064663.3064766>
- [26] Icaro Brito, Eduardo Freire, and Elyson Carvalho. 2019. Analysis of Cross-Cultural Effect on Gesture-Based Human-Robot Interaction. *International Journal of Mechanical Engineering and Robotics Research* 8, 6 (2019), 852–859. DOI : <http://dx.doi.org/10.18178/ijmerr.8.6.852-859>
- [27] Sarah Buchanan, Bourke Floyd, Will Holderness, and Joseph J. LaViola. 2013. Towards User-defined Multi-touch Gestures for 3D Objects. In *Proceedings of the ACM International Conference on Interactive tabletops and surfaces (ITS '13)*. ACM, New York, NY, USA, 231–240. DOI : <http://dx.doi.org/10.1145/2512349.2512825>
- [28] Thisum Buddhika, Haimo Zhang, Samantha W. T. Chan, Vipula Dissanayake, Suranga Nanayakkara, and Roger Zimmermann. 2019. fSense: Unlocking the Dimension of Force for Gestural Interactions Using Smartwatch PPG Sensor. In *Proceedings of the 10th International Conference on Augmented Human (AH2019)*. ACM, New York, NY, USA, 1–5. DOI : <http://dx.doi.org/10.1145/3311823.3311839>
- [29] Gary Burnett, Elizabeth Crundall, David Large, Glyn Lawson, and Lee Skrypchuk. 2013. A Study of Unidirectional Swipe Gestures on In-vehicle Touch Screens. In *Proceedings of the 5th International Conference on Automotive User Interfaces and Interactive Vehicular Applications (AutomotiveUI '13)*. ACM, New York, NY, USA, 22–29. DOI : <http://dx.doi.org/10.1145/2516540.2516545>
- [30] Daniel Buschek, Bianca Roppelt, and Florian Alt. 2018. Extending Keyboard Shortcuts with Arm and Wrist Rotation Gestures. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, 21:1–21:12. DOI : <http://dx.doi.org/10.1145/3173574.3173595>
- [31] Maria Claudia Buzzi, Marina Buzzi, Barbara Leporini, and Amaury Trujillo. 2017. Analyzing visually impaired people's touch gestures on smartphones. *Multimed Tools Appl* 76, 4 (2017), 5141–5169. DOI : <http://dx.doi.org/10.1007/s11042-016-3594-9>
- [32] Francesco Cafaro, Leilah Lyons, and Alissa N. Antle. 2018. Framed Guessability: Improving the Discoverability of Gestures and Body Movements for Full-Body Interaction. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, 1–12. DOI : <http://dx.doi.org/10.1145/3173574.3174167>
- [33] Maurizio Caon, Rico Süsse, Benoit Grelier, Omar Abou Khaled, and Elena Mugellini. 2019. Gesturing on the Handlebar: A User-Elicitation Study for On-Bike Gestural Interaction. In *Proceedings of the 20th Congress of the International*

- Ergonomics Association, Advances in Intelligent Systems and Computing (IEA '18)*, Sebastiano Bagnara, Riccardo Tartaglia, Sara Albolino, Thomas Alexander, and Yushi Fujita (Eds.). Springer International Publishing, 2019, 429–439.
- [34] Jessica R. Cauchard, Jane L. E, Kevin Y. Zhai, and James A. Landay. 2015. Drone & Me: An Exploration into Natural Human-drone Interaction. In *Proceedings of the ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp '15)*. ACM, New York, NY, USA, 361–365. DOI : <http://dx.doi.org/10.1145/2750858.2805823>
- [35] Edwin Chan, Teddy Seyed, Wolfgang Stuerzlinger, Xing-Dong Yang, and Frank Maurer. 2016. User Elicitation on Single-hand Microgestures. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '16)*. ACM, New York, NY, USA, 3403–3414. DOI : <http://dx.doi.org/10.1145/2858036.2858589>
- [36] Li-Chieh Chen, Po-Ying Chu, and Yun-Maw Cheng. 2016. Exploring the Ergonomic Issues of User-Defined Mid-Air Gestures for Interactive Product Exhibition. In *Proceedings of International Conference on Distributed, Ambient, and Pervasive Interactions (DAPI '16)*, Vol. 9749. Springer, Cham, Cham, 180–190. DOI : http://dx.doi.org/10.1007/978-3-319-39862-4_17
- [37] Yu-Chun Chen, Chia-Ying Liao, Shuo-wen Hsu, Da-Yuan Huang, and Bing-Yu Chen. 2020. Exploring User Defined Gestures for Ear-Based Interactions. *Proc. ACM Hum.-Comput. Interact.* 4 (2020), 186:1–186:20. Issue ISS. DOI : <http://dx.doi.org/10.1145/3427314>
- [38] Zhen Chen, Xiaochi Ma, Zeya Peng, Ying Zhou, Mengge Yao, Zheng Ma, Ci Wang, Zaifeng Gao, and Mowei Shen. 2018. User-Defined Gestures for Gestural Interaction: Extending from Hands to Other Body Parts. *International Journal of Human-Computer Interaction* 34, 3 (2018), 238–250. DOI : <http://dx.doi.org/10.1080/10447318.2017.1342943>
- [39] D. Clark, Gradeigh, Janne Lindqvist, and Antti Oulasvirta. 2017. Composition policies for gesture passwords: User choice, security, usability and memorability. In *Proceedings of the IEEE Conference on Communications and Network Security (CNS '17)*. IEEE, Manhattan, NY, USA, 1–9. DOI : <http://dx.doi.org/10.1109/CNS.2017.8228644>
- [40] Sabrina Connell, Pei-Yi Kuo, Liu Liu, and Anne Marie Piper. 2013. A Wizard-of-Oz Elicitation Study Examining Child-defined Gestures with a Whole-body Interface. In *Proceedings of the ACM Conference on Interaction Design and Children (IDC '13)*. ACM, New York, NY, USA, 277–280. DOI : <http://dx.doi.org/10.1145/2485760.2485823>
- [41] Jian Cui, Arjan Kuijper, Dieter W. Fellner, and Alexei Sourin. 2016. Understanding People's Mental Models of Mid-Air Interaction for Virtual Assembly and Shape Modeling. In *Proceedings of the 29th International Conference on Computer Animation and Social Agents (CASA '16)*. ACM, New York, NY, USA, 139–146. DOI : <http://dx.doi.org/10.1145/2915926.2919330>
- [42] David Céspedes-Hernández and Juan Manuel González-Calleros. 2019. A methodology for gestural interaction relying on user-defined gestures sets following a one-shot learning approach. *Journal of Intelligent & Fuzzy Systems* 36, 5 (2019), 5001–5010. DOI : <http://dx.doi.org/10.3233/JIFS-179046>
- [43] Lavinia Andreea Danielescu, Erin A Walker, Winslow Burleson, Kurt VanLehn, Anastasia Kuznetsov, and Mary Lou Maher. 2019. Discoverable Free Space Gesture Sets for Walk-Up-and-Use Interactions. In *ASU Electronic Theses and Dissertations*. Arizona State University, Arizona, USA. <http://hdl.handle.net/2286/R.I.53451>
- [44] Suranjith De Silva, Michael Barlow, and Adam Easton. 2013. Harnessing Multi-user Design and Computation to Devise Archetypal Whole-of-body Gestures: A Novel Framework. In *Proceedings of the 25th Australian Computer-Human Interaction Conference (OzCHI '13)*. ACM, New York, NY, USA, 85–94. DOI : <http://dx.doi.org/10.1145/2541016.2541020>
- [45] Giuseppe Desolda, Carmelo Ardito, Hans-Christian Jetter, and Rosa Lanzilotti. 2019. Exploring spatially-aware cross-device interaction techniques for mobile collaborative sensemaking. *International Journal of Human-Computer Studies* 122 (2019), 1–20. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2018.08.006>
- [46] Bastian Dewitz, Frank Steinicke, and Christian Geiger. 2019. Functional Workspace for One-Handed Tap and Swipe Microgestures. In *Mensch und Computer 2019 - Workshopband*. Gesellschaft für Informatik e.V., Bonn, -. DOI : <http://dx.doi.org/10.18420/muc2019-ws-440>
- [47] Linda Di Geronimo, Marica Bertarini, Julia Badertscher, Maria Husmann, and Moira C. Norrie. 2017. Exploiting Mid-air Gestures to Share Data Among Devices. In *Proceedings of the 19th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '17)*. ACM, New York, NY, USA, 1–11. DOI : <http://dx.doi.org/10.1145/3098279.3098530>
- [48] Christine Dierk, Scott Carter, Patrick Chiu, Tony Dunnigan, and Don Kimber. 2019. Use Your Head! Exploring Interaction Modalities for Hat Technologies. In *Proceedings of the 2019 on Designing Interactive Systems Conference (June 23-28, 2019) (DIS '19)*. ACM, New York, NY, USA, 1033–1045. DOI : <http://dx.doi.org/10.1145/3322276.3322356>
- [49] Nem Khan Dim and Xiangshi Ren. 2014. Designing Motion Gesture Interfaces in Mobile Phones for Blind People. *J. Comput. Sci. Technol.* 29, 5 (2014), 812–824. DOI : <http://dx.doi.org/10.1007/s11390-014-1470-5>
- [50] Nem Khan Dim, Chaklam Silpasuwanchai, Sayan Sarcar, and Xiangshi Ren. 2016. Designing Mid-Air TV Gestures for Blind People Using User- and Choice-Based Elicitation Approaches. In *Proceedings of the 2016 ACM Conference on Designing Interactive Systems (DIS '16)*. ACM, New York, NY, USA, 204–214. DOI : <http://dx.doi.org/10.1145/2901790.2901834>
- [51] Tilman Dingler, Rufat Rzayev, Alireza Sahami Shirazi, and Niels Henze. 2018. Designing Consistent Gestures Across

- Device Types: Eliciting RSVP Controls for Phone, Watch, and Glasses. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3173574.3173993>
- [52] Haiwei Dong, Ali Danesh, Nadia Figueroa, and Abdulmotaleb El Saddik. 2015a. An Elicitation Study on Gesture Preferences and Memorability Toward a Practical Hand-Gesture Vocabulary for Smart Televisions. *IEEE Access* 3 (2015), 543–555. DOI: <http://dx.doi.org/10.1109/ACCESS.2015.2432679>
- [53] Haiwei Dong, Nadia Figueroa, and Abdulmotaleb El Saddik. 2015b. An Elicitation Study on Gesture Attitudes and Preferences Towards an Interactive Hand-Gesture Vocabulary. In *Proceedings of the 23rd ACM international conference on Multimedia (MM '15)*. ACM, New York, NY, USA, 999–1002. DOI: <http://dx.doi.org/10.1145/2733373.2806385>
- [54] Guiying Du, Auriol Degbelo, and Christian Kray. 2019. User-Generated Gestures for Voting and Commenting on Immersive Displays in Urban Planning. *Multimodal Technologies and Interaction* 3, 2 (2019), 31. DOI: <http://dx.doi.org/10.3390/mti3020031>
- [55] Guiying Du, Auriol Degbelo, Christian Kray, and Marco Painho. Autumn 2018. Gestural interaction with 3D objects shown on public displays: an elicitation study. *Interaction Design and Architecture(s)* 38 (Autumn 2018), 184–202. http://ixdea.uniroma2.it/inevent/events/idea2010/index.php?s=10&a=10&link=ToC_38_P&link=38_10_abstract
- [56] Jane L. E. Ilene L. E., James A. Landay, and Jessica R. Cauchard. 2017. Drone & Wo: Cultural Influences on Human-Drone Interaction Techniques. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (CHI '17)*. Association for Computing Machinery, New York, NY, USA, 6794–6799. DOI: <http://dx.doi.org/10.1145/3025453.3025755>
- [57] Orlando Erazo, Yosra Rekik, Laurent Grisoni, and José A. Pino. 2017. Understanding Gesture Articulations Variability. In *Proceedings of the IFIP TC13 Conference on Human-Computer Interaction, Lecture Notes in Computer Science (INTERACT '17)*, Vol. 10514. Springer, Cham, 293–314. DOI: http://dx.doi.org/10.1007/978-3-319-67684-5_18
- [58] Shariff A. M. Faleel, Michael Gammon, Yumiko Sakamoto, Carlo Menon, and Pourang Irani. 2020. User gesture elicitation of common smartphone tasks for hand proximate user interfaces. In *Proceedings of the 11th International Conference on Augmented Human (AH '20)*. ACM, New York, NY, USA, 1–8. DOI: <http://dx.doi.org/10.1145/3396339.3396363>
- [59] Hessa Jahani Fariman, Hasan J. Alyamani, Manolya Kavakli, and Len Hamey. 2016. Designing a User-defined Gesture Vocabulary for an In-vehicle Climate Control System. In *Proceedings of the 28th Australian Conference on Computer-Human Interaction (OzCHI '16)*. ACM, New York, NY, USA, 391–395. DOI: <http://dx.doi.org/10.1145/3010915.3010955>
- [60] Yasmin Felberbaum and Joel Lanir. 2016. Step by Step: Investigating Foot Gesture Interaction. In *Proceedings of the ACM International Working Conference on Advanced Visual Interfaces (AVI '16)*. ACM, New York, NY, USA, 306–307. DOI: <http://dx.doi.org/10.1145/2909132.2926057>
- [61] Yasmin Felberbaum and Joel Lanir. 2018. Better Understanding of Foot Gestures: An Elicitation Study. In *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3173574.3173908>
- [62] Michela Ferron, Nadia Mana, and Ornella Mich. 2019. Designing Mid-Air Gesture Interaction with Mobile Devices for Older Adults. In *Perspectives on Human-Computer Interaction Research with Older People*, Sergio Sayago (Ed.). Springer International Publishing, Berlin, 81–100. DOI: http://dx.doi.org/10.1007/978-3-030-06076-3_6
- [63] Leah Findlater, Ben Lee, and Jacob Wobbrock. 2012. Beyond QWERTY: Augmenting Touch Screen Keyboards with Multi-touch Gestures for Non-alphanumeric Input. In *Proceedings of ACM Conference on Human Factors in Computing Systems (CHI '12)*. ACM, New York, NY, USA, 2679–2682. DOI: <http://dx.doi.org/10.1145/2207676.2208660>
- [64] Justin W. Firestone, Rubi Quiñones, and Brittany A. Duncan. 2019. Learning from Users: an Elicitation Study and Taxonomy for Communicating Small Unmanned Aerial System States Through Gestures. In *Proceedings of the 14th ACM/IEEE International Conference on Human-Robot Interaction (HRI '19)*. IEEE Computer Society Press, Piscataway, NJ, USA, 163–171. DOI: <http://dx.doi.org/10.1109/HRI.2019.8673010>
- [65] Euan Freeman, Gareth Griffiths, and Stephen A. Brewster. 2017. Rhythmic Micro-gestures: Discreet Interaction On-the-go. In *Proceedings of the ACM Conference on Multimodal Interaction (2017) (ICMI '17)*. ACM, New York, NY, USA, 115–119. DOI: <http://dx.doi.org/10.1145/3136755.3136815>
- [66] Mathias Frisch, Jens Heydekorn, and Raimund Dachselt. 2009. Investigating Multi-touch and Pen Gestures for Diagram Editing on Interactive Surfaces. In *Proceedings of the ACM International Conference on Interactive Tabletops and Surfaces (ITS '09)*. ACM, New York, NY, USA, 149–156. DOI: <http://dx.doi.org/10.1145/1731903.1731933>
- [67] Priya Ganapathi and Keyur Sorathia. 2019. Elicitation Study of Body Gestures for Locomotion in HMD-VR Interfaces in a Sitting-Position. In *Proceedings of the ACM Conference on Motion, Interaction, and Games (MIG '19)*. ACM, New York, NY, USA, 1–10. DOI: <http://dx.doi.org/10.1145/3359566.3360059>
- [68] Franca Garzotto, Mirko Gelsomini, Roberto Mangano, Luigi Oliveto, and Matteo Valoriani. 2014. From Desktop to Touchless Interfaces: A Model Based Approach. In *Proceedings of the ACM International Working Conference on Advanced Visual Interfaces (AVI '14)*. ACM, New York, NY, USA, 261–264. DOI: <http://dx.doi.org/10.1145/2598153>

2598194

- [69] Vito Gentile, Daniele Fundarò, and Salvatore Sorce. 2019. Elicitation and Evaluation of Zoom Gestures for Touchless Interaction with Desktop Displays. In *Proceedings of the 8th ACM International Symposium on Pervasive Displays (PerDis '19)*. ACM, New York, NY, USA, 1–7. DOI: <http://dx.doi.org/10.1145/3321335.3324934>
- [70] Vito Gentile, Salvatore Sorce, Alessio Malizia, Fabrizio Milazzo, and Antonio Gentile. 2017. Investigating How User Avatar in Touchless Interfaces Affects Perceived Cognitive Load and Two-handed Interactions. In *Proceedings of the 6th ACM International Symposium on Pervasive Displays (PerDis '17)*. ACM, New York, NY, USA, 1–7. DOI: <http://dx.doi.org/10.1145/3078810.3078831>
- [71] Bogdan-Florin Gheran, Jean Vanderdonckt, and Radu-Daniel Vatavu. 2018. Gestures for Smart Rings: Empirical Results, Insights, and Design Implications. In *Proceedings of the 2018 Designing Interactive Systems Conference (DIS '18)*. ACM, New York, NY, USA, 623–635. DOI: <http://dx.doi.org/10.1145/3196709.3196741>
- [72] Antonio Gomes, Lahiru Lakmal Priyadarshana, Aaron Visser, Juan Pablo Carrascal, and Roel Vertegaal. 2018. Magicscroll: A Rollable Display Device with Flexible Screen Real Estate and Gestural Input. In *Proceedings of the 20th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '18)*. ACM, New York, NY, USA, 1–11. DOI: <http://dx.doi.org/10.1145/3229434.3229442>
- [73] Glebys Gonzalez, Naveen Madapana, Rahul Taneja, Lingsong Zhang, Richard Rodgers, and Juan P. Wachs. 2018. Looking Beyond the Gesture: Vocabulary Acceptability Criteria for Gesture Elicitation Studies. *Proceedings of the Human Factors and Ergonomics Society Annual Meeting* 62, 1 (2018), 997–1001. DOI: <http://dx.doi.org/10.1177/1541931218621230>
- [74] Daniela Grijincu, Miguel A. Nacenta, and Per Ola Kristensson. 2014. User-defined Interface Gestures: Dataset and Analysis. In *Proceedings of the 9th ACM International Conference on Interactive Tabletops and Surfaces (ITS '14)*. ACM, New York, NY, USA, 25–34. DOI: <http://dx.doi.org/10.1145/2669485.2669511>
- [75] Josefina Guerrero-García, Claudia González, and David Pinto. 2017. Studying User-defined Body Gestures for Navigating Interactive Maps. In *Proceedings of the XVIII International Conference on Human Computer Interaction (Interacción '17)*. ACM, New York, NY, USA, 49:1–49:4. DOI: <http://dx.doi.org/10.1145/3123818.3123851>
- [76] Saikat Gupta, Sujin Jang, and Karthik Ramani. 2014. PuppetX: A Framework for Gestural Interactions with User Constructed Playthings. In *Proceedings of the ACM International Working Conference on Advanced Visual Interfaces (AVI '14)*. ACM, New York, NY, USA, 73–80. DOI: <http://dx.doi.org/10.1145/2598153.2598171>
- [77] Robin Guérit, Alessandro Cierro, Jean Vanderdonckt, and Jorge Luis Pérez-Medina. 2019. Gesture Elicitation and Usability Testing for an Armband Interacting with Netflix and Spotify. In *Proceedings of the International Conference on Information Technology & Systems, Advances in Intelligent Systems and Computing (ICITS '19)*, Álvaro Rocha, Carlos Ferrás, and Manolo Paredes (Eds.). Springer International Publishing, Berlin, 625–637. DOI: http://dx.doi.org/https://doi.org/10.1007/978-3-030-11890-7_60
- [78] Teng Han, Khalad Hasan, Keisuke Nakamura, Randy Gomez, and Pourang Irani. 2017. SoundCraft: Enabling Spatial Interactions on Smartwatches Using Hand Generated Acoustics. In *Proceedings of the 30th Annual ACM Symposium on User Interface Software and Technology (UIST '17)*. ACM, New York, NY, USA, 579–591. DOI: <http://dx.doi.org/10.1145/3126594.3126612>
- [79] Hayati Havlucu, Mehmet Yarkin Ergin, İdil Bostan, Oğuz Turan Buruk, Tilbe Gökşun, and Oğuzhan Özcan. 2017. It Made More Sense: Comparison of User-Elicited On-skin Touch and Freehand Gesture Sets. In *Distributed, Ambient and Pervasive Interactions*, Norbert Streitz and Panos Markopoulos (Eds.). Springer International Publishing, Cham, 159–171.
- [80] Niels Henze, Andreas Löcken, Susanne Boll, Tobias Hesselmann, and Martin Pielot. 2010. Free-hand Gestures for Music Playback: Deriving Gestures with a User-centred Process. In *Proceedings of the 9th International Conference on Mobile and Ubiquitous Multimedia (MUM '10)*. ACM, New York, NY, USA, 1–10. DOI: <http://dx.doi.org/10.1145/1899475.1899491>
- [81] Nico Herbig, Santanu Pal, Josef van Genabith, and Antonio Krüger. 2019. Multi-Modal Approaches for Post-Editing Machine Translation. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA, 231:1–231:11. DOI: <http://dx.doi.org/10.1145/3290605.3300461>
- [82] Jahani F. Hessam, Massimo Zancanaro, Manolya Kavakli, and Mark Billinghurst. 2017. Towards Optimization of Mid-air Gestures for In-vehicle Interactions. In *Proceedings of the 29th Australian Conference on Computer-Human Interaction (OZCHI '17)*. ACM, New York, NY, USA, 126–134. DOI: <http://dx.doi.org/10.1145/3152771.3152785>
- [83] Jens Heydekorn, Mathias Frisch, and Raimund Dachsel. 2011. Evaluating a User-Elicited Gesture Set for Interactive Displays. In *Mensch & Computer 2011: überMEDIEN|ÜBERmorgen*, Maximilian Eibl (Ed.). Oldenbourg Verlag, München, 191–200.
- [84] Martin Hitz, Ekaterina Konigstorfer, and Ekaterina Peshkova. 2019. Exploring Cognitive Load of Single and Mixed Mental Models Gesture Sets for UAV Navigation. In *1st International Workshop on Human-Drone Interaction*. Ecole Nationale de l'Aviation Civile ENAC, Glasgow, United Kingdom, -. <https://hal.archives-ouvertes.fr/hal-02128398>

- [85] Lynn Hoff, Eva Hornecker, and Sven Bertel. 2016. Modifying Gesture Elicitation: Do Kinaesthetic Priming and Increased Production Reduce Legacy Bias?. In *Proceedings of the TEI '16: Tenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '16)*. Association for Computing Machinery, New York, NY, USA, 86–91. DOI: <http://dx.doi.org/10.1145/2839462.2839472>
- [86] Wenjun Hou, Guangyu Feng, and Yiting Cheng. 2019. A fuzzy interaction scheme of mid-air gesture elicitation. *Journal of Visual Communication and Image Representation* 64 (2019), 102637. DOI: <http://dx.doi.org/10.1016/j.jvcir.2019.102637>
- [87] Jochen Huber, Mohamed Sheik-Nainar, and Nada Matic. 2016. Towards an Interaction Language for Force-Enabled Touchpads in Cars. In *Adjunct Proceedings of the 8th International Conference on Automotive User Interfaces and Interactive Vehicular Applications (AutomotiveUI '16 Adjunct)*. Association for Computing Machinery, New York, NY, USA, 197–202. DOI: <http://dx.doi.org/10.1145/3004323.3004347>
- [88] Jochen Huber, Mohamed Sheik-Nainar, and Nada Matic. 2017. Force-Enabled Touch Input on the Steering Wheel: An Elicitation Study. In *Proceedings of the 9th International Conference on Automotive User Interfaces and Interactive Vehicular Applications Adjunct (AutomotiveUI '17)*. Association for Computing Machinery, New York, NY, USA, 168–172. DOI: <http://dx.doi.org/10.1145/3131726.3131740>
- [89] Hessam Jahani, Hasan J. Alyamani, Manolya Kavakli, Arindam Dey, and Mark Billinghurst. 2017. User Evaluation of Hand Gestures for Designing an Intelligent In-Vehicle Interface. In *Designing the Digital Transformation*, Alexander Maedche, Jan vom Brocke, and Alan Hevner (Eds.). Springer International Publishing, Cham, 104–121.
- [90] Hessam Jahani and Manolya Kavakli. 2018. Exploring a user-defined gesture vocabulary for descriptive mid-air interactions. *Cogn Tech Work* 20, 1 (2018), 11–22. DOI: <http://dx.doi.org/10.1007/s10111-017-0444-0>
- [91] Hessam Jahani-Fariman. 2017. Developing a User-Defined Interface for In-Vehicle Mid-Air Gestural Interactions. In *Proceedings of the 22nd International Conference on Intelligent User Interfaces Companion (IUI '17 Companion)*. Association for Computing Machinery, New York, NY, USA, 165–168. DOI: <http://dx.doi.org/10.1145/3030024.3038277>
- [92] Xu Jia, Kun-Pyo Lee, and Hyeon-Jeong Suk. 2011. Considerations of Applying Surface-Based Phone Gestures to Natural Context. In *Proceedings of the 13th International Conference on Ubiquitous Computing (UbiComp '11)*. Association for Computing Machinery, New York, NY, USA, 545–546. DOI: <http://dx.doi.org/10.1145/2030112.2030205>
- [93] Tero Jokela, Parisa Pour Rezaei, and Kaisa Väänänen. 2016. Using Elicitation Studies to Generate Collocated Interaction Methods. In *Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct (2016) (MobileHCI '16)*. ACM, New York, NY, USA, 1129–1133. DOI: <http://dx.doi.org/10.1145/2957265.2962654>
- [94] Katherina A. Jurewicz, David M. Neyens, Ken Catchpole, and Scott T. Reeves. 2018. Developing a 3D Gestural Interface for Anesthesia-Related Human-Computer Interaction Tasks Using Both Experts and Novices. *Human Factors* 60, 7 (2018), 992–1007. DOI: <http://dx.doi.org/10.1177/0018720818780544> PMID: 29906400.
- [95] Jean-François Jégo, Alexis Paljic, and Philippe Fuchs. 2013. User-defined gestural interaction: A study on gesture memorization. In *2013 IEEE Symposium on 3D User Interfaces (3DUI)*. IEEE, Orlando, FL, USA, 7–10. DOI: <http://dx.doi.org/10.1109/3DUI.2013.6550189>
- [96] Shaun K. Kane, Jacob O. Wobbrock, and Richard E. Ladner. 2011. Usable Gestures for Blind People: Understanding Preference and Performance. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '11)*. Association for Computing Machinery, New York, NY, USA, 413–422. DOI: <http://dx.doi.org/10.1145/1978942.1979001>
- [97] Frederic Kerber, Markus Löchtfefeld, Antonio Krüger, Jess McIntosh, Charlie McNeill, and Mike Fraser. 2016. Understanding Same-Side Interactions with Wrist-Worn Devices. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction (October 23-27, 2016) (NordICHI '16)*. ACM, New York, NY, USA, 28:1–28:10. DOI: <http://dx.doi.org/10.1145/2971485.2971519>
- [98] Sumbul Khan, Hasitha Rajapakse, Haimo Zhang, Suranga Nanayakkara, Bige Tunçer, and Lucienne Blessing. 2017. GesCAD: An Intuitive Interface for Conceptual Architectural Design. In *Proceedings of the 29th Australian Conference on Computer-Human Interaction (OZCHI '17)*. Association for Computing Machinery, New York, NY, USA, 402–406. DOI: <http://dx.doi.org/10.1145/3152771.3156145>
- [99] Sumbul Khan and Bige Tunçer. 2017. Intuitive and Effective Gestures for Conceptual Architectural Design: An Analysis Of User Elicited Hand Gestures For 3D CAD Modeling. In *ACADIA 2017: DISCIPLINES & DISRUPTION [Proceedings of the 37th Annual Conference of the Association for Computer Aided Design in Architecture (ACADIA) ISBN 978-0-692-96506-1] Cambridge, MA 2-4 November, 2017*, pp. 318– 323 (2017). CUMINCAD, Cambridge, 318– 323. http://papers.cumincad.org/cgi-bin/works/Show?acadia17_318
- [100] Sumbul Khan and Bige Tunçer. 2019. Gesture and speech elicitation for 3D CAD modeling in conceptual design. *Automation in Construction* 106 (2019), 102847. DOI: <http://dx.doi.org/10.1016/j.autcon.2019.102847>
- [101] Sumbul Khan, Bige Tunçer, Ramanathan Subramanian, and Lucienne Blessing. 2019. 3D CAD modeling using gestures and speech: Investigating CAD legacy and non-legacy procedures. *"Hello, Culture!" 18th International Conference, CAAD Futures 2019* 18, 18 (2019), 20.
- [102] Hyoyoung Kim, Heesun Kim, Dongeon Lee, and Ji-hyung Park. 2017. User-Defined Hand Gestures for Small Cylindrical

- Displays. *The Journal of the Korea Contents Association* 17, 3 (2017), 74–87. DOI: <http://dx.doi.org/10.5392/JKCA.2017.17.03.074>
- [103] Ju-Whan Kim, Han-Jong Kim, and Tek-Jin Nam. 2016. M.Gesture: An Acceleration-Based Gesture Authoring System on Multiple Handheld and Wearable Devices. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (2016) (*CHI '16*). ACM, New York, NY, USA, 2307–2318. DOI: <http://dx.doi.org/10.1145/2858036.2858358>
- [104] KwanMyung Kim, Dongwoo Joo, and Kun-Pyo Lee. 2010. Wearable-object-based Interaction for a Mobile Audio Device. In *CHI '10 Extended Abstracts on Human Factors in Computing Systems* (2010) (*CHI EA '10*). ACM, New York, NY, USA, 3865–3870. DOI: <http://dx.doi.org/10.1145/1753846.1754070>
- [105] Lawrence H. Kim, Daniel S. Drew, Veronika Domova, and Sean Follmer. 2020. User-defined Swarm Robot Control. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (April 21, 2020) (*CHI '20*). Association for Computing Machinery, New York, NY, USA, 1–13. DOI: <http://dx.doi.org/10.1145/3313831.3376814>
- [106] Sangyeon Kim and Sangwon Lee. 2020. Touch Digitality: Affordance Effects of Visual Properties on Gesture Selection. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems* (*CHI EA '20*). Association for Computing Machinery, New York, NY, USA, 1–8. DOI: <http://dx.doi.org/10.1145/3334480.3382914>
- [107] Felix Kistler and Elisabeth André. 2013. User-Defined Body Gestures for an Interactive Storytelling Scenario. In *Human-Computer Interaction – INTERACT 2013*, Paula Kotzé, Gary Marsden, Gitte Lindgaard, Janet Wesson, and Marco Winckler (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 264–281.
- [108] Marion Koelle, Swamy Ananthanarayan, Simon Czupalla, Wilko Heuten, and Susanne Boll. 2018. Your Smart Glasses' Camera Bothers Me!: Exploring Opt-in and Opt-out Gestures for Privacy Mediation. In *Proceedings of the 10th Nordic Conference on Human-Computer Interaction* (2018) (*NordiCHI '18*). ACM, New York, NY, USA, 473–481. DOI: <http://dx.doi.org/10.1145/3240167.3240174>
- [109] Jung In Koh, Josh Cherian, Paul Taele, and Tracy Hammond. 2019. Developing a Hand Gesture Recognition System for Mapping Symbolic Hand Gestures to Analogous Emojis in Computer-Mediated Communication. *ACM Trans. Interact. Intell. Syst.* 9, 1 (2019), 1–35. DOI: <http://dx.doi.org/10.1145/3297277>
- [110] Barry Kollee, Sven Kratz, and Anthony Dunnigan. 2014. Exploring Gestural Interaction in Smart Spaces Using Head Mounted Devices with Ego-Centric Sensing. In *Proceedings of the 2nd ACM Symposium on Spatial User Interaction* (*SUI '14*). Association for Computing Machinery, New York, NY, USA, 40–49. DOI: <http://dx.doi.org/10.1145/2659766.2659781>
- [111] Panayiotis Koutsabasis and Chris K. Domouzis. 2016. Mid-Air Browsing and Selection in Image Collections. In *Proceedings of the International Working Conference on Advanced Visual Interfaces* (*AVI '16*). Association for Computing Machinery, New York, NY, USA, 21–27. DOI: <http://dx.doi.org/10.1145/2909132.2909248>
- [112] Christine Kühnel, Tilo Westermann, Fabian Hemmert, Sven Kratz, Alexander Müller, and Sebastian Möller. 2011. I'm home: Defining and evaluating a gesture set for smart-home control. *International Journal of Human-Computer Studies* 69, 11 (2011), 693–704. DOI: <http://dx.doi.org/10.1016/j.ijhcs.2011.04.005>
- [113] Daniel Künkell, Birgit Bomsdorf, Rainer Röhrig, Janko Ahlbrandt, and Markus Weigand. 2015. PARTICIPATIVE DEVELOPMENT OF TOUCHLESS USER INTERFACES: ELICITATION AND EVALUATION OF CONTACTLESS HAND GESTURES FOR ANESTHESIA. In *Computer Graphics, Visualization, Computer Vision and Image Processing 2015* (2015). iades, Las Palmas de Gran Canaria, Spain, 43–50. <http://www.iadisportal.org/digital-library/participative-development-of-touchless-user-interfaces-elicitation-and-evaluation-of-contactless-hand-gestures-for-anesthesia>
- [114] Huy Viet Le, Sven Mayer, Maximilian Weiß, Jonas Vogelsang, Henrike Weingärtner, and Niels Henze. 2020. Shortcut Gestures for Mobile Text Editing on Fully Touch Sensitive Smartphones. *ACM Trans. Comput.-Hum. Interact.* 27, 5 (2020), 33:1–33:38. DOI: <http://dx.doi.org/10.1145/3396233>
- [115] Bokyung Lee, Minjoo Cho, Joonhee Min, and Daniel Saakes. 2016. Posing and Acting As Input for Personalizing Furniture. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction* (2016) (*NordiCHI '16*). ACM, New York, NY, USA, 44:1–44:10. DOI: <http://dx.doi.org/10.1145/2971485.2971487>
- [116] DoYoung Lee, Youryang Lee, Yonghwan Shin, and Ian Oakley. 2018. Designing Socially Acceptable Hand-to-Face Input. In *Proceedings of the 31st Annual ACM Symposium on User Interface Software and Technology* (October 14-17, 2018) (*UIST '18*). ACM, New York, NY, USA, 711–723. DOI: <http://dx.doi.org/10.1145/3242587.3242642>
- [117] DoYoung Lee, Ian Roland Oakley, and YuRyang Lee. 2016. Bodily input for wearables: an elicitation study. *HCI* 1, 1 (2016), 283–285.
- [118] Lina Lee, Yousra Javed, Steven Danilowicz, and Mary Lou Maher. 2014. Information at the Wave of Your Hand. In *Proceedings of HCI Korea* (*HCIK '15*). Hanbit Media, Inc., Seoul, KOR, 63–70.
- [119] Sang-Su Lee, Jeonghun Chae, Hyunjeong Kim, Youn-kyung Lim, and Kun-pyo Lee. 2013. Towards More Natural Digital Content Manipulation via User Freehand Gestural Interaction in a Living Room. In *Proceedings of the 2013 ACM International Joint Conference on Pervasive and Ubiquitous Computing* (*UbiComp '13*). Association for Computing Machinery, New York, NY, USA, 617–626. DOI: <http://dx.doi.org/10.1145/2493432.2493480>
- [120] Sang-Su Lee, Sohyun Kim, Bopil Jin, Eunji Choi, Boa Kim, Xu Jia, Daeop Kim, and Kun-pyo Lee. 2010. How Users

- Manipulate Deformable Displays As Input Devices. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (2010) (*CHI '10*). ACM, New York, NY, USA, 1647–1656. DOI: <http://dx.doi.org/10.1145/1753326.1753572>
- [121] Sang-su Lee, Youn-kyung Lim, and Kun-Pyo Lee. 2012. Exploring the Effects of Size on Deformable User Interfaces. In *Proceedings of the 14th International Conference on Human-computer Interaction with Mobile Devices and Services Companion* (September 21-24, 2012) (*MobileHCI '12*). ACM, New York, NY, USA, 89–94. DOI: <http://dx.doi.org/10.1145/2371664.2371682>
- [122] Hoo Yong Leng, Noris Mohd Norowi, and Azrul Hazri Jantan. 2017. A User-Defined Gesture Set for Music Interaction in Immersive Virtual Environment. In *Proceedings of the 3rd International Conference on Human-Computer Interaction and User Experience in Indonesia (CHuXiD '17)*. Association for Computing Machinery, New York, NY, USA, 44–51. DOI: <http://dx.doi.org/10.1145/3077343.3077348>
- [123] Wing Ho Andy Li, Kening Zhu, and Hongbo Fu. 2017. Exploring the Design Space of Bezel-Initiated Gestures for Mobile Interaction. *Int. J. Mob. Hum. Comput. Interact.* 9, 1 (2017), 16–29. DOI: <http://dx.doi.org/10.4018/IJMHCI.2017010102>
- [124] Xuan Li, Daisong Guan, Jingya Zhang, Xingtong Liu, Siqi Li, and Hui Tong. 2019. Exploration of Ideal Interaction Scheme on Smart TV: Based on User Experience Research of Far-Field Speech and Mid-air Gesture Interaction. In *Design, User Experience, and Usability. User Experience in Advanced Technological Environments*, Aaron Marcus and Wentao Wang (Eds.). Springer International Publishing, Cham, 144–162.
- [125] Hai-Ning Liang, Cary Williams, Myron Semegen, Wolfgang Stuerzlinger, and Pourang Irani. 2012. User-Defined Surface+motion Gestures for 3d Manipulation of Objects at a Distance through a Mobile Device. In *Proceedings of the 10th Asia Pacific Conference on Computer Human Interaction (APCHI '12)*. Association for Computing Machinery, New York, NY, USA, 299–308. DOI: <http://dx.doi.org/10.1145/2350046.2350098>
- [126] Hongnan Lin. 2019. Using Passenger Elicitation for Developing Gesture Design Guidelines for Adjusting Highly Automated Vehicle Dynamics. In *Companion Publication of the 2019 on Designing Interactive Systems Conference 2019 Companion* (June 23-28, 2019) (*DIS '19 Companion*). ACM, New York, NY, USA, 97–100. DOI: <http://dx.doi.org/10.1145/3301019.3324878>
- [127] Qi Feng Liu, Keiko Katsuragawa, and Edward Lank. 2019. Eliciting Wrist and Finger Gestures to Guide Recognizer Design. In *Proceedings of Graphics Interface 2019 (GI 2019)*. Canadian Information Processing Society, Kingston, Ontario, 9. DOI: <http://dx.doi.org/10.20380/GI2019.09>
- [128] Jessica Lo and Audrey Girouard. 2017. Bently: Exploring Mobile Gaming with Flexible Devices. In *Proceedings of the Eleventh International Conference on Tangible, Embedded, and Embodied Interaction (TEI '17)*. Association for Computing Machinery, New York, NY, USA, 163–172. DOI: <http://dx.doi.org/10.1145/3024969.3024970>
- [129] Yihua Lou, Wenjun Wu, Radu-Daniel Vatavu, and Wei-Tek Tsai. 2017. Personalized gesture interactions for cyber-physical smart-home environments. *Sci. China Inf. Sci.* 60, 7 (2017), 072104. DOI: <http://dx.doi.org/10.1007/s11432-015-1014-7>
- [130] Byron M. Lowens. 2018. Toward Privacy Enhanced Solutions For Granular Control Over Health Data Collected by Wearable Devices. In *Proceedings of the 2018 Workshop on MobiSys 2018 Ph.D. Forum* (2018) (*MobiSys PhD Forum '18*). ACM, New York, NY, USA, 5–6. DOI: <http://dx.doi.org/10.1145/3212711.3212714>
- [131] Vikas Luthra and Sanjay Ghosh. 2015. Understanding, Evaluating and Analyzing Touch Screen Gestures for Visually Impaired Users in Mobile Environment. In *Universal Access in Human-Computer Interaction. Access to Interaction*, Margherita Antona and Constantine Stephanidis (Eds.). Springer International Publishing, Cham, 25–36.
- [132] Andreas Löcken, Tobias Hesselmann, Martin Pielot, Niels Henze, and Susanne Boll. 2012. User-centred process for the definition of free-hand gestures applied to controlling music playback. *Multimedia Systems* 18, 1 (2012), 15–31. DOI: <http://dx.doi.org/10.1007/s00530-011-0240-2>
- [133] Naveen Madapana, Glebys Gonzalez, Richard Rodgers, Lingsong Zhang, and Juan P. Wachs. 2018. Gestures for Picture Archiving and Communication Systems (PACS) operation in the operating room: Is there any standard? *PLOS ONE* 13, 6 (2018), e0198092. DOI: <http://dx.doi.org/10.1371/journal.pone.0198092>
- [134] Naveen Madapana, Glebys Gonzalez, Rahul Taneja, Richard Rodgers, Lingsong Zhang, and Juan Wachs. 2019. Preference elicitation: Obtaining gestural guidelines for PACS in neurosurgery. *International Journal of Medical Informatics* 130 (2019), 103934. DOI: <http://dx.doi.org/10.1016/j.ijmedinf.2019.07.013>
- [135] Nathan Magrofuoco, Jorge-Luis Pérez-Medina, Paolo Roselli, Jean Vanderdonckt, and Santiago Villarreal. 2019. Eliciting Contact-Based and Contactless Gestures With Radar-Based Sensors. *IEEE Access* 7 (2019), 176982–176997. DOI: <http://dx.doi.org/10.1109/ACCESS.2019.2951349>
- [136] Nathan Magrofuoco and Jean Vanderdonckt. 2019. Gelicit: A Cloud Platform for Distributed Gesture Elicitation Studies. *Proc. ACM Hum.-Comput. Interact.* 3 (2019), 1–41. Issue EICS. DOI: <http://dx.doi.org/10.1145/3331148>
- [137] Meethu Malu, Pramod Chundury, and Leah Findlater. 2018. Exploring Accessible Smartwatch Interactions for People with Upper Body Motor Impairments. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (April 21-26, 2018) (*CHI '18*). ACM, New York, NY, USA, 488:1–488:12. DOI: <http://dx.doi.org/10.1145/3173574.3174062>

- [138] Vito M. Manghisi, Antonio E. Uva, Michele Fiorentino, Michele Gattullo, Antonio Boccaccio, and Giuseppe Monno. 2018. Enhancing user engagement through the user centric design of a mid-air gesture-based interface for the navigation of virtual-tours in cultural heritage expositions. *Journal of Cultural Heritage* 32 (2018), 186–197. DOI: <http://dx.doi.org/10.1016/j.culher.2018.02.014>
- [139] Francisco J. Martínez-Ruiz, Sebastian F. Rauh, and Gerrit Meixner. 2020. Understanding Peripheral Audiences: From Subtle to Full Body Gestures. In *Human Interaction and Emerging Technologies*, Tareq Ahram, Redha Taiar, Serge Colson, and Arnaud Choplin (Eds.). Springer International Publishing, Cham, 489–495.
- [140] Kohei Matsumura. 2015. Studying User-Defined Gestures Toward Off the Screen Interactions. In *Proceedings of the 2015 International Conference on Interactive Tabletops & Surfaces* (November 15–18, 2015) (*ITS '15*). ACM, New York, NY, USA, 295–300. DOI: <http://dx.doi.org/10.1145/2817721.2823496>
- [141] Dan Mauney, Jonathan Howarth, Andrew Wirtanen, and Miranda Capra. 2010. Cultural Similarities and Differences in User-Defined Gestures for Touchscreen User Interfaces. In *CHI '10 Extended Abstracts on Human Factors in Computing Systems (CHI EA '10)*. Association for Computing Machinery, New York, NY, USA, 4015–4020. DOI: <http://dx.doi.org/10.1145/1753846.1754095>
- [142] Keenan R. May, Thomas M. Gable, and Bruce N. Walker. 2017. Designing an In-Vehicle Air Gesture Set Using Elicitation Methods. In *Proceedings of the 9th International Conference on Automotive User Interfaces and Interactive Vehicular Applications (AutomotiveUI '17)*. Association for Computing Machinery, New York, NY, USA, 74–83. DOI: <http://dx.doi.org/10.1145/3122986.3123015>
- [143] John C. McClelland, Robert J. Teather, and Audrey Girouard. 2017. Haptobend: Shape-Changing Passive Haptic Feedback in Virtual Reality. In *Proceedings of the 5th Symposium on Spatial User Interaction (SUI '17)*. Association for Computing Machinery, New York, NY, USA, 82–90. DOI: <http://dx.doi.org/10.1145/3131277.3132179>
- [144] Fabrizio Milazzo, Vito Gentile, Antonio Gentile, and Salvatore Sorce. 2017. KIND-DAMA: A modular middleware for Kinect-like device data management. *Software: Practice and Experience* 48, 1 (2017), 141–160. DOI: <http://dx.doi.org/10.1002/spe.2521>
- [145] G. Modanwal and K. Sarawadekar. 2017. A New Dactylogy and Interactive System Development for Blind-Computer Interaction. *IEEE Transactions on Human-Machine Systems* PP, 99 (2017), 1–6. DOI: <http://dx.doi.org/10.1109/THMS.2017.2734065>
- [146] Gourav Modanwal and Kishor Sarawadekar. 2018. A Gesture Elicitation Study with Visually Impaired Users. In *HCI International 2018 – Posters' Extended Abstracts* (July 15, 2018) (*Communications in Computer and Information Science*). Springer, Cham, Cham, 54–61. DOI: http://dx.doi.org/10.1007/978-3-319-92279-9_7
- [147] Meredith Ringel Morris. 2012. Web on the Wall: Insights from a Multimodal Interaction Elicitation Study. In *Proceedings of the 2012 ACM International Conference on Interactive Tabletops and Surfaces* (2012) (*ITS '12*). ACM, New York, NY, USA, 95–104. DOI: <http://dx.doi.org/10.1145/2396636.2396651>
- [148] Meredith Ringel Morris, Jacob O. Wobbrock, and Andrew D. Wilson. 2010. Understanding Users' Preferences for Surface Gestures. In *Proceedings of Graphics Interface 2010 (GI '10)*. Canadian Information Processing Society, CAN, 261–268.
- [149] Miguel A. Nacenta, Yemliha Kamber, Yizhou Qiang, and Per Ola Kristensson. 2013. Memorability of Pre-Designed and User-Defined Gesture Sets. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '13)*. Association for Computing Machinery, New York, NY, USA, 1099–1108. DOI: <http://dx.doi.org/10.1145/2470654.2466142>
- [150] Vijayakumar Nanjappan, Hai-Ning Liang, Feiyu Lu, Konstantinos Pangelis, Yong Yue, and Ka Lok Man. 2018. User-elicited dual-hand interactions for manipulating 3D objects in virtual reality environments. *Human-centric Computing and Information Sciences* 8, 1 (2018), 31. DOI: <http://dx.doi.org/10.1186/s13673-018-0154-5>
- [151] Vijayakumar Nanjappan, Rongkai Shi, Hai-Ning Liang, Kim King-Tong Lau, Yong Yue, and Katie Atkinson. 2019a. Towards a Taxonomy for In-Vehicle Interactions Using Wearable Smart Textiles: Insights from a User-Elicitation Study. *Multimodal Technologies and Interaction* 3, 2 (2019), 33. DOI: <http://dx.doi.org/10.3390/mti3020033>
- [152] Vijayakumar Nanjappan, Rongkai Shi, Hai-Ning Liang, Haoru Xiao, Kim King-Tong Lau, and Khalad Hasan. 2019b. Design of Interactions for Handheld Augmented Reality Devices Using Wearable Smart Textiles: Findings from a User Elicitation Study. *Applied Sciences* 9, 15 (2019), 3177. DOI: <http://dx.doi.org/10.3390/app9153177>
- [153] Andrés Adolfo Navarro-Newball, Isidro Moreno, Edmond Prakash, Ali Arya, Victoria E. Contreras, Victor A. Quiceno, Santiago Lozano, Juan David Mejía, and Diego Fernando Loaiza. 2016. Gesture based human motion and game principles to aid understanding of science and cultural practices. *Multimed Tools Appl* 75, 19 (2016), 11699–11722. DOI: <http://dx.doi.org/10.1007/s11042-015-2667-5>
- [154] Samuel Navas Medrano, Max Pfeiffer, and Christian Kray. 2017. Enabling Remote Deictic Communication with Mobile Devices: An Elicitation Study. In *Proceedings of the 19th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '17)*. Association for Computing Machinery, New York, NY, USA, Article 19, 13 pages. DOI: <http://dx.doi.org/10.1145/3098279.3098544>

- [155] Michael Nebeling, Alexander Huber, David Ott, and Moira C. Norrie. 2014. Web on the Wall Reloaded: Implementation, Replication and Refinement of User-Defined Interaction Sets. In *Proceedings of the Ninth ACM International Conference on Interactive Tabletops and Surfaces* (2014) (*ITS '14*). ACM, New York, NY, USA, 15–24. DOI: <http://dx.doi.org/10.1145/2669485.2669497>
- [156] Jaye Nias. 2015. Guessability As an Ethnographic Study of Mobile Technology Usage in Kenya. In *Proceedings of the Seventh International Conference on Information and Communication Technologies and Development* (May 15-18, 2015) (*ICTD '15*). ACM, New York, NY, USA, 1–4. DOI: <http://dx.doi.org/10.1145/2737856.2737898>
- [157] Juliet Norton, Chadwick A. Wingrave, and Joseph J. LaViola, Jr. 2010. Exploring Strategies and Guidelines for Developing Full Body Video Game Interfaces. In *Proceedings of the Fifth International Conference on the Foundations of Digital Games* (2010) (*FDG '10*). ACM, New York, NY, USA, 155–162. DOI: <http://dx.doi.org/10.1145/1822348.1822369>
- [158] Mohammad Obaid, Markus Häring, Felix Kistler, René Bühling, and Elisabeth André. 2012. User-Defined Body Gestures for Navigational Control of a Humanoid Robot. In *Social Robotics*, Shuzhi Sam Ge, Oussama Khatib, John-John Cabibihan, Reid Simmons, and Mary-Anne Williams (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 367–377.
- [159] Mohammad Obaid, Felix Kistler, Gabrielundefined Kasparavičiūtundefined, Asim Evren Yantaç, and Morten Fjeld. 2016. How Would You Gesture Navigate a Drone? A User-Centered Approach to Control a Drone. In *Proceedings of the 20th International Academic Mindtrek Conference (AcademicMindtrek '16)*. Association for Computing Machinery, New York, NY, USA, 113–121. DOI: <http://dx.doi.org/10.1145/2994310.2994348>
- [160] Alex Olwal, Thad Starner, and Gowa Mainini. 2020. E-Textile Microinteractions: Augmenting Twist with Flick, Slide and Grasp Gestures for Soft Electronics. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (CHI '20)*. Association for Computing Machinery, New York, NY, USA, 1–13. DOI: <http://dx.doi.org/10.1145/3313831.3376236>
- [161] Francisco R. Ortega, Alain Galvan, Katherine Tarre, Armando Barreto, Naphtali Rische, Jonathan Bernal, Ruben Balcazar, and Jason-Lee Thomas. 2017. Gesture elicitation for 3D travel via multi-touch and mid-Air systems for procedurally generated pseudo-universe. In *2017 IEEE Symposium on 3D User Interfaces (3DUI)*. IEEE, USA, 144–153. DOI: <http://dx.doi.org/10.1109/3DUI.2017.7893331>
- [162] Francisco R. Ortega, Katherine Tarre, Mathew Kress, Adam S. Williams, Armando B. Barreto, and Naphtali D. Rische. 2019. Selection and Manipulation Whole-Body Gesture Elicitation Study In Virtual Reality. In *2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR)*. IEEE, USA, 1723–1728. DOI: <http://dx.doi.org/10.1109/VR.2019.8798105>
- [163] Mehdi Ousmer, Jean Vanderdonck, and Sabin Buraga. 2019. An Ontology for Reasoning on Body-based Gestures. In *Proceedings of the ACM SIGCHI Symposium on Engineering Interactive Computing Systems* (June 18–21, 2019) (*EICS '19*). ACM, New York, NY, USA, 1–6. DOI: <http://dx.doi.org/10.1145/3319499.3328238>
- [164] Maulishree Pandey, Hariharan Subramonyam, Brooke Sasia, Steve Oney, and Sile O'Modhrain. 2020. Explore, Create, Annotate: Designing Digital Drawing Tools with Visually Impaired People. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (April 21, 2020) (*CHI '20*). Association for Computing Machinery, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3313831.3376349>
- [165] Donggun Park, Yu Shin Lee, Sejin Song, Ilsun Rhiu, Sanghyun Kwon, Yongdae An, and Myung Hwan Yun. 2016. User centered gesture development for smart lighting. In *Proceedings of HCI Korea* (January 27, 2016) (*HCiK '16*). Hanbit Media, Inc., Jeongseon, Republic of Korea, 146–150. DOI: <http://dx.doi.org/10.17210/hcik.2016.01.146>
- [166] Ekaterina Peshkova and Martin Hitz. 2017a. Coherence Evaluation of Input Vocabularies to Enhance Usability and User Experience. In *Proceedings of the ACM SIGCHI Symposium on Engineering Interactive Computing Systems* (June 26–29, 2017) (*EICS '17*). ACM, New York, NY, USA, 15–20. DOI: <http://dx.doi.org/10.1145/3102113.3102118>
- [167] Ekaterina Peshkova and M. Hitz. 2017b. Exploring user-defined gestures to control a group of four UAVs. In *2017 26th IEEE International Symposium on Robot and Human Interactive Communication (RO-MAN)* (August, 2017). IEEE, Lisbon, Portugal, 169–174. DOI: <http://dx.doi.org/10.1109/ROMAN.2017.8172297>
- [168] Ekaterina Peshkova, Martin Hitz, and David Ahlström. 2017. Exploring User-Defined Gestures and Voice Commands to Control an Unmanned Aerial Vehicle. In *Intelligent Technologies for Interactive Entertainment*, Ronald Poppe, John-Jules Meyer, Remco Veltkamp, and Mehdi Dastani (Eds.). Springer International Publishing, Cham, 47–62.
- [169] Tran Pham, Jo Vermeulen, Anthony Tang, and Lindsay MacDonald Vermeulen. 2018. Scale Impacts Elicited Gestures for Manipulating Holograms: Implications for AR Gesture Design. In *Proceedings of the 2018 Designing Interactive Systems Conference* (2018) (*DIS '18*). ACM, New York, NY, USA, 227–240. DOI: <http://dx.doi.org/10.1145/3196709.3196719>
- [170] Thammathip Piumsomboon, Adrian Clark, Mark Billinghurst, and Andy Cockburn. 2013a. User-Defined Gestures for Augmented Reality. In *CHI '13 Extended Abstracts on Human Factors in Computing Systems (CHI EA '13)*. Association for Computing Machinery, New York, NY, USA, 955–960. DOI: <http://dx.doi.org/10.1145/2468356.2468527>
- [171] Thammathip Piumsomboon, Adrian Clark, Mark Billinghurst, and Andy Cockburn. 2013b. User-Defined Gestures for Augmented Reality. In *Human-Computer Interaction – INTERACT 2013*, Paula Kotzé, Gary Marsden, Gitte Lindgaard, Janet Wesson, and Marco Winckler (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 282–299.
- [172] Henning Pohl and Michael Rohs. 2014. Around-device Devices: My Coffee Mug is a Volume Dial. In *Proceedings of*

- the 16th International Conference on Human-computer Interaction with Mobile Devices & Services (2014) (MobileHCI '14)*. ACM, New York, NY, USA, 81–90. DOI : <http://dx.doi.org/10.1145/2628363.2628401>
- [173] Patryk Pomykalski, Mikołaj P. Woźniak, Paweł W. Woźniak, Krzysztof Grudziń, Shengdong Zhao, and Andrzej Romanowski. 2020. Considering Wake Gestures for Smart Assistant Use. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems (CHI EA '20)*. Association for Computing Machinery, New York, NY, USA, 1–8. DOI : <http://dx.doi.org/10.1145/3334480.3383089>
- [174] Patricia Pons and Javier Jaen. 2019. Interactive spaces for children: gesture elicitation for controlling ground mini-robots. *J Ambient Intell Human Comput* 11 (2019), 2467–2488. DOI : <http://dx.doi.org/10.1007/s12652-019-01290-6>
- [175] Benjamin Poppinga, Alireza Sahami Shirazi, Niels Henze, Wilko Heuten, and Susanne Boll. 2014. Understanding Shortcut Gestures on Mobile Touch Devices. In *Proceedings of the 16th International Conference on Human-Computer Interaction with Mobile Devices & Services (MobileHCI '14)*. Association for Computing Machinery, New York, NY, USA, 173–182. DOI : <http://dx.doi.org/10.1145/2628363.2628378>
- [176] Dmitry Pyryeskin, Mark Hancock, and Jesse Hoey. 2012. Comparing Elicited Gestures to Designer-created Gestures for Selection Above a Multitouch Surface. In *Proceedings of the 2012 ACM International Conference on Interactive Tabletops and Surfaces (2012) (ITS '12)*. ACM, New York, NY, USA, 1–10. DOI : <http://dx.doi.org/10.1145/2396636.2396638>
- [177] F. Quek, D. McNeill, R. Ansari, Xin-Feng Ma, R. Bryll, S. Duncan, and K.E. McCullough. 1999. Gesture cues for conversational interaction in monocular video. In *Proceedings International Workshop on Recognition, Analysis, and Tracking of Faces and Gestures in Real-Time Systems. In Conjunction with ICCV'99 (Cat. No.PR00378)*. IEEE, Corfu, Greece, 119–126. DOI : <http://dx.doi.org/10.1109/RATFG.1999.799234>
- [178] Francis Quek, David McNeill, Robert Bryll, Susan Duncan, Xin-Feng Ma, Cemil Kirbas, Karl E. McCullough, and Rashid Ansari. 2002. Multimodal Human Discourse: Gesture and Speech. *ACM Trans. Comput.-Hum. Interact.* 9, 3 (2002), 171–193. DOI : <http://dx.doi.org/10.1145/568513.568514>
- [179] Tsele Rakubutu, Helene Gelderblom, and Jason Cohen. 2014. Participatory Design of Touch Gestures for Informational Search on a Tablet Device. In *Proceedings of the Southern African Institute for Computer Scientist and Information Technologists Annual Conference 2014 on SAICSIT 2014 Empowered by Technology (SAICSIT '14)*. Association for Computing Machinery, New York, NY, USA, 276–285. DOI : <http://dx.doi.org/10.1145/2664591.2664594>
- [180] Silvia Ramis, Francisco J. Perales, Cristina Manresa-Yee, and Antoni Biliboni. 2015. Usability Study of Gestures to Control a Smart-TV. In *Applications and Usability of Interactive TV (2015) (Communications in Computer and Information Science)*, María José Abásolo and Raoni Kulesza (Eds.). Springer International Publishing, Cham, 135–146. DOI : http://dx.doi.org/10.1007/978-3-319-22656-9_10
- [181] Hanae Rateau, Laurent Grisoni, and Bruno De Araujo. 2014. Mimetic Interaction Spaces: Controlling Distant Displays in Pervasive Environments. In *Proceedings of the 19th International Conference on Intelligent User Interfaces (February, 2014) (IUI '14)*. ACM, New York, NY, USA, 89–94. DOI : <http://dx.doi.org/10.1145/2557500.2557545>
- [182] Isabel Benavente Rodriguez and Nicolai Marquardt. 2017. Gesture Elicitation Study on How to Opt-in & Opt-out from Interactions with Public Displays. In *Proceedings of the 2017 ACM International Conference on Interactive Surfaces and Spaces (2017) (ISS '17)*. ACM, New York, NY, USA, 32–41. DOI : <http://dx.doi.org/10.1145/3132272.3134118>
- [183] Marco Romano, Andrea Bellucci, and Ignacio Aedo. 2015. Understanding Touch and Motion Gestures for Blind People on Mobile Devices. In *Human-Computer Interaction – INTERACT 2015 (September 14, 2015) (Lecture Notes in Computer Science)*. Springer, Cham, Cham, 38–46. DOI : http://dx.doi.org/10.1007/978-3-319-22701-6_3
- [184] Gustavo Alberto Rovelo Ruiz, Davy Vanacken, Kris Luyten, Francisco Abad, and Emilio Camahort. 2014. Multi-viewer Gesture-based Interaction for Omni-directional Video. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (April 26 - May 1) (CHI '14)*. ACM, New York, NY, USA, 4077–4086. DOI : <http://dx.doi.org/10.1145/2556288.2557113>
- [185] David M. Roy, Marilyn Panayi, Richard Foulds, Roman Erenshteyn, William S. Harwin, and Robert Fawcus. 1994. The Enhancement of Interaction for People with Severe Speech and Physical Impairment through the Computer Recognition of Gesture and Manipulation. *Presence: Teleoperators and Virtual Environments* 3, 3 (1994), 227–235. DOI : <http://dx.doi.org/10.1162/pres.1994.3.3.227>
- [186] Jaime Ruiz, Yang Li, and Edward Lank. 2011. User-defined Motion Gestures for Mobile Interaction. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (2011) (CHI '11)*. ACM, New York, NY, USA, 197–206. DOI : <http://dx.doi.org/10.1145/1978942.1978971>
- [187] Jaime Ruiz and Daniel Vogel. 2015. Soft-Constraints to Reduce Legacy and Performance Bias to Elicit Whole-body Gestures with Low Arm Fatigue. In *Proceedings of the IFIP TC5 WG5.7 International Workshop on Modelling Techniques for Business Process Re-Engineering and Benchmarking (April, 2015) (CHI '15)*. ACM, New York, NY, USA, 3347–3350. DOI : <http://dx.doi.org/10.1145/2702123.2702583>
- [188] Natalie Ruiz, Fang Chen, and Eric Choi. 2006. Exploratory Study of Lexical Patterns in Multimodal Cues. In *Proceedings of the 2005 NICTA-HCSNet Multimodal User Interaction Workshop - Volume 57 (2006) (MMUI '05)*. Australian Computer Society, Inc., Darlinghurst, Australia, Australia, 47–50. <http://dl.acm.org/citation.cfm?id=1151804.1151812>

- [189] Dominik Rupperecht, Rainer Blum, and Birgit Bomsdorf. 2013. TOWARDS A GESTURE SET FOR A VIRTUAL TRY-ON. In *IADIS International Conference Game and Entertainment Technologies 2013 (part of MCCSIS 2013)* (2013). Association for Computing Machinery, Seoul, Republic of Korea, 273–277. <http://www.iadisportal.org/digital-library/towards-a-gesture-set-for-a-virtual-try-on>
- [190] Vít Rusnák, Caroline Appert, Olivier Chapuis, and Emmanuel Pietriga. 2018. Designing Coherent Gesture Sets for Multi-scale Navigation on Tabletops. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems* (2018) (*CHI '18*). ACM, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3173574.3173716>
- [191] Karen Rust, Meethu Malu, Lisa Anthony, and Leah Findlater. 2014. Understanding Childdefined Gestures and Children’s Mental Models for Touchscreen Tabletop Interaction. In *Proceedings of the ACM Conference on Interaction Design and Children* (2014) (*IDC '14*). ACM, New York, NY, USA, 201–204. DOI: <http://dx.doi.org/10.1145/2593968.2610452>
- [192] Roman Rädle, Hans-Christian Jetter, Mario Schreiner, Zhihao Lu, Harald Reiterer, and Yvonne Rogers. 2015. Spatially-aware or Spatially-agnostic?: Elicitation and Evaluation of User-Defined Cross-Device Interactions. In *Proceedings of the 33rd Annual ACM Conference on Human Factors in Computing Systems* (2015) (*CHI '15*). ACM, New York, NY, USA, 3913–3922. DOI: <http://dx.doi.org/10.1145/2702123.2702287>
- [193] Atilim Sahin. 2013. Hacking the Gestures of Past for Future Interactions. In *Proceedings of 11th International Conference on Advances in Mobile Computing & Multimedia (MoMM '13)*. ACM, New York, NY, USA, 484–489. DOI: <http://dx.doi.org/10.1145/2536853.2536908>
- [194] Gazelle Saniee-Monfared, Kevin Fan, Qianq Xu, Sachi Mizobuchi, Lewis Zhou, Pourang Polad Irani, and Wei Li. 2020. Tent Mode Interactions: Exploring Collocated Multi-User Interaction on a Foldable Device. In *22nd International Conference on Human-Computer Interaction with Mobile Devices and Services* (October 5, 2020) (*MobileHCI '20*). Association for Computing Machinery, New York, NY, USA, 1–12. DOI: <http://dx.doi.org/10.1145/3379503.3403566>
- [195] O. Schipor and R. Vatavu. 2018. Invisible, Inaudible, and Impalpable: Users’ Preferences and Memory Performance for Digital Content in Thin Air. *IEEE Pervasive Computing* 17, 4 (2018), 76–85. DOI: <http://dx.doi.org/10.1109/MPRV.2018.2873856>
- [196] Robin Schweigert, Jan Leusmann, Simon Hagenmayer, Maximilian Weiß, Huy Viet Le, Sven Mayer, and Andreas Bulling. 2019. KnuckleTouch: Enabling Knuckle Gestures on Capacitive Touchscreens using Deep Learning. In *Proceedings of Mensch und Computer 2019* (September 8, 2019) (*MuC'19*). Association for Computing Machinery, Hamburg, Germany, 387–397. DOI: <http://dx.doi.org/10.1145/3340764.3340767>
- [197] Marcos Serrano, Barrett M. Ens, and Pourang P. Irani. 2014. Exploring the Use of Hand-to-face Input for Interacting with Head-worn Displays. In *Proceedings of the ACM Conference on Human Factors in Computing Systems* (*CHI '14*). ACM, New York, NY, USA, 3181–3190. DOI: <http://dx.doi.org/10.1145/2556288.2556984>
- [198] Matthias Seuter, Eduardo Rodriguez Macrillante, Gernot Bauer, and Christian Kray. 2018. Running with Drones: Desired Services and Control Gestures. In *Proceedings of the 30th Australian Conference on Computer-Human Interaction* (2018) (*OzCHI '18*). ACM, New York, NY, USA, 384–395. DOI: <http://dx.doi.org/10.1145/3292147.3292156>
- [199] Teddy Seyed, Chris Burns, Mario Costa Sousa, Frank Maurer, and Anthony Tang. 2012. Eliciting Usable Gestures for Multi-display Environments. In *Proceedings of the 2012 ACM International Conference on Interactive Tabletops and Surfaces* (2012) (*ITS '12*). ACM, New York, NY, USA, 41–50. DOI: <http://dx.doi.org/10.1145/2396636.2396643>
- [200] David A. Shamma, Jennifer Marlow, and Laurent Denoue. 2019. Interacting with Smart Consumer Cameras: Exploring Gesture, Voice, and AI Control in Video Streaming. In *Proceedings of the 2019 ACM International Conference on Interactive Experiences for TV and Online Video* (June 4, 2019). ACM, New York, NY, USA, 137–144. DOI: <http://dx.doi.org/10.1145/3317697.3323359>
- [201] Adwait Sharma, Joan Sol Roo, and Jürgen Steimle. 2019. Grasping Microgestures: Eliciting Single-hand Microgestures for Handheld Objects. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (May 4-6, 2019) (*CHI '19*). ACM, New York, NY, USA, 402:1–402:13. DOI: <http://dx.doi.org/10.1145/3290605.3300632>
- [202] Alex Shaw and Lisa Anthony. 2016a. Analyzing the Articulation Features of Children’s Touchscreen Gestures. In *Proceedings of the 18th ACM International Conference on Multimodal Interaction* (2016) (*ICMI 2016*). ACM, New York, NY, USA, 333–340. DOI: <http://dx.doi.org/10.1145/2993148.2993179>
- [203] Alex Shaw and Lisa Anthony. 2016b. Toward a Systematic Understanding of Children’s Touchscreen Gestures. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems* (May 7, 2016). ACM, New York, NY, USA, 1752–1759. DOI: <http://dx.doi.org/10.1145/2851581.2892425>
- [204] Lei Shi, Yuhang Zhao, and Shiri Azenkot. 2017. Designing Interactions for 3D Printed Models with Blind People. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility* (2017) (*ASSETS '17*). ACM, New York, NY, USA, 200–209. DOI: <http://dx.doi.org/10.1145/3132525.3132549>
- [205] Shaikh Shawon Arefin Shimon, Sarah Morrison-Smith, Noah John, Ghazal Fahimi, and Jaime Ruiz. 2015. Exploring User-Defined Back-Of-Device Gestures for Mobile Devices. In *Proceedings of the 17th International Conference on Human-Computer Interaction with Mobile Devices and Services* (2015) (*MobileHCI '15*). ACM, New York, NY, USA,

- 227–232. DOI : <http://dx.doi.org/10.1145/2785830.2785890>
- [206] Shaishav Siddhpuria, Keiko Katsuragawa, James R. Wallace, and Edward Lank. 2017. Exploring At-Your-Side Gestural Interaction for Ubiquitous Environments. In *Proceedings of the 2017 Conference on Designing Interactive Systems (2017) (DIS '17)*. ACM, New York, NY, USA, 1111–1122. DOI : <http://dx.doi.org/10.1145/3064663.3064695>
- [207] Chaklam Silpasuwanchai and Xiangshi Ren. 2014. Jump and Shoot!: Prioritizing Primary and Alternative Body Gestures for Intense Gameplay. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (April 26 - May 1) (CHI '14)*. ACM, New York, NY, USA, 951–954. DOI : <http://dx.doi.org/10.1145/2556288.2557107>
- [208] Chaklam Silpasuwanchai and Xiangshi Ren. 2015. Designing concurrent full-body gestures for intense gameplay. *International Journal of Human-Computer Studies* 80 (2015), 1–13. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2015.02.010>
- [209] Tiffanie R. Smith and Juan E. Gilbert. 2018. Dancing to Design: A Gesture Elicitation Study. In *Proceedings of the 17th ACM Conference on Interaction Design and Children (2018) (IDC '18)*. ACM, New York, NY, USA, 638–643. DOI : <http://dx.doi.org/10.1145/3202185.3210790>
- [210] Nikita Soni, Schuyler Gleaves, Hannah Neff, Sarah Morrison-Smith, Shaghayegh Esmaeili, Ian Mayne, Sayli Bapat, Carrie Schuman, Kathryn A. Stofer, and Lisa Anthony. 2019. Do User-defined Gestures for Flatscreens Generalize to Interactive Spherical Displays for Adults and Children?. In *Proceedings of the 8th ACM International Symposium on Pervasive Displays (2019) (PerDis '19)*. ACM, New York, NY, USA, 24:1–24:7. DOI : <http://dx.doi.org/10.1145/3321335.3324941>
- [211] Nikita Soni, Schuyler Gleaves, Hannah Neff, Sarah Morrison-Smith, Shaghayegh Esmaeili, Ian Mayne, Sayli Bapat, Carrie Schuman, Kathryn A. Stofer, and Lisa Anthony. 2020. Adults' and Children's Mental Models for Gestural Interactions with Interactive Spherical Displays. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (April 21, 2020) (CHI '20)*. Association for Computing Machinery, New York, NY, USA, 1–12. DOI : <http://dx.doi.org/10.1145/3313831.3376468>
- [212] Keyur Sorathia, Minal Jain, Mannu Amrit, Ravi Mokashi Puneekar, Saurabh Srivastava, and Nitendra Rajput. 2015. Gesture selection study for a maternal healthcare information system in rural Assam, India. *Journal of Usability Studies* 11, 1 (2015), 7–20. <http://dl.acm.org/citation.cfm?id=2870660.2870662>
- [213] Kashmiri Stec and Lars Bo Larsen. 2018. Gestures for Controlling a Moveable TV. In *Proceedings of the 2018 ACM International Conference on Interactive Experiences for TV and Online Video (2018) (TVX '18)*. ACM, New York, NY, USA, 5–14. DOI : <http://dx.doi.org/10.1145/3210825.3210831>
- [214] H. Subramonyam and E. Adar. 2019. SmartCues: A Multitouch Query Approach for Details-on-Demand through Dynamically Computed Overlays. *IEEE Transactions on Visualization and Computer Graphics* 25, 1 (2019), 597–607. DOI : <http://dx.doi.org/10.1109/TVCG.2018.2865231>
- [215] Ke Sun, Yuntao Wang, Chun Yu, Yukang Yan, Hongyi Wen, and Yuanchun Shi. 2017. Float: One-Handed and Touch-Free Target Selection on Smartwatches. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems (2017) (CHI '17)*. ACM, New York, NY, USA, 692–704. DOI : <http://dx.doi.org/10.1145/3025453.3026027>
- [216] Saiganesh Swaminathan, Michael Rivera, Runchang Kang, Zheng Luo, Kadri Bugra Ozutemiz, and Scott E. Hudson. 2019. Input, Output and Construction Methods for Custom Fabrication of Room-Scale Deployable Pneumatic Structures. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 3, 2 (2019), 1–17. DOI : <http://dx.doi.org/10.1145/3328933>
- [217] Poorna Talkad Sukumar, Anqing Liu, and Ronald Metoyer. 2018. Replicating User-defined Gestures for Text Editing. In *Proceedings of the 2018 ACM International Conference on Interactive Surfaces and Spaces (November 25-28, 2018) (ISS '18)*. ACM, New York, NY, USA, 97–106. DOI : <http://dx.doi.org/10.1145/3279778.3279793>
- [218] Yanke Tan, Sang Ho Yoon, and Karthik Ramani. 2017. BikeGesture: User Elicitation and Performance of Micro Hand Gesture As Input for Cycling. In *Proceedings of the 2017 CHI Conference Extended Abstracts on Human Factors in Computing Systems (2017) (CHI EA '17)*. ACM, New York, NY, USA, 2147–2154. DOI : <http://dx.doi.org/10.1145/3027063.3053075>
- [219] Florent Taralle, Alexis Paljic, Sotiris Manitsaris, Jordane Grenier, and Christophe Guettier. 2015. A Consensual and Non-ambiguous Set of Gestures to Interact with UAV in Infantrymen. In *Proceedings of the 33rd Annual ACM Conference Extended Abstracts on Human Factors in Computing Systems (2015) (CHI EA '15)*. ACM, New York, NY, USA, 797–803. DOI : <http://dx.doi.org/10.1145/2702613.2702971>
- [220] Giovanni Maria Troiano, Esben Warming Pedersen, and Kasper Hornbæk. 2014. User-defined Gestures for Elastic, Deformable Displays. In *Proceedings of the ACM International Working Conference on Advanced Visual Interfaces (2014) (AVI '14)*. ACM, New York, NY, USA, 1–8. DOI : <http://dx.doi.org/10.1145/2598153.2598184>
- [221] Huawei Tu, Qihan Huang, Yanchao Zhao, and Boyu Gao. 2020. Effects of holding postures on user-defined touch gestures for tablet interaction. *International Journal of Human-Computer Studies* 141 (2020), 102451. DOI : <http://dx.doi.org/10.1016/j.ijhcs.2020.102451>
- [222] Ying-Chao Tung, Chun-Yen Hsu, Han-Yu Wang, Silvia Chyou, Jhe-Wei Lin, Pei-Jung Wu, Andries Valstar, and Mike Y. Chen. 2015. User-Defined Game Input for Smart Glasses in Public Space. In *Proceedings of the 33rd Annual ACM*

- Conference on Human Factors in Computing Systems (April 18, 2015) (CHI '15). Association for Computing Machinery, Seoul, Republic of Korea, 3327–3336. DOI: <http://dx.doi.org/10.1145/2702123.2702214>
- [223] Antonio Emmanuele Uva, Michele Fiorentino, Vito Modesto Manghisi, Antonio Boccaccio, Saverio Debernardis, Michele Gattullo, and Giuseppe Monno. 2019. A User-Centered Framework for Designing Midair Gesture Interfaces. *IEEE Transactions on Human-Machine Systems* 49, 5 (2019), 421–429. DOI: <http://dx.doi.org/10.1109/THMS.2019.2919719>
- [224] Consuelo Valdes, Diana Eastman, Casey Grote, Shantanu Thatte, Orit Shaer, Ali Mazalek, Brygg Ullmer, and Miriam K. Konkel. 2014. Exploring the design space of gestural interaction with active tokens through user-defined gestures. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (April 26, 2014) (CHI '14). Association for Computing Machinery, New York, NY, USA, 4107–4116. DOI: <http://dx.doi.org/10.1145/2556288.2557373>
- [225] J. Vanattenhoven, D. Geerts, J. Vanderdonckt, and J. Perez-Medina. 2019. The Impact of Comfortable Viewing Positions on Smart TV Gestures. In *2019 International Conference on Information Systems and Computer Science (INCISCOS)*. IEEE Computer Society, Los Alamitos, CA, USA, 296–303. DOI: <http://dx.doi.org/10.1109/INCISCOS49368.2019.00054>
- [226] Jean Vanderdonckt, Nathan Magrofuoco, Suzanne Kieffer, Jorge Pérez, Ysabelle Rase, Paolo Roselli, and Santiago Villarreal. 2019. Head and Shoulders Gestures: Exploring User-Defined Gestures with Upper Body. In *Design, User Experience, and Usability. User Experience in Advanced Technological Environments* (2019) (Lecture Notes in Computer Science), Aaron Marcus and Wentao Wang (Eds.). Springer International Publishing, Cyprus, 192–213.
- [227] Radu-Daniel Vatavu. 2012. User-Defined Gestures for Free-Hand TV Control. In *Proceedings of the 10th European Conference on Interactive TV and Video (EuroITV '12)*. Association for Computing Machinery, New York, NY, USA, 45–48. DOI: <http://dx.doi.org/10.1145/2325616.2325626>
- [228] Radu-Daniel Vatavu. 2013. A comparative study of user-defined handheld vs. freehand gestures for home entertainment environments. *Journal of Ambient Intelligence and Smart Environments* 5, 2 (2013), 187–211. DOI: <http://dx.doi.org/10.3233/AIS-130200>
- [229] Radu-Daniel Vatavu. 2017a. Characterizing gesture knowledge transfer across multiple contexts of use. *J Multimodal User Interfaces* 11, 4 (2017), 301–314. DOI: <http://dx.doi.org/10.1007/s12193-017-0247-x>
- [230] Radu-Daniel Vatavu. 2017b. Smart-Pockets: Body-deictic gestures for fast access to personal data during ambient interactions. *International Journal of Human-Computer Studies* 103 (2017), 1–21. DOI: <http://dx.doi.org/10.1016/j.ijhcs.2017.01.005>
- [231] Radu-Daniel Vatavu. 2019. The Dissimilarity-Consensus Approach to Agreement Analysis in Gesture Elicitation Studies. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (May 4–9, 2019) (CHI '19). ACM, New York, NY, USA, 1–13. DOI: <http://dx.doi.org/10.1145/3290605.3300454>
- [232] Radu-Daniel Vatavu, Annette Mossel, and Christian Schönauer. 2016. Digital Vibrons: Understanding Users' Perceptions of Interacting with Invisible, Zero-Weight Matter. In *Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '16)*. Association for Computing Machinery, New York, NY, USA, 217–226. DOI: <http://dx.doi.org/10.1145/2935334.2935364>
- [233] Radu-Daniel Vatavu and Jacob O. Wobbrock. 2016. Between-Subjects Elicitation Studies: Formalization and Tool Support. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 3390–3402. DOI: <http://dx.doi.org/10.1145/2858036.2858228>
- [234] Radu-Daniel Vatavu and Ionut-Alexandru Zaiti. 2014. Leap Gestures for TV: Insights from an Elicitation Study. In *Proceedings of the ACM International Conference on Interactive Experiences for TV and Online Video (TVX '14)*. Association for Computing Machinery, New York, NY, USA, 131–138. DOI: <http://dx.doi.org/10.1145/2602299.2602316>
- [235] Panagiotis Vogiatzidakis and Panayiotis Koutsabasis. 2019. Frame-Based Elicitation of Mid-Air Gestures for a Smart Home Device Ecosystem. *Informatics* 6, 2 (2019), 23. DOI: <http://dx.doi.org/10.3390/informatics6020023>
- [236] Panagiotis Vogiatzidakis and Panayiotis Koutsabasis. 2020. Mid-Air Gesture Control of Multiple Home Devices in Spatial Augmented Reality Prototype. *Multimodal Technologies and Interaction* 4, 3 (2020), 61. DOI: <http://dx.doi.org/10.3390/mti4030061> ZSCC: 0000000 Number: 3 Publisher: Multidisciplinary Digital Publishing Institute.
- [237] Spyros Vosinakis and Anna Gardeli. 2019. On the Use of Mobile Devices as Controllers for First-Person Navigation in Public Installations. *Information* 10, 7 (2019), 238. DOI: <http://dx.doi.org/10.3390/info10070238>
- [238] Tijana Vuletic, Alex Duffy, Laura Hay, Chris McTeague, Gerard Campbell, Pei Ling Choo, and Madeleine Grealy. 2018. Natural and intuitive gesture interaction for 3D object manipulation in conceptual design. In *15th International Design Conference (Design 2018)*. *15th International Design Conference (Design 2018)* 1 (May 2018). <https://strathprints.strath.ac.uk/64019/>
- [239] Benjamin Walther-Franks, Tanja Döring, Meltem Yilmaz, and Rainer Malaka. 2019. Embodiment or Manipulation? Understanding Users' Strategies for Free-Hand Character Control. In *Proceedings of Mensch und Computer 2019* (September 8, 2019) (MuC'19). Association for Computing Machinery, Hamburg, Germany, 661–665. DOI: <http://dx.doi.org/10.1145/3340764.3344887>
- [240] Ruolin Wang, Chun Yu, Xing-Dong Yang, Weijie He, and Yuanchun Shi. 2019. EarTouch: Facilitating Smartphone Use

- for Visually Impaired People in Mobile and Public Scenarios. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. Association for Computing Machinery, New York, NY, USA, 1–13. DOI: <http://dx.doi.org/10.1145/3290605.3300254>
- [241] Yuntao Wang, Chun Yu, Yuhang Zhao, Jin Huang, and Yuanchun Shi. 2014. Defining and Analyzing a Gesture Set for Interactive TV Remote on Touchscreen Phones. In *2014 IEEE 11th Intl Conf on Ubiquitous Intelligence and Computing and 2014 IEEE 11th Intl Conf on Autonomic and Trusted Computing and 2014 IEEE 14th Intl Conf on Scalable Computing and Communications and Its Associated Workshops*. IEEE, Bali, Indonesia, 362–365. DOI: <http://dx.doi.org/10.1109/UIC-ATC-ScalCom.2014.84>
- [242] Florian Weidner and Wolfgang Broll. 2019. Interact with Your Car: A User-Elicited Gesture Set to Inform Future in-Car User Interfaces. In *Proceedings of the 18th International Conference on Mobile and Ubiquitous Multimedia (MUM '19)*. Association for Computing Machinery, New York, NY, USA, Article 11, 12 pages. DOI: <http://dx.doi.org/10.1145/3365610.3365625>
- [243] Martin Weigel, Vikram Mehta, and Jürgen Steimle. 2014. More than Touch: Understanding How People Use Skin as an Input Surface for Mobile Computing. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '14)*. Association for Computing Machinery, New York, NY, USA, 179–188. DOI: <http://dx.doi.org/10.1145/2556288.2557239>
- [244] Wesley Willett, Qi Lan, and Petra Isenberg. 2014. Eliciting Multi-touch Selection Gestures for Interactive Data Graphics. In *Short-Paper Proceedings of the European Conference on Visualization (EuroVis)*. Eurographics, Aire-la-Ville, Switzerland. <https://hal.inria.fr/hal-00990928>
- [245] Adam S. Williams and Francisco R. Ortega. 2020. Understanding Gesture and Speech Multimodal Interactions for Manipulation Tasks in Augmented Reality Using Unconstrained Elicitation. *Proc. ACM Hum.-Comput. Interact.* 4, ISS, Article 202 (nov 2020), 21 pages. DOI: <http://dx.doi.org/10.1145/3427330>
- [246] Markus L. Wittorf and Mikkel R. Jakobsen. 2016. Eliciting Mid-Air Gestures for Wall-Display Interaction. In *Proceedings of the 9th Nordic Conference on Human-Computer Interaction (NordiCHI '16)*. Association for Computing Machinery, New York, NY, USA, Article 3, 4 pages. DOI: <http://dx.doi.org/10.1145/2971485.2971503>
- [247] Jacob O. Wobbrock, Htet Htet Aung, Brandon Rothrock, and Brad A. Myers. 2005. Maximizing the Guessability of Symbolic Input. In *CHI '05 Extended Abstracts on Human Factors in Computing Systems (CHI EA '05)*. Association for Computing Machinery, New York, NY, USA, 1869–1872. DOI: <http://dx.doi.org/10.1145/1056808.1057043>
- [248] Jacob O. Wobbrock, Meredith Ringel Morris, and Andrew D. Wilson. 2009. User-Defined Gestures for Surface Computing. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '09)*. Association for Computing Machinery, New York, NY, USA, 1083–1092. DOI: <http://dx.doi.org/10.1145/1518701.1518866>
- [249] Huiyue Wu, Jinxuan Gai, Yu Wang, Jiayi Liu, Jiali Qiu, Jianmin Wang, and Xiaolong (Luke) Zhang. 2020. Influence of cultural factors on freehand gesture design. *International Journal of Human-Computer Studies* 143 (2020), 102502. DOI: <http://dx.doi.org/10.1016/j.ijhcs.2020.102502>
- [250] Huiyue Wu, Jiayi Liu, Jiali Qiu, and Xiaolong (Luke) Zhang. 2018. Seeking common ground while reserving differences in gesture elicitation studies. *Multimed Tools Appl* 78 (2018), 14989–15010. DOI: <http://dx.doi.org/10.1007/s11042-018-6853-0>
- [251] Huiyue Wu, Weizhou Luo, Neng Pan, Shenghuan Nan, Yanyi Deng, Shengqian Fu, and Liuqingqing Yang. 2019. Understanding freehand gestures: a study of freehand gestural interaction for immersive VR shopping applications. *Hum. Cent. Comput. Inf. Sci.* 9, 1 (2019), 43. DOI: <http://dx.doi.org/10.1186/s13673-019-0204-7>
- [252] Huiyue Wu, Jianmin Wang, and Xiaolong (Luke) Zhang. 2016. User-centered gesture development in TV viewing environment. *Multimed Tools Appl* 75, 2 (2016), 733–760. DOI: <http://dx.doi.org/10.1007/s11042-014-2323-5>
- [253] Huiyue Wu, Yu Wang, Jiayi Liu, Jiali Qiu, and Xiaolong (Luke) Zhang. 2019a. User-defined gesture interaction for in-vehicle information systems. *Multimed Tools Appl* 79 (2019), 263–288. DOI: <http://dx.doi.org/10.1007/s11042-019-08075-1>
- [254] Huiyue Wu, Yu Wang, Jiali Qiu, Jiayi Liu, and Xiaolong (Luke) Zhang. 2019b. User-defined gesture interaction for immersive VR shopping applications. *Behaviour & Information Technology* 38, 7 (2019), 726–741. DOI: <http://dx.doi.org/10.1080/0144929X.2018.1552313>
- [255] Huiyue Wu and Liuqingqing Yang. 2019. User-Defined Gestures for Dual-Screen Mobile Interaction. *International Journal of Human-Computer Interaction* 0, 0 (2019), 1–15. DOI: <http://dx.doi.org/10.1080/10447318.2019.1706331>
- [256] Huiyue Wu, Liuqingqing Yang, Shengqian Fu, and Xiaolong (Luke) Zhang. 2019c. Beyond remote control: Exploring natural gesture inputs for smart TV systems. *Journal of Ambient Intelligence and Smart Environments* 11, 4 (2019), 335–354. DOI: <http://dx.doi.org/10.3233/AIS-190528>
- [257] Huiyue Wu, Shaoke Zhang, Jiayi Liu, Jiali Qiu, and Xiaolong (Luke) Zhang. 2019d. The Gesture Disagreement Problem in Free-hand Gesture Interaction. *International Journal of Human-Computer Interaction* 35, 12 (2019), 1102–1114. DOI: <http://dx.doi.org/10.1080/10447318.2018.1510607>
- [258] Yiqi Xiao and Renke He. 2019a. The Handlebar as an Input Field: Evaluating Finger Gestures Designed for Bicycle

- Riders. In *Advances in Human Aspects of Transportation*, Neville Stanton (Ed.). Springer International Publishing, Cham, 648–659.
- [259] Yiqi Xiao and Renke He. 2019b. The intuitive grasp interface: design and evaluation of micro-gestures on the steering wheel for driving scenario. *Univ Access Inf Soc* 19 (2019), 433–450. DOI : <http://dx.doi.org/10.1007/s10209-019-00647-0>
- [260] Li Xuan, Guan Daisong, Zhou Moli, Zhang Jingya, Liu Xingtong, and Li Siqi. 2019. Comparison on User Experience of Mid-Air Gesture Interaction and Traditional Remotes Control. In *Proceedings of the Seventh International Symposium of Chinese CHI (Chinese CHI '19)*. Association for Computing Machinery, New York, NY, USA, 16–22. DOI : <http://dx.doi.org/10.1145/3332169.3333570>
- [261] Yukang Yan, Xin Yi, Chun Yu, and Yuanchun Shi. 2019. Gesture-based target acquisition in virtual and augmented reality. *Virtual Reality & Intelligent Hardware* 1, 3 (2019), 276–289. DOI : <http://dx.doi.org/10.3724/SP.J.2096-5796.2019.0007>
- [262] Yukang Yan, Chun Yu, Xiaojuan Ma, Xin Yi, Ke Sun, and Yuanchun Shi. 2018a. VirtualGrasp: Leveraging Experience of Interacting with Physical Objects to Facilitate Digital Object Retrieval. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (2018) (CHI '18)*. ACM, New York, NY, USA, 1–13. DOI : <http://dx.doi.org/10.1145/3173574.3173652>
- [263] Yukang Yan, Chun Yu, Xin Yi, and Yuanchun Shi. 2018b. HeadGesture: Hands-Free Input Approach Leveraging Head Movements for HMD Devices. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 2, 4 (2018), 198:1–198:23. DOI : <http://dx.doi.org/10.1145/3287076>
- [264] Zhican Yang, Chun Yu, Fengshi Zheng, and Yuanchun Shi. 2019. ProxiTalk: Activate Speech Input by Bringing Smartphone to the Mouth. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 3, 3 (2019), 118:1–118:25. DOI : <http://dx.doi.org/10.1145/3351276>
- [265] Ionuț-Alexandru Zaiți, Ștefan-Gheorghe Pentiuc, and Radu-Daniel Vatavu. 2015. On free-hand TV control: experimental results on user-elicited gestures with Leap Motion. *Pers Ubiquit Comput* 19, 5 (2015), 821–838. DOI : <http://dx.doi.org/10.1007/s00779-015-0863-y>
- [266] Xiaojie Zha and Marie-Luce Bourguet. 2016. Experimental Study to Elicit Effective Multimodal Behaviour in Pedagogical Agents. In *Proceedings of the International Workshop on Social Learning and Multimodal Interaction for Designing Artificial Agents (DAA '16)*. Association for Computing Machinery, New York, NY, USA, Article 1, 6 pages. DOI : <http://dx.doi.org/10.1145/3005338.3005339>
- [267] Oren Zuckerman, Dina Walker, Andrey Grishko, Tal Moran, Chen Levy, Barak Lisak, Iddo Yehoshua Wald, and Hadas Erel. 2020. Companionship Is Not a Function: The Effect of a Novel Robotic Object on Healthy Older Adults' Feelings of "Being-Seen". In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (April 21, 2020) (CHI '20)*. Association for Computing Machinery, New York, NY, USA, 1–14. DOI : <http://dx.doi.org/10.1145/3313831.3376411>

B WORD CLOUDS, TOPICS, AND TOPIC MODELLING

B.1 Word Cloud

We have created two sets of word cloud figures - one that shows the chronological order and the other one that contains 267 studies.




Fig. 14. Chronological Word Cloud 1994 Dunning algorithm



Fig. 15. Chronological Word Cloud 1998-1999 Dunning algorithm (left) and Mann Whitney U test (right)




Fig. 16. Chronological Word Cloud 2000-2002 Dunning algorithm (left) and Mann Whitney U test (right)



Fig. 20. Chronological Word Cloud 2010 Dunning algorithm (left) and Mann Whitney U test (right)

[H]




Fig. 21. Chronological Word Cloud 2011 Dunning algorithm (left) and Mann Whitney U test (right)




Fig. 22. Chronological Word Cloud 2012 Dunning algorithm (left) and Mann Whitney U test (right)



Fig. 23. Chronological Word Cloud 2013 Dunning algorithm (left) and Mann Whitney U test (right)




Fig. 24. Chronological Word Cloud 2014 Dunning algorithm (left) and Mann Whitney U test (right)



Fig. 25. Chronological Word Cloud 2015 Dunning algorithm (left) and Mann Whitney U test (right)



Fig. 26. Chronological Word Cloud 2016 Dunning algorithm (left) and Mann Whitney U test (right)



Fig. 27. Chronological Word Cloud 2017 Dunning algorithm




Fig. 28. Chronological Word Cloud 2018 Dunning algorithm




Fig. 29. Chronological Word Cloud 2019 Dunning algorithm (top left), 2020 Dunning algorithm (bottom left) and 2019-2020 Mann Whitney U test (right)




Fig. 30. Word Cloud of 267 studies, Dunning algorithm (left) and TF-IDF algorithm (right)

B.2 Topic




Fig. 31. Stream graph by most common, 5 topics




Fig. 32. Steam graph by most common, 10 topics




Fig. 33. Stacked area graph by most coherent, 5 topics




Fig. 34. Stacked area graph by most coherent, 20 topics




Fig. 35. Categorical graph by most common, 5 topics




Fig. 36. Categorical graph by most common, 10 topics

B.3 Topic modelling

The connections between different terms or concepts.

