RESEARCH OUTPUTS / RÉSULTATS DE RECHERCHE

Electrochemical elaboration and investigation of Nitinol surfaces covered with tantalum, carbon nanotubes and phosphonic acid self-assembled monolayers

Maho, Anthony; Delhalle, Joseph; Mekhalif, Zineb

Publication date: 2014

Document Version Peer reviewed version

Link to publication

Citation for pulished version (HARVARD):

Maho, A, Delhalle, J & Mekhalif, Z 2014, 'Electrochemical elaboration and investigation of Nitinol surfaces covered with tantalum, carbon nanotubes and phosphonic acid self-assembled monolayers', ElecNano6, Paris, France, 26/05/14 - 28/05/14.

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
 You may freely distribute the URL identifying the publication in the public portal?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Download date: 03. Jul. 2025





Electrochemical elaboration and investigation of Nitinol surfaces covered with tantalum, carbon nanotubes and phosphonic acid self-assembled monolayers

Anthony Maho, Joseph Delhalle, and Zineb Mekhalif

Laboratory of Chemistry and Electrochemistry of Surfaces (CES), University of Namur, Belgium anthony.maho@unamur.be


General context: Ti-based biomaterials


Titanium and its alloys constitute very interesting platforms for **dental and osseous biomedical applications** thanks to their low density, high fatigue strength, corrosion resistance, ... More particularly, the **Nitinol** (NiTi) alloy (Ni 56%, Ti balance) is well known for its excellent shape memory and superelasticity properties. However, toxicity of certain alloying elements (Ni in NiTi, Al and V in TiAl6V4 ...), long-term degradation and weak osseointegrative properties remain problematic features.

One solving approach stands in the formation of a thin tantalum coating on NiTi surface by an electrodeposition (EDP) process in ionic liquids media: Ta, with its very passivating oxide layer, is highly resistant to corrosion, biocompatible and bioactive, has good radio-opacity ... Additional barrier effect can be brought by the further self-assembly of alkylphosphonic acid monolayers [1,2].

Multiwalled carbon nanotubes (MWCNTs) can also be incorporated to form a composite Ta-based coating on NiTi owing to their ability to improve the mechanical properties of the implant. They can also specifically interact with osteoblasts and osteoclasts and promote the bone regeneration process by mimicking the structure of collagen fibers and favor the formation of an hydroxyapatite layer. Composite Ta-CNTs layers are prepared according a two-step electrochemical process, first through the electrophoretic deposition (EPD) of phosphonate-modified MWCNTs on NiTi, than through the Ta electrodeposition on the NiTi/MWCNTs platforms [3].

Ta electrodeposition and alkylphosphonic acids self-assembly on NiTi









SECM – FB PAC


Aqueous 5 mM Ru(NH₃)₆Cl₃ / 0.1 M K₂SO₄







- Electrodeposition of a spontaneously nanostructured Ta film on NiTi (« microscopic » pores; $\phi \sim 120$ nm).
- **Self-assembly of C₁₂P monolayers** on NiTi and NiTi-Ta with surface covering ratios of 68 and 41%, resp. (« macroscopic » defects).
 - ⇒ Specific electrochemical responses on CV and SECM curves.


MWCNTs electrophoretic deposition and Ta electrodeposition on NiTi




SEM









The electrochemical co-deposition of PO₃Et₂-MWCNTs and Ta on NiTi lead to the generation of compact, homogeneous and functional composite layers presenting strong barrier properties at the interface with the external environment.

Conclusions and perspectives

- Electrochemistry is used for both elaboration and characterization of protective and functional surface coatings on Nitinol substrates with a high level of versatility and precision.
- The considered approaches lead to highly homogeneous, nanostructured and adherent tantalum-based layers.
- Such organic-inorganic hybrid films are therefore strongly believed to constitute sensitive platforms for further osseointegrative purposes (nucleation of hydroxyapatite, adhesion-proliferation of osteoblasts and osteoclasts).

References

[1] A. Maho, J. Delhalle, Z. Mekhalif, Study of the formation process and the characteristics of tantalum layers electrodeposited on Nitinol plates in the 1-butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid, *Electrochim. Acta* 89 (**2013**) 346-358. [2] A. Maho, F. Kanoufi, C. Combellas, J. Delhalle, Z. Mekhalif, Electrochemical Investigation of Nitinol/Tantalum Hybrid Surfaces Modified by Alkylphosphonic Self-Assembled Monolayers, *Electrochim. Acta* 116 (**2014**) 78-88. [3] A. Maho, S. Detriche, G. Fonder, J. Delhalle, Z. Mekhalif, Electrochemical Co-Deposition of Phosphonate-Modified Carbon Nanotubes and Tantalum on Nitinol, *ChemElectroChem* (**2014**) in press.

Acknowledgments: FNRS-FRIA for fellowship