

RESEARCH OUTPUTS / RÉSULTATS DE RECHERCHE

Intrinsic Flexibility of the Opioid Receptor through Multiscale Modelling Approaches - COMP403

Vercauteren, Daniel; Fossepre, Mathieu; Leherte, Laurence; Laaksonen, Aatto

Published in:

Abstracts of the 255th Annual Meeting and Exposition of the American Chemical Society

Publication date:

2018

Document Version

Publisher's PDF, also known as Version of record

[Link to publication](#)

Citation for published version (HARVARD):

Vercauteren, D, Fossepre, M, Leherte, L & Laaksonen, A 2018, Intrinsic Flexibility of the Opioid Receptor through Multiscale Modelling Approaches - COMP403. in *Abstracts of the 255th Annual Meeting and Exposition of the American Chemical Society*. ACS, 255th ACS National Meeting & Exposition, New Orleans, LA, United States, 18/03/18.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

403 - Intrinsic flexibility of the μ opioid receptor through multiscale modeling approaches

*Daniel Vercauteren¹, daniel.vercauteren@fundp.ac.be, Mathieu Fossépré¹, Laurence Leherte¹, Aatto Laaksonen²

¹ Department of Chemistry, University of Namur, Sovet, Belgium; ² Stockholm University, Stockholm, Sweden

Abstract

Recent releases of numerous G protein-coupled receptors crystalline structures created the opportunity for computational methods to widely explore their dynamics. Here, we study the biological implication of the intrinsic flexibility properties of μ opioid receptor (μ OR). First, one performed classical all-atom (AA) Molecular Dynamics (MD) simulations of μ OR in its apo-form. We highlighted that the various degrees of bendability of the σ -helices present important consequences on the plasticity of the μ OR binding site. Hence, this latter adopts a wide diversity of shape and volume, explaining why μ OR interacts with very diverse ligands. Then, one introduces a new strategy for parameterizing purely mechanical but precise coarse-grained (CG) elastic network models (ENMs). Those CG ENMs reproduced in a high accurate way the flexibility properties of μ OR as observed with the AA simulations. At last, ones uses network modularization to design multi-grained (MG) models. They represent a novel type of low resolution models, different in nature *versus* CG models as being true multi-resolution models, *i.e.*, each MG grouping a different number of residues. The three parts of our work constitute an integrated hierarchical and multiscale approach for tackling the flexibility of μ OR.

Time	Wednesday, March 21, 2018 4:15 PM
------	-----------------------------------

Session	COMP: Structure-Based Drug Design for GPCRs: PM session (1:30 PM - 4:50 PM)
---------	---

Location	New Orleans Marriott Convention Center
----------	--

Room	Blaine Kern F
------	---------------